# ISO/IEC 14776-322:2007-02 (E)

**Information technology – Small computer system interface (SCSI) – Part 322: Block commands-2 (SBC-2)**

**CONTENTS**


FOREWORD ..... 10

INTRODUCTION ..... 11

1 Scope ..... 13

2 Normative references ..... 14
2.1 Approved references ..... 14
2.2 References under development ..... 14

3 Definitions, symbols, abbreviations, keywords, and conventions ..... 15
3.1 Definitions ..... 15
3.2 Symbols and abbreviations ..... 18
3.3 Keywords ..... 18
3.4 Conventions ..... 19

4 Direct-access block device type model ..... 21
4.1 Direct-access block device type model overview ..... 21
4.2 Media examples ..... 21
4.2.1 Media examples overview ..... 21
4.2.2 Rotating media ..... 21
4.2.3 Memory media ..... 22
4.3 Removable medium ..... 22
4.3.1 Removable medium overview ..... 22
4.3.2 Removable medium with an attached media changer ..... 22
4.4 Logical blocks ..... 23
4.5 Ready state ..... 23
4.6 Initialization ..... 24
4.7 Write protection ..... 24
4.8 Medium defects ..... 25
4.9 Write failures ..... 25
4.10 Caches ..... 26
4.11 Implicit HEAD OF QUEUE command processing ..... 27
4.12 Reservations ..... 27
4.13 Error reporting ..... 29
4.13.1 Error reporting overview ..... 29
4.13.2 Block commands sense data descriptor ..... 30
4.14 Model for XOR commands ..... 30
4.14.1 Model for XOR commands overview ..... 30
4.14.2 Storage array controller supervised XOR operations ..... 31
4.14.2.1 Storage array controller supervised XOR operations overview ..... 31
4.14.2.2 Update write operation ..... 31
4.14.2.3 Regenerate operation ..... 31
4.14.2.4 Rebuild operation ..... 32
4.14.3 Array subsystem considerations ..... 32
4.14.3.1 Array subsystem considerations overview ..... 32
4.14.3.2 Buffer full status handling ..... 32
4.14.3.3 Access to an inconsistent stripe ..... 32
4.14.4 XOR data retention requirements ..... 33
4.15 START STOP UNIT and power conditions ..... 33
4.15.1 START STOP UNIT and power conditions overview ..... 33
4.15.2 START STOP UNIT and power conditions state machine ..... 34
4.15.2.1 START STOP UNIT and power conditions state machine overview ..... 34
4.15.2.2 SSU_PC0:Powered_on state ..... 35
4.15.2.2.1 SSU_PC0:Powered_on state description ..... 35
4.15.2.2.2 Transition SSU_PC0:Powered_on to SSU_PC1:Active ..... 35

4.15.2.2.3 Transition SSU_PC0:Powered_on to SSU_PC4:Stopped ... 35
4.15.2.3 SSU_PC1:Active state ... 35
4.15.2.3.1 SSU_PC1:Active state description ... 35
4.15.2.3.2 Transition SSU_PC1:Active to SSU_PC2:Idle ... 35
4.15.2.3.3 Transition SSU_PC1:Active to SSU_PC3:Standby ... 35
4.15.2.3.4 Transition SSU_PC1:Active to SSU_PC4:Stopped ... 35
4.15.2.4 SSU_PC2:Idle state ... 35
4.15.2.4.1 SSU_PC2:Idle state description ... 35
4.15.2.4.2 Transition SSU_PC2:Idle to SSU_PC1:Active ... 36
4.15.2.4.3 Transition SSU_PC2:Idle to SSU_PC3:Standby ... 36
4.15.2.4.4 Transition SSU_PC2:Idle to SSU_PC4:Stopped ... 36
4.15.2.5 SSU_PC3:Standby state ... 36
4.15.2.5.1 SSU_PC3:Standby state description ... 36
4.15.2.5.2 Transition SSU_PC3:Standby to SSU_PC1:Active ... 36
4.15.2.5.3 Transition SSU_PC3:Standby to SSU_PC2:Idle ... 36
4.15.2.5.4 Transition SSU_PC3:Standby to SSU_PC4:Stopped ... 36
4.15.2.6 SSU_PC4:Stopped state ... 37
4.15.2.6.1 SSU_PC4:Stopped state description ... 37
4.15.2.6.2 Transition SSU_PC4:Stopped to SSU_PC1:Active ... 37
4.15.2.6.3 Transition SSU_PC4:Stopped to SSU_PC2:Idle ... 37
4.15.2.6.4 Transition SSU_PC4:Stopped to SSU_PC3:Standby ... 37
4.16 Protection information model ... 37
4.16.1 Protection information overview ... 37
4.16.2 Protection information format ... 38
4.16.3 Logical block guard ... 38
4.16.3.1 Logical block guard overview ... 38
4.16.3.2 CRC generation ... 39
4.16.3.3 CRC checking ... 40
4.16.3.4 CRC test cases ... 40
4.16.4 Application of protection information ... 40
4.16.5 Protection information and commands ... 40
4.17 Grouping function ... 41

5 Commands for direct-access block devices ... 42
5.1 Commands for direct-access block devices overview ... 42
5.2 FORMAT UNIT command ... 45
5.2.1 FORMAT UNIT command overview ... 45
5.2.2 FORMAT UNIT parameter list ... 49
5.2.2.1 FORMAT UNIT parameter list overview ... 49
5.2.2.2 Parameter list header ... 49
5.2.2.3 Initialization pattern descriptor ... 51
5.2.2.4 Address descriptor formats ... 52
5.2.2.4.1 Address descriptor formats overview ... 52
5.2.2.4.2 Short block format address descriptor ... 53
5.2.2.4.3 Long block format address descriptor ... 53
5.2.2.4.4 Bytes from index format address descriptor ... 53
5.2.2.4.5 Physical sector format address descriptor ... 54
5.3 PRE-FETCH (10) command ... 54
5.4 PRE-FETCH (16) command ... 56
5.5 READ (6) command ... 56
5.6 READ (10) command ... 58
5.7 READ (12) command ... 62
5.8 READ (16) command ... 63
5.9 READ (32) command ... 63
5.10 READ CAPACITY (10) command ... 65
5.10.1 READ CAPACITY (10) overview ... 65
5.10.2 READ CAPACITY (10) parameter data ... 65
5.11 READ CAPACITY (16) command ... 66

5.11.1 READ CAPACITY (16) command overview ..... 66
5.11.2 READ CAPACITY (16) parameter data ..... 67
5.12 READ DEFECT DATA (10) command ..... 67
5.12.1 READ DEFECT DATA (10) command overview ..... 67
5.12.2 READ DEFECT DATA (10) parameter data ..... 68
5.13 READ DEFECT DATA (12) command ..... 69
5.13.1 READ DEFECT DATA (12) command overview ..... 69
5.13.2 READ DEFECT DATA (12) parameter data ..... 70
5.14 READ LONG (10) command ..... 70
5.15 READ LONG (16) command ..... 71
5.16 REASSIGN BLOCKS command ..... 72
5.16.1 REASSIGN BLOCKS command overview ..... 72
5.16.2 REASSIGN BLOCKS parameter list ..... 72
5.17 START STOP UNIT command ..... 73
5.18 SYNCHRONIZE CACHE (10) command ..... 75
5.19 SYNCHRONIZE CACHE (16) command ..... 76
5.20 VERIFY (10) command ..... 77
5.21 VERIFY (12) command ..... 86
5.22 VERIFY (16) command ..... 87
5.23 VERIFY (32) command ..... 87
5.24 WRITE (6) command ..... 89
5.25 WRITE (10) command ..... 89
5.26 WRITE (12) command ..... 93
5.27 WRITE (16) command ..... 94
5.28 WRITE (32) command ..... 94
5.29 WRITE AND VERIFY (10) command ..... 96
5.30 WRITE AND VERIFY (12) command ..... 96
5.31 WRITE AND VERIFY (16) command ..... 97
5.32 WRITE AND VERIFY (32) command ..... 97
5.33 WRITE LONG (10) command ..... 99
5.34 WRITE LONG (16) command ..... 99
5.35 WRITE SAME (10) command ..... 100
5.36 WRITE SAME (16) command ..... 101
5.37 WRITE SAME (32) command ..... 102
5.38 XDREAD (10) command ..... 104
5.39 XDREAD (32) command ..... 105
5.40 XDWRITE (10) command ..... 105
5.41 XDWRITE (32) command ..... 106
5.42 XDWRITEREAD (10) command ..... 107
5.43 XDWRITEREAD (32) command ..... 108
5.44 XPWRITE (10) command ..... 109
5.45 XPWRITE (32) command ..... 110

6 Parameters for direct-access block devices ..... 112
6.1 Diagnostic parameters ..... 112
6.1.1 Diagnostic parameters overview ..... 112
6.1.2 Translate Address Output diagnostic page ..... 112
6.1.3 Translate Address Input diagnostic page ..... 113
6.2 Log parameters ..... 115
6.2.1 Log parameters overview ..... 115
6.2.2 Format Status log page ..... 115
6.2.3 Non-volatile Cache log page ..... 117
6.3 Mode parameters ..... 118
6.3.1 Mode parameters overview ..... 118
6.3.2 Mode parameter block descriptors ..... 120
6.3.2.1 Mode parameter block descriptors overview ..... 120
6.3.2.2 Short LBA mode parameter block descriptor ..... 120
6.3.2.3 Long LBA mode parameter block descriptor ..... 122

6.3.3 Caching mode page ..... 123
6.3.4 Read-Write Error Recovery mode page ..... 126
6.3.5 Verify Error Recovery mode page ..... 131
6.3.6 XOR Control mode page ..... 132
6.4 Vital product data (VPD) parameters ..... 132
6.4.1 VPD parameters overview ..... 132
6.4.2 Block Limits VPD page ..... 133

Annex A (informative) Numeric order codes ..... 135
A.1 Variable length CDBs ..... 135
A.2 Service action CDBs ..... 135

Annex B (informative) XOR command examples ..... 137
B.1 XOR command examples overview ..... 137
B.2 Update write operation ..... 137
B.3 Regenerate operation ..... 138
B.4 Rebuild operation ..... 139

Annex C (informative) CRC example in C ..... 141

Bibliography ..... 143

Table 1 - ISO and American numbering convention examples ..... 20
Table 2 - SBC-2 commands that are allowed in the presence of various reservations ..... 28
Table 3 - Example error conditions ..... 29
Table 4 - Sense data field usage for direct-access block devices ..... 29
Table 5 - Block commands sense data descriptor format ..... 30
Table 6 - User data and protection information format ..... 38
Table 7 - CRC polynomials ..... 39
Table 8 - CRC test cases ..... 40
Table 9 - Commands for direct-access block devices ..... 42
Table 10 - FORMAT UNIT command ..... 46
Table 11 - FORMAT UNIT command address descriptor usage ..... 48
Table 12 - FORMAT UNIT parameter list ..... 49
Table 13 - Short parameter list header ..... 49
Table 14 - Long parameter list header ..... 50
Table 15 - Initialization pattern descriptor ..... 51
Table 16 - Initialization pattern modifier (IP MODIFIER) field ..... 51
Table 17 - INITIALIZATION PATTERN TYPE field ..... 52
Table 18 - Address descriptor formats ..... 53
Table 19 - Short block format address descriptor (000b) ..... 53
Table 20 - Long block format address descriptor (011b) ..... 53
Table 21 - Bytes from index format address descriptor (100b) ..... 54
Table 22 - Physical sector format address descriptor (101b) ..... 54
Table 23 - PRE-FETCH (10) command ..... 55
Table 24 - PRE-FETCH (16) command ..... 56
Table 25 - READ (6) command ..... 56
Table 26 - Protection information checking for READ (6) ..... 58
Table 27 - READ (10) command ..... 59
Table 28 - RDPROTECT field ..... 59
Table 29 - Force unit access for read operations ..... 62
Table 30 - READ (12) command ..... 63
Table 31 - READ (16) command ..... 63
Table 32 - READ (32) command ..... 64
Table 33 - READ CAPACITY (10) command ..... 65
Table 34 - READ CAPACITY (10) parameter data ..... 65
Table 35 - READ CAPACITY (16) command ..... 66
Table 36 - READ CAPACITY (16) parameter data ..... 67
Table 37 - READ DEFECT DATA (10) command ..... 67
Table 38 - READ DEFECT DATA (10) parameter data ..... 68
Table 39 - READ DEFECT DATA (12) command ..... 69
Table 40 - READ DEFECT DATA (12) parameter data ..... 70
Table 41 - READ LONG (10) command ..... 70
Table 42 - READ LONG (16) command ..... 71
Table 43 - REASSIGN BLOCKS command ..... 72
Table 44 - REASSIGN BLOCKS parameter list ..... 72
Table 45 - REASSIGN BLOCKS short parameter list header ..... 73
Table 46 - REASSIGN BLOCKS long parameter list header ..... 73
Table 47 - START STOP UNIT command ..... 74
Table 48 - POWER CONDITION field ..... 74
Table 49 - SYNCHRONIZE CACHE (10) command ..... 75
Table 50 - SYNC_NV bit ..... 76
Table 51 - SYNCHRONIZE CACHE (16) command ..... 76
Table 52 - VERIFY (10) command ..... 77
Table 53 - VRPROTECT field with BYTCHK set to zero - checking protection information read from the medium ..... 78
Table 54 - VRPROTECT field with BYTCHK set to one - checking protection information read from the medium ..... 81

Table 55 - VRPROTECT field with BYTCHK set to one - checking protection information transferred from the data-out buffer ..... 82
Table 56 - VRPROTECT field with BYTCHK set to one - byte-by-byte comparison requirements ..... 85
Table 57 - VERIFY (12) command ..... 87
Table 58 - VERIFY (16) command ..... 87
Table 59 - VERIFY (32) command ..... 88
Table 60 - WRITE (6) command ..... 89
Table 61 - WRITE (10) command ..... 90
Table 62 - WRPROTECT field ..... 90
Table 63 - Force unit access for write operations ..... 93
Table 64 - WRITE (12) command ..... 93
Table 65 - WRITE (16) command ..... 94
Table 66 - WRITE (32) command ..... 95
Table 67 - WRITE AND VERIFY (10) command ..... 96
Table 68 - WRITE AND VERIFY (12) command ..... 97
Table 69 - WRITE AND VERIFY (16) command ..... 97
Table 70 - WRITE AND VERIFY (32) command ..... 98
Table 71 - WRITE LONG (10) command ..... 99
Table 72 - WRITE LONG (16) command ..... 100
Table 73 - WRITE SAME (10) command ..... 100
Table 74 - LBDATA bit and PBDATA bit ..... 101
Table 75 - WRITE SAME (16) command ..... 102
Table 76 - WRITE SAME (32) command ..... 103
Table 77 - XDREAD (10) command ..... 104
Table 78 - XDREAD (32) command ..... 105
Table 79 - XDWRITE (10) command ..... 106
Table 80 - XDWRITE (32) command ..... 107
Table 81 - XDWRITEREAD (10) command ..... 108
Table 82 - XDWRITEREAD (32) command ..... 109
Table 83 - XPWRITE (10) command ..... 110
Table 84 - XPWRITE (32) command ..... 111
Table 85 - Diagnostic page codes ..... 112
Table 86 - Translate Address Output diagnostic page ..... 112
Table 87 - Translate Address Input diagnostic page ..... 113
Table 88 - Log page codes ..... 115
Table 89 - Format Status log page parameter codes ..... 116
Table 90 - Non-volatile Cache log page ..... 117
Table 91 - Non-volatile Cache log parameters ..... 117
Table 92 - Remaining Non-volatile Time parameter data ..... 117
Table 93 - REMAINING NON-VOLATILE TIME field ..... 117
Table 94 - Maximum Non-volatile Time parameter data ..... 118
Table 95 - MAXIMUM NON-VOLATILE TIME field ..... 118
Table 96 - DEVICE-SPECIFIC PARAMETER field for direct-access block devices ..... 118
Table 97 - Mode page codes for direct-access block devices ..... 119
Table 98 - Short LBA mode parameter block descriptor ..... 120
Table 99 - Long LBA mode parameter block descriptor ..... 122
Table 100 - Caching mode page ..... 123
Table 101 - DEMAND READ RETENTION PRIORITY field ..... 124
Table 102 - WRITE RETENTION PRIORITY field ..... 125
Table 103 - Read-Write Error Recovery mode page ..... 126
Table 104 - Combined error recovery bit descriptions ..... 128
Table 105 - Verify Error Recovery mode page ..... 131
Table 106 - XOR Control mode page ..... 132
Table 107 - Direct-access block device VPD page codes ..... 133
Table 108 - Block Limits VPD page ..... 133
Table A.1 - Variable length command service action code assignments ..... 135
Table A.2 - SERVICE ACTION IN (16) service actions ..... 135
Table A.3 - SERVICE ACTION OUT (16) service actions ..... 136

Figure 1 - SCSI document relationships ..... 12
Figure 2 - Power condition state machine for logical units implementing the START STOP UNIT command ..... 34
Figure B.1 - Update write operation (storage array controller supervised) ..... 138
Figure B.2 - Regenerate operation (storage array controller supervised) ..... 139
Figure B.3 - Rebuild operation (storage array controller supervised) ..... 140