

ISO/IEC 14543-4-1:2008-05 (E)

Information technology_ - Home electronic system (HES) architecture_ - Part_4-1: Communication layers_ - Application layer for network enhanced control devices of HES Class_1

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions	8
3.2 Abbreviations	11
4 Conformance.....	11
5 Services of the application layer.....	11
5.1 Communication modes	11
5.2 Service primitives of the application layer.....	12
5.2.1 General	12
5.2.2 Case 1: Application objects when obtaining other node status	12
5.2.3 Case 2: Application objects when controlling other node functions.....	13
5.2.4 Case 3: Application objects when notifying another node of self-node status	14
6 Application layer protocol data unit (APDU).....	16
6.1 Overview	16
6.2 Data link header (DHD)	18
6.3 Source/destination data link address (SDLA/DDLA).....	18
6.4 Application data counter (ADC)	18
6.5 Application data (ADATA).....	19
6.6 Object message header (OHD).....	19
6.7 Application object (AOJ).....	19
6.8 Application property code (APC).....	20
6.9 Application service code (ASC)	21
6.10 Application property value data (APD).....	21
6.11 Compound application service code (CpASC).....	21
7 Application layer services	22
7.1 General	22
7.2 Basic application service	22
7.2.1 Basic application	22
7.2.2 Property value write service.....	27
7.2.3 Property value read service	27
7.2.4 Property value notification service	28
7.2.5 Property value element-stipulated write service	28
7.2.6 Property value element-stipulated read service.....	29
7.2.7 Property value element-stipulated notification service.....	30
7.2.8 Property value element-stipulated addition service	31
7.2.9 Property value element-stipulated deletion service	32
7.2.10 Property value element-stipulated existence confirmation service.....	33
7.2.11 Property value element addition service	33
7.2.12 Property value notification (response required) service.....	34

7.2.13	Property value element-stipulated notification (response required) service	34
7.3	Compound application service	35
7.3.1	General	35
7.3.2	Property value write request (requiring no response) service	37
7.3.3	Property value write request (requiring a response) service	38
7.3.4	Property value read request service	39
7.3.5	Property value notification service	40
7.3.6	Property value notification (requiring a response) service	41
7.4	Access limitation	41
8	Application object	42
8.1	General	42
8.2	Types of objects	43
8.2.1	Device objects	43
8.2.2	Profile objects	43
8.2.3	Communications definition objects	44
8.2.4	Service objects	44
8.3	Application property value data types	44
8.3.1	APD range	44
8.3.2	Class-specific mandatory properties	45
8.3.3	Properties that must have a status change announcement function	45
8.3.4	Array	45
9	Communication processing block state transitions	48
9.1	General	48
9.2	State transitions	48
9.2.1	Halt state	48
9.2.2	Cold start (1) state	48
9.2.3	Cold start (2) state	48
9.2.4	Cold start (3) state	48
9.2.5	Warm start state	49
9.2.6	Communication stop state	49
9.2.7	Normal operation state	49
9.2.8	Temporary halt state	49
9.2.9	Error stop state	49
Annex A (informative)	Guidelines for application design	51
A.1	System architecture	51
A.2	System entry, exit, registration and deletion	52
A.3	Confirming the node existence	53
Annex B (informative)	API functions	54
B.1	API function for transport and network layer	54
B.2	API functions for application layer	54
B.2.1	General	54
B.2.2	Constant specifications	54
B.2.3	Detail API functions	58
Bibliography	114

Figure 1 – Service primitive (obtain other node status: synchronous type)	12
Figure 2 – Service primitive (obtain other node status: asynchronous type)	13
Figure 3 – Example of object view	13
Figure 4 – Service primitive (control other node functions).....	14
Figure 5 – Example of object view	14
Figure 6 – Service primitive (notify other nodes of self-node status: synchronous type)	15
Figure 7 – Service primitive (notify other nodes of self-node status: asynchronous type)	15
Figure 8 – Example of object view	15
Figure 9 – Example of application object configuration in a node	16
Figure 10 – Application data frame for plain data format (ADATA area).....	17
Figure 11 – Application data frame for secure message (PADATA area)	18
Figure 12 – Configuration of OHD	19
Figure 13 – Configuration of AOJ.....	19
Figure 14 – Definition of X1, X2 and X3 of AOJ.....	20
Figure 15 – Configuration of APC	20
Figure 16 – Configuration of ASC	21
Figure 17 – Configuration of CpASC	22
Figure 18 – Basic service sequence.....	26
Figure 19 – Access rules	26
Figure 20 – Relationship among property value write request, property value write accepted response and property value write process not possible response	27
Figure 21 – Relationship among property value read request, property value read “accepted” response and property value read “process not possible” response	27
Figure 22 – Relationship among property value notification request, property value notification “accepted” response and property value notification “process not possible” response.....	28
Figure 23 – Relationship among property value element-stipulated write request, property value element-stipulated write accepted response and property value element-stipulated write process not possible response.....	29
Figure 24 – Relationship among property value element-stipulated read request, property value element-stipulated read “accepted” response and Property value element-stipulated read “process not possible” response	30
Figure 25 – Relationship among property value element-stipulated notification request, property value element-stipulated notification “accepted” response and property value element-stipulated notification “process not possible” response	31
Figure 26 – Relationship among property value element-stipulated addition request, property value element-stipulated addition “accepted” response and property value element-stipulated addition “process not possible” response.....	32
Figure 27 – Relationship among property value element-stipulated deletion request, property value element-stipulated deletion “accepted” response and property value element-stipulated deletion “process not possible” response.....	32
Figure 28 – Relationship among property value element-stipulated existence confirmation request, property value element-stipulated existence confirmation “accepted” response and property value element-stipulated existence confirmation “process not possible” response	33
Figure 29 – Relationship among property value element addition request, property value element addition “accepted” response and property value element addition “process not possible” response	34

Figure 30 – Relationship between property value notification (requiring a response) and property value notification response	34
Figure 31 – Relationship between property value element-stipulated notification (requiring a response) and property value element-stipulated notification response	35
Figure 32 – Compound service sequence	37
Figure 33 – Relationship between write request (requiring no response) and write process not possible response	38
Figure 34 – Relationship among write request (requiring a response), write accepted response and write process not possible response	39
Figure 35 – Relationship among read request (requiring a response), read accepted response and read process not possible response	40
Figure 36 – Notification request	41
Figure 37 – Relationship between property value notification (requiring a response) and property value notification response	41
Figure 38 – Example of array element numbers 1	46
Figure 39 – Example of array element number 2	46
Figure 40 – Example of array element number 3	46
Figure 41 – Example of array element number 4	47
Figure 42 – Example of array element number 5	47
Figure 43 – Example of array element number 6	47
Figure 44 – Communications processing block state transition diagram	50
Figure A.1 – System configuration for distributed management system	51
Figure B.1 – Configuration of authentication	66
Table 1 – APC allocation table	21
Table 2 – List of ASCs for request	24
Table 3 – List of ASCs for response/notification	24
Table 4 – List of ASCs for response not possible responses	25
Table 5 – List of CpASC codes for request/notification	36
Table 6 – List of CpASC codes for accepted response	36
Table 7 – List of CpASC codes for process not possible response	37
Table 8 – Format of the application object	43
Table 9 – Data types, data sizes and overflow/underflow codes	45
Table B.1 – List of basic API functions	58