

### CONTENTS

FOREWORD .....	10
ORIGINAL UPNP DOCUMENTS (informative) .....	12
<b>1 Overview and Scope .....</b>	<b>14</b>
1.1 Introduction .....	14
1.2 Notation .....	14
1.2.1 Data Types .....	15
1.2.2 Strings Embedded in Other Strings .....	15
1.2.3 Extended Backus-Naur Form .....	15
1.3 Derived Data Types .....	16
1.3.1 Comma Separated Value (CSV) Lists .....	16
1.4 Management of XML Namespaces in Standardized DCPs .....	17
1.4.1 Namespace Prefix Requirements .....	19
1.4.2 Namespace Names, Namespace Versioning and Schema Versioning .....	20
1.4.3 Namespace Usage Examples .....	21
1.5 Vendor-defined Extensions .....	22
1.6 References .....	22
<b>2 Service Modeling Definitions .....</b>	<b>25</b>
2.1 ServiceType .....	25
2.2 Terms and Abbreviations .....	25
2.2.1 Abbreviations .....	25
2.2.2 Terms .....	25
2.3 ScheduledRecording Service Architecture .....	31
2.3.1 <i>recordSchedule</i> .....	31
2.3.2 <i>recordTask</i> .....	32
2.4 State Variables .....	33
2.4.1 State Variable Overview .....	33
2.4.2 <i>SortCapabilities</i> .....	35
2.4.3 <i>SortLevelCapability</i> .....	35
2.4.4 <i>StateUpdateID</i> .....	35
2.4.5 <i>LastChange</i> .....	36
2.4.6 <i>A_ARG_TYPE_PropertyList</i> .....	38
2.4.7 <i>A_ARG_TYPE_DataTypeID</i> .....	39
2.4.8 <i>A_ARG_TYPE_ObjectID</i> .....	39
2.4.9 <i>A_ARG_TYPE_ObjectIDList</i> .....	39
2.4.10 <i>A_ARG_TYPE_PropertyInfo</i> .....	39
2.4.11 <i>A_ARG_TYPE_Index</i> .....	39
2.4.12 <i>A_ARG_TYPE_Count</i> .....	39
2.4.13 <i>A_ARG_TYPE_SortCriteria</i> .....	39
2.4.14 <i>A_ARG_TYPE_RecordSchedule</i> .....	39
2.4.15 <i>A_ARG_TYPE_RecordTask</i> .....	40
2.4.16 <i>A_ARG_TYPE_RecordScheduleParts</i> .....	40
2.5 Eventing and Moderation .....	41
2.6 Actions .....	41
2.6.1 <i>GetSortCapabilities()</i> .....	42
2.6.2 <i>GetPropertyList()</i> .....	43
2.6.3 <i>GetAllowedValues()</i> .....	44

2.6.4	<a href="#"><u>GetStateUpdateID()</u></a>	45
2.6.5	<a href="#"><u>BrowseRecordSchedules()</u></a>	46
2.6.6	<a href="#"><u>BrowseRecordTasks()</u></a>	50
2.6.7	<a href="#"><u>CreateRecordSchedule()</u></a>	52
2.6.8	<a href="#"><u>DeleteRecordSchedule()</u></a>	54
2.6.9	<a href="#"><u>GetRecordSchedule()</u></a>	56
2.6.10	<a href="#"><u>EnableRecordSchedule()</u></a>	57
2.6.11	<a href="#"><u>DisableRecordSchedule()</u></a>	58
2.6.12	<a href="#"><u>DeleteRecordTask()</u></a>	59
2.6.13	<a href="#"><u>GetRecordTask()</u></a>	60
2.6.14	<a href="#"><u>EnableRecordTask()</u></a>	61
2.6.15	<a href="#"><u>DisableRecordTask()</u></a>	62
2.6.16	<a href="#"><u>ResetRecordTask()</u></a>	63
2.6.17	<a href="#"><u>GetRecordScheduleConflicts()</u></a>	63
2.6.18	<a href="#"><u>GetRecordTaskConflicts()</u></a>	65
2.6.19	Common Error Codes	66
2.7	State Diagram of <a href="#"><u>recordTask</u></a>	67
2.7.1	A Full-Featured State Diagram	67
2.7.2	A Minimal-Implementation State Diagram	72
2.7.3	<a href="#"><u>recordTask</u></a> State Example	75
2.8	ScheduledRecording Service Priority Model	76
2.8.1	Introduction of the ScheduledRecording Service Priority Model	76
2.8.2	Ordered Priority within Each Priority Level	77
2.8.3	Setting the Initial Priority Level of a <a href="#"><u>recordSchedule</u></a>	78
2.8.4	Sorting <a href="#"><u>recordSchedule</u></a> Instances Based on their Current Priority Settings	80
2.9	Theory of Operation	80
2.9.1	Introduction	80
2.9.2	Checking the Capabilities of a ScheduledRecording Service	80
2.9.3	Adding a Scheduled Recording Entry to the List	90
2.9.4	Deleting a <a href="#"><u>recordSchedule</u></a>	103
2.9.5	Browsing <a href="#"><u>recordSchedule</u></a> and <a href="#"><u>recordTask</u></a> instances	103
2.9.6	Rating System	109
2.9.7	Conflict Detection and Resolution	110
<b>3</b>	<b>XML Service Description</b>	<b>111</b>
<b>4</b>	<b>Test</b>	<b>120</b>
<b>Annex A</b>	<b>(normative) srs XML Document</b>	<b>121</b>
A.1	<a href="#"><u>A_ARG_TYPE_RecordSchedule</u></a> AVDT XML Document	121
A.2	<a href="#"><u>A_ARG_TYPE_RecordTask</u></a> AVDT XML Document	122
A.3	<a href="#"><u>A_ARG_TYPE_RecordScheduleParts</u></a> AVDT XML Document	122
<b>Annex B</b>	<b>(normative) AV Working Committee Extended Properties</b>	<b>124</b>
B.1	Base Properties	124
B.1.1	<a href="#"><u>@id</u></a>	124
B.1.2	<a href="#"><u>title</u></a>	125
B.1.3	<a href="#"><u>class</u></a>	125
B.1.4	<a href="#"><u>additionalStatusInfo</u></a>	125
B.1.5	<a href="#"><u>cdsReference</u></a>	126
B.2	Priority Properties	126
B.2.1	<a href="#"><u>priority</u></a>	127

B.2.2	<a href="#"><u>desiredPriority</u></a>	128
B.2.3	<a href="#"><u>desiredPriority@type</u></a>	129
B.3	Output Control Properties	130
B.3.1	<a href="#"><u>recordDestination</u></a>	130
B.3.2	<a href="#"><u>desiredRecordQuality</u></a>	132
B.4	Content Identification Related Properties	134
B.4.1	<a href="#"><u>scheduledCDSObjectID</u></a>	134
B.4.2	<a href="#"><u>scheduledChannelID</u></a>	135
B.4.3	<a href="#"><u>scheduledStartDateTime</u></a>	136
B.4.4	<a href="#"><u>scheduledDuration</u></a>	136
B.4.5	<a href="#"><u>scheduledProgramCode</u></a>	137
B.5	Matching Content Criteria Properties	137
B.5.1	<a href="#"><u>matchingName</u></a>	138
B.5.2	<a href="#"><u>matchingID</u></a>	139
B.6	Matching Qualifying Criteria Properties	140
B.6.1	<a href="#"><u>matchingChannelID</u></a>	140
B.6.2	<a href="#"><u>matchingStartDateTimeRange</u></a>	140
B.6.3	<a href="#"><u>matchingDurationRange</u></a>	141
B.6.4	<a href="#"><u>matchingRatingLimit</u></a>	141
B.6.5	<a href="#"><u>matchingEpisodeType</u></a>	143
B.7	Content Control Properties	144
B.7.1	<a href="#"><u>totalDesiredRecordTasks</u></a>	144
B.7.2	<a href="#"><u>scheduledStartDateTimeAdjust</u></a>	145
B.7.3	<a href="#"><u>scheduledDurationAdjust</u></a>	145
B.7.4	<a href="#"><u>activePeriod</u></a>	145
B.7.5	<a href="#"><u>durationLimit</u></a>	146
B.7.6	<a href="#"><u>channelMigration</u></a>	147
B.7.7	<a href="#"><u>timeMigration</u></a>	147
B.7.8	<a href="#"><u>allowDuplicates</u></a>	147
B.8	Storage Related Properties	148
B.8.1	<a href="#"><u>persistedRecordings</u></a>	148
B.9	Schedule State Properties	149
B.9.1	<a href="#"><u>scheduleState</u></a>	149
B.9.2	<a href="#"><u>abnormalTasksExist</u></a>	151
B.10	Statistics Properties	151
B.10.1	<a href="#"><u>currentRecordTaskCount</u></a>	151
B.10.2	<a href="#"><u>totalCreatedRecordTasks</u></a>	151
B.10.3	<a href="#"><u>totalCompletedRecordTasks</u></a>	152
B.11	Task General Properties	152
B.11.1	<a href="#"><u>recordScheduleID</u></a>	152
B.11.2	<a href="#"><u>recordedCDSObjectID</u></a>	152
B.12	Task Content Identification Properties	153
B.12.1	<a href="#"><u>taskCDSObjectID</u></a>	153
B.12.2	<a href="#"><u>taskChannelID</u></a>	154
B.12.3	<a href="#"><u>taskStartDateTime</u></a>	154
B.12.4	<a href="#"><u>taskDuration</u></a>	154
B.12.5	<a href="#"><u>taskProgramCode</u></a>	155
B.12.6	<a href="#"><u>recordQuality</u></a>	155
B.13	Task Matched Content Criteria Properties	157

B.13.1	<a href="#"><u>matchedName</u></a>	157
B.13.2	<a href="#"><u>matchedID</u></a>	158
B.14	Task Matched Qualifying Criteria Properties	158
B.14.1	<a href="#"><u>matchedRating</u></a>	158
B.14.2	<a href="#"><u>matchedRating@type</u></a>	159
B.14.3	<a href="#"><u>matchedEpisodeType</u></a>	159
B.15	Task Matched Content Control Properties	159
B.15.1	<a href="#"><u>taskStartDateTimeAdjust</u></a>	159
B.15.2	<a href="#"><u>taskDurationAdjust</u></a>	160
B.15.3	<a href="#"><u>taskDurationLimit</u></a>	160
B.15.4	<a href="#"><u>taskDurationLimit@effect</u></a>	160
B.15.5	<a href="#"><u>taskChannelMigration</u></a>	160
B.15.6	<a href="#"><u>taskTimeMigration</u></a>	161
B.16	Task State Properties	161
B.16.1	<a href="#"><u>taskState</u></a>	161
B.17	ContentDirectory Service Imported Properties	169
<b>Annex C</b>	<b>(normative) AV Working Committee Class Definitions</b>	<b>174</b>
C.1	Class Hierarchy	174
C.1.1	Relationships between Classes and Properties	175
C.1.2	<a href="#"><u>recordScheduleParts</u></a> Properties	176
C.1.3	<a href="#"><u>recordSchedule</u></a> Properties	180
C.1.4	<a href="#"><u>recordTask</u></a> Properties	183
C.2	Class Definitions	187
C.3	<a href="#"><u>object</u></a> Base Class	187
C.3.1	<a href="#"><u>object.recordSchedule</u></a> Class	189
C.3.2	<a href="#"><u>object.recordTask</u></a> Class	198
<b>Annex D</b>	<b>(normative) EBNF Syntax Definitions</b>	<b>200</b>
D.1	Priority Syntax	200
D.2	Date&time Syntax	200
D.3	Class Name Syntax	201
<b>Annex E</b>	<b>(informative) ScheduledRecording Service Relationship to ContentDirectory Service</b>	<b>202</b>
<b>Annex F</b>	<b>(informative) ScheduledRecording Service Relationship to EPG</b>	<b>203</b>
<b>Annex G</b>	<b>(informative) AVDT Examples</b>	<b>204</b>
G.1	<a href="#"><u>A ARG TYPE RecordSchedule</u></a> AVDT Example	204
G.2	<a href="#"><u>A ARG TYPE RecordTask</u></a> AVDT Example	220
G.3	<a href="#"><u>A ARG TYPE RecordScheduleParts</u></a> AVDT Example	238

## LIST OF TABLES

Table 1-1:	EBNF Operators .....	16
Table 1-2:	CSV Examples .....	17
Table 1-3:	Namespace Definitions.....	18
Table 1-4:	Schema-related Information .....	19
Table 1-5:	Default Namespaces for the AV Specifications .....	20
Table 2-1:	Abbreviations .....	25
Table 2-1:	Properties in XML .....	27
Table 2-2:	State Variables .....	33
Table 2-3:	allowedValueList for the <i>DataTypeID</i> argument.....	35
Table 2-4:	Allowed Elements in <StateEvent> Element.....	36
Table 2-5:	Eventing and Moderation.....	41
Table 2-6:	Actions.....	41
Table 2-7:	Arguments for <i>GetSortCapabilities()</i> .....	42
Table 2-8:	Error Codes for <i>GetSortCapabilities()</i> .....	43
Table 2-9:	Arguments for <i>GetPropertyList()</i> .....	43
Table 2-10:	Error Codes for <i>GetPropertyList()</i> .....	44
Table 2-11:	Arguments for <i>GetAllowedValues()</i> .....	44
Table 2-12:	Error Codes for <i>GetAllowedValues()</i> .....	45
Table 2-13:	Arguments for <i>GetStateUpdateID()</i> .....	46
Table 2-14:	Error Codes for <i>GetStateUpdateID()</i> .....	46
Table 2-15:	Arguments for <i>BrowseRecordSchedules()</i> .....	46
Table 2-16:	Error Codes for <i>BrowseRecordSchedules()</i> .....	50
Table 2-17:	Arguments for <i>BrowseRecordTasks()</i> .....	51
Table 2-18:	Error Codes for <i>BrowseRecordTasks()</i> .....	52
Table 2-19:	Arguments for <i>CreateRecordSchedule()</i> .....	53
Table 2-20:	Error Codes for <i>CreateRecordSchedule()</i> .....	54
Table 2-21:	Arguments for <i>DeleteRecordSchedule()</i> .....	55
Table 2-22:	Error Codes for <i>DeleteRecordSchedule()</i> .....	55
Table 2-23:	Arguments for <i>GetRecordSchedule()</i> .....	56
Table 2-24:	Error Codes for <i>GetRecordSchedule()</i> .....	56
Table 2-25:	Arguments for <i>EnableRecordSchedule()</i> .....	57
Table 2-26:	Error Codes for <i>EnableRecordSchedule()</i> .....	57
Table 2-27:	Arguments for <i>DisableRecordSchedule()</i> .....	58
Table 2-28:	Error Codes for <i>DisableRecordSchedule()</i> .....	58
Table 2-29:	Arguments for <i>DeleteRecordTask()</i> .....	59
Table 2-30:	Error Codes for <i>DeleteRecordTask()</i> .....	59
Table 2-31:	Arguments for <i>GetRecordTask()</i> .....	60
Table 2-32:	Error Codes for <i>GetRecordTask()</i> .....	60
Table 2-33:	Arguments for <i>EnableRecordTask()</i> .....	61

Table 2-34:	Error Codes for <a href="#"><u>EnableRecordTask()</u></a> .....	61
Table 2-35:	Arguments for <a href="#"><u>DisableRecordTask()</u></a> .....	62
Table 2-36:	Error Codes for <a href="#"><u>DisableRecordTask()</u></a> .....	62
Table 2-37:	Arguments for <a href="#"><u>ResetRecordTask()</u></a> .....	63
Table 2-38:	Error Codes for <a href="#"><u>ResetRecordTask()</u></a> .....	63
Table 2-39:	Arguments for <a href="#"><u>GetRecordScheduleConflicts()</u></a> .....	64
Table 2-40:	Error Codes for <a href="#"><u>GetRecordScheduleConflicts()</u></a> .....	64
Table 2-41:	Arguments for <a href="#"><u>GetRecordTaskConflicts()</u></a> .....	65
Table 2-42:	Error Codes for <a href="#"><u>GetRecordTaskConflicts()</u></a> .....	65
Table 2-43:	Common Error Codes .....	66
Table 2-44:	<a href="#"><u>recordTask</u></a> State Timeline.....	76
Table 2-45:	Example 1: Fewer <a href="#"><u>recordSchedule</u></a> instances than the Number of Supported Priority Levels. ....	77
Table 2-46:	Example 2: More <a href="#"><u>recordSchedule</u></a> instances than the Number of Supported Priority Levels. ....	78
Table 2-47:	Existing <a href="#"><u>recordSchedule</u></a> Priorities.....	79
Table 2-48:	<a href="#"><u>desiredPriority</u></a> Property Set to “RS-C”.....	79
Table 2-49:	<a href="#"><u>desiredPriority</u></a> Property Set to “HIGHEST”, “L1 HI”, or “RS-A”.....	79
Table 2-50:	<a href="#"><u>desiredPriority</u></a> Property Set to “LOWEST”, “L3 LOW”, or “RS-B”.....	80
Table 2-51:	<a href="#"><u>desiredPriority</u></a> Property Set to “RS-C”.....	80
Table B-1:	Base Properties Overview .....	124
Table B-2:	allowedValueList for the <a href="#"><u>class</u></a> Property.....	125
Table B-3:	Priority Properties .....	126
Table B-4:	allowedValueList for the <a href="#"><u>priority</u></a> Property.....	127
Table B-5:	Primary allowedValueList for the <a href="#"><u>desiredPriority</u></a> Property.....	128
Table B-6:	Additional allowedValueList for the <a href="#"><u>desiredPriority</u></a> Property .....	129
Table B-7:	allowedValueList for the <a href="#"><u>desiredPriority@type</u></a> Property.....	130
Table B-8:	Output Control Properties.....	130
Table B-9:	<a href="#"><u>desiredRecordQuality</u></a> Example.....	132
Table B-10:	allowedValueList for the <a href="#"><u>desiredRecordQuality</u></a> Property .....	133
Table B-11:	allowedValueList for the <a href="#"><u>desiredRecordQuality@type</u></a> Property.....	134
Table B-12:	Content Identification Related Properties .....	134
Table B-13:	allowedValueList for the <a href="#"><u>scheduledChannelID@type</u></a> Property .....	136
Table B-14:	Matching Content Criteria Properties .....	137
Table B-15:	allowedValueList for the <a href="#"><u>matchingName@type</u></a> Property .....	138
Table B-16:	allowedValueList for the <a href="#"><u>matchingID@type</u></a> Property .....	139
Table B-17:	Matching Qualifying Criteria Properties .....	140
Table B-18:	allowedValueList for the <a href="#"><u>matchingRatingLimit</u></a> Property Using the MPAA Rating System ( <a href="#"><u>matchingRatingLimit@type</u></a> = “MPAA.ORG”) .....	142
Table B-19:	allowedValueList for the <a href="#"><u>matchingRatingLimit</u></a> Property Using the RIAA Rating System ( <a href="#"><u>matchingRatingLimit@type</u></a> = “RIAA.ORG”).....	142

Table B-20:	allowedValueList for the <a href="#">matchingRatingLimit</a> Property Using the ESRB Rating System ( <a href="#">matchingRatingLimit@type</a> = " <a href="#">ESRB.ORG</a> ").....	142
Table B-21:	allowedValueList for the <a href="#">matchingRatingLimit</a> Property Using the TVGUIDELINES Rating System ( <a href="#">matchingRatingLimit@type</a> = " <a href="#">TVGUIDELINES.ORG</a> ").....	142
Table B-22:	allowedValueList for the <a href="#">matchingRatingLimit@type</a> Property.....	143
Table B-23:	allowedValueList for the <a href="#">matchingEpisodeType</a> Property .....	144
Table B-24:	Content Control Properties .....	144
Table B-25:	allowedValueList for the <a href="#">durationLimit@effect</a> Property .....	147
Table B-26:	Storage Related Properties .....	148
Table B-27:	Schedule State Properties .....	149
Table B-28:	allowedValueList for the <a href="#">scheduleState</a> Property .....	150
Table B-29:	allowedValueList for the <a href="#">scheduleState@currentErrors</a> Property .....	150
Table B-30:	Statistics Properties .....	151
Table B-31:	Task General Properties.....	152
Table B-32:	Task Content Identification Properties.....	153
Table B-33:	<a href="#">recordQuality</a> Example .....	156
Table B-34:	allowedValueList for the <a href="#">recordQuality</a> Property.....	157
Table B-35:	Task Matched Content Criteria Properties .....	157
Table B-36:	Task Matched Qualifying Criteria Properties .....	158
Table B-37:	Task Matched Content Control Properties .....	159
Table B-38:	State Related Properties.....	161
Table B-39:	allowedValueList for the <a href="#">taskState</a> Property.....	162
Table B-40:	allowedValueList for the <a href="#">taskState</a> Property.....	163
Table B-41:	allowedValueList for the <a href="#">taskState@phase</a> Property.....	164
Table B-42:	allowedValueList for the <a href="#">taskState@xxx</a> Properties .....	167
Table C-1:	Class Properties Overview for <a href="#">recordScheduleParts</a> usage.....	177
Table C-2:	Class Properties Overview for <a href="#">recordSchedule</a> usage .....	180
Table C-3:	Class Properties Overview for <a href="#">recordTask</a> usage .....	184
Table C-4:	<a href="#">object</a> Base Class Properties .....	188
Table C-5:	<a href="#">object.recordSchedule</a> Base Class Properties .....	189
Table C-6:	<a href="#">object.recordSchedule.direct</a> Class Properties.....	190
Table C-7:	<a href="#">object.recordSchedule.direct.manual</a> Class Properties .....	191
Table C-8:	<a href="#">object.recordSchedule.direct.cdsEPG</a> Class Properties .....	192
Table C-9:	<a href="#">object.recordSchedule.direct.cdsNonEPG</a> Class Properties.....	193
Table C-10:	<a href="#">object.recordSchedule.direct.programCode</a> Class Properties.....	193
Table C-11:	<a href="#">object.recordSchedule.query</a> Class Properties .....	194
Table C-12:	<a href="#">object.recordSchedule.query.contentName</a> Class Properties .....	195
Table C-13:	<a href="#">object.recordSchedule.query.contentID</a> Class Properties .....	197
Table C-14:	<a href="#">object.recordTask</a> Base Class Properties .....	199

## LIST OF FIGURES

Figure 1: Creating a new <i>recordSchedule</i> .....	31
Figure 2: Capability check. ....	32
Figure 3: Browse <i>recordSchedule</i> . ....	32
Figure 4: Delete a <i>recordSchedule</i> .....	32
Figure 5: A Full-Featured State Diagram.....	68
Figure 6: A Minimal-Implementation State Diagram.....	73
Figure 7: Class hierarchy for the ScheduledRecording service.....	174