Information technology_- UPnP Device Architecture_- Part_4-14: Audio Video Device Control Protocol_- Level 2_- Scheduled Recording Service

CONTENTS

FOREWORD 10
ORIGINAL UPNP DOCUMENTS (informative) 12
1 Overview and Scope 14
1.1 Introduction 14
1.2 Notation 14
1.2.1 Data Types 15
1.2.2 Strings Embedded in Other Strings 15
1.2.3 Extended Backus-Naur Form 15
1.3 Derived Data Types 16
1.3.1 Comma Separated Value (CSV) Lists 16
1.4 Management of XML Namespaces in Standardized DCPs 17
1.4.1 Namespace Prefix Requirements 19
1.4.2 Namespace Names, Namespace Versioning and Schema Versioning 20
1.4.3 Namespace Usage Examples 21
1.5 Vendor-defined Extensions 22
1.6 References 22
2 Service Modeling Definitions 25
2.1 ServiceType 25
2.2 Terms and Abbreviations 25
2.2.1 Abbreviations 25
2.2.2 Terms 25
2.3 ScheduledRecording Service Architecture 31
2.3.1 *recordSchedule* 31
2.3.2 *recordTask* 32
2.4 State Variables 33
2.4.1 State Variable Overview 33
2.4.2 *SortCapabilities* 35
2.4.3 *SortLevelCapability* 35
2.4.4 *StateUpdateID* 35
2.4.5 *LastChange* 36
2.4.6 *A_ARG_TYPE_PropertyList* 38
2.4.7 *A_ARG_TYPE_DataTypeID* 39
2.4.8 *A_ARG_TYPE_ObjectID* 39
2.4.9 *A_ARG_TYPE_ObjectIDList* 39
2.4.10 *A_ARG_TYPE_PropertyInfo* 39
2.4.11 *A_ARG_TYPE_Index* 39
2.4.12 *A_ARG_TYPE_Count* 39
2.4.13 *A_ARG_TYPE_SortCriteria* 39
2.4.14 *A_ARG_TYPE_RecordSchedule* 39
2.4.15 *A_ARG_TYPE_RecordTask* 40
2.4.16 *A_ARG_TYPE_RecordScheduleParts* 40
2.5 Eventing and Moderation 41
2.6 Actions 41
2.6.1 *GetSortCapabilities()* 42
2.6.2 *GetPropertyList()* 43
2.6.3 *GetAllowedValues()* 44

2.6.4 *GetStateUpdateID()* 45
2.6.5 *BrowseRecordSchedules()* 46
2.6.6 *BrowseRecordTasks()* 50
2.6.7 *CreateRecordSchedule()* 52
2.6.8 *DeleteRecordSchedule()* 54
2.6.9 *GetRecordSchedule()* 56
2.6.10 *EnableRecordSchedule()* 57
2.6.11 *DisableRecordSchedule()* 58
2.6.12 *DeleteRecordTask()* 59
2.6.13 *GetRecordTask()* 60
2.6.14 *EnableRecordTask()* 61
2.6.15 *DisableRecordTask()* 62
2.6.16 *ResetRecordTask()* 63
2.6.17 *GetRecordScheduleConflicts()* 63
2.6.18 *GetRecordTaskConflicts()* 65
2.6.19 Common Error Codes 66
2.7 State Diagram of *recordTask* 67
2.7.1 A Full-Featured State Diagram 67
2.7.2 A Minimal-Implementation State Diagram 72
2.7.3 *recordTask* State Example 75
2.8 ScheduledRecording Service Priority Model 76
2.8.1 Introduction of the ScheduledRecording Service Priority Model 76
2.8.2 Ordered Priority within Each Priority Level 77
2.8.3 Setting the Initial Priority Level of a *recordSchedule* 78
2.8.4 Sorting *recordSchedule* Instances Based on their Current Priority Settings 80
2.9 Theory of Operation 80
2.9.1 Introduction 80
2.9.2 Checking the Capabilities of a ScheduledRecording Service 80
2.9.3 Adding a Scheduled Recording Entry to the List 90
2.9.4 Deleting a *recordSchedule* 103
2.9.5 Browsing *recordSchedule* and *recordTask* instances 103
2.9.6 Rating System 109
2.9.7 Conflict Detection and Resolution 110
3 XML Service Description 111
4 Test 120
Annex A (normative) **srs XML Document 121**
A.1 *A_ARG_TYPE_RecordSchedule AVDT XML Document* 121
A.2 *A_ARG_TYPE_RecordTask AVDT XML Document* 122
A.3 *A_ARG_TYPE_RecordScheduleParts AVDT XML Document* 122
Annex B (normative) **AV Working Committee Extended Properties 124**
B.1 Base Properties 124
B.1.1 *@id* 124
B.1.2 *title* 125
B.1.3 *class* 125
B.1.4 *additionalStatusInfo* 125
B.1.5 *cdsReference* 126
B.2 Priority Properties 126
B.2.1 *priority* 127

B.2.2 *desiredPriority* 128
B.2.3 *desiredPriority@type* 129
B.3 Output Control Properties 130
B.3.1 *recordDestination* 130
B.3.2 *desiredRecordQuality* 132
B.4 Content Identification Related Properties 134
B.4.1 *scheduledCDSObjectID* 134
B.4.2 *scheduledChannelID* 135
B.4.3 *scheduledStartDateTime* 136
B.4.4 *scheduledDuration* 136
B.4.5 *scheduledProgramCode* 137
B.5 Matching Content Criteria Properties 137
B.5.1 *matchingName* 138
B.5.2 *matchingID* 139
B.6 Matching Qualifying Criteria Properties 140
B.6.1 *matchingChannelID* 140
B.6.2 *matchingStartDateTimeRange* 140
B.6.3 *matchingDurationRange* 141
B.6.4 *matchingRatingLimit* 141
B.6.5 *matchingEpisodeType* 143
B.7 Content Control Properties 144
B.7.1 *totalDesiredRecordTasks* 144
B.7.2 *scheduledStartDateTimeAdjust* 145
B.7.3 *scheduledDurationAdjust* 145
B.7.4 *activePeriod* 145
B.7.5 *durationLimit* 146
B.7.6 *channelMigration* 147
B.7.7 *timeMigration* 147
B.7.8 *allowDuplicates* 147
B.8 Storage Related Properties 148
B.8.1 *persistedRecordings* 148
B.9 Schedule State Properties 149
B.9.1 *scheduleState* 149
B.9.2 *abnormalTasksExist* 151
B.10 Statistics Properties 151
B.10.1 *currentRecordTaskCount* 151
B.10.2 *totalCreatedRecordTasks* 151
B.10.3 *totalCompletedRecordTasks* 152
B.11 Task General Properties 152
B.11.1 *recordScheduleID* 152
B.11.2 *recordedCDSObjectID* 152
B.12 Task Content Identification Properties 153
B.12.1 *taskCDSObjectID* 153
B.12.2 *taskChannelID* 154
B.12.3 *taskStartDateTime* 154
B.12.4 *taskDuration* 154
B.12.5 *taskProgramCode* 155
B.12.6 *recordQuality* 155
B.13 Task Matched Content Criteria Properties 157

B.13.1 *matchedName* 157
B.13.2 *matchedID* 158
B.14 Task Matched Qualifying Criteria Properties 158
B.14.1 *matchedRating* 158
B.14.2 *matchedRating@type* 159
B.14.3 *matchedEpisodeType* 159
B.15 Task Matched Content Control Properties 159
B.15.1 *taskStartDateTimeAdjust* 159
B.15.2 *taskDurationAdjust* 160
B.15.3 *taskDurationLimit* 160
B.15.4 *taskDurationLimit@effect* 160
B.15.5 *taskChannelMigration* 160
B.15.6 *taskTimeMigration* 161
B.16 Task State Properties 161
B.16.1 *taskState* 161
B.17 ContentDirectory Service Imported Properties 169

Annex C (normative) **AV Working Committee Class Definitions 174**
C.1 Class Hierarchy 174
C.1.1 Relationships between Classes and Properties 175
C.1.2 *recordScheduleParts* Properties 176
C.1.3 *recordSchedule* Properties 180
C.1.4 *recordTask* Properties 183
C.2 Class Definitions 187
C.3 *object* Base Class 187
C.3.1 *object.recordSchedule* Class 189
C.3.2 *object.recordTask* Class 198

Annex D (normative) **EBNF Syntax Definitions 200**
D.1 Priority Syntax 200
D.2 Date&time Syntax 200
D.3 Class Name Syntax 201

Annex E (informative) **ScheduledRecording Service Relationship to ContentDirectory Service 202**

Annex F (informative) **ScheduledRecording Service Relationship to EPG 203**

Annex G (informative) **AVDT Examples 204**
G.1 *A_ARG_TYPE_RecordSchedule* AVDT Example 204
G.2 *A_ARG_TYPE_RecordTask* AVDT Example 220
G.3 *A_ARG_TYPE_RecordScheduleParts* AVDT Example 238

LIST OF TABLES

Table 1-1: EBNF Operators 16
Table 1-2: CSV Examples 17
Table 1-3: Namespace Definitions 18
Table 1-4: Schema-related Information 19
Table 1-5: Default Namespaces for the AV Specifications 20
Table 2-1: Abbreviations 25
Table 2-1: Properties in XML 27
Table 2-2: State Variables 33
Table 2-3: allowedValueList for the *DataTypeID* argument 35
Table 2-4: Allowed Elements in `<StateEvent>` Element 36
Table 2-5: Eventing and Moderation 41
Table 2-6: Actions 41
Table 2-7: Arguments for *GetSortCapabilities()* 42
Table 2-8: Error Codes for *GetSortCapabilities()* 43
Table 2-9: Arguments for *GetPropertyList()* 43
Table 2-10: Error Codes for *GetPropertyList()* 44
Table 2-11: Arguments for *GetAllowedValues()* 44
Table 2-12: Error Codes for *GetAllowedValues()* 45
Table 2-13: Arguments for *GetStateUpdateID()* 46
Table 2-14: Error Codes for *GetStateUpdateID()* 46
Table 2-15: Arguments for *BrowseRecordSchedules()* 46
Table 2-16: Error Codes for *BrowseRecordSchedules()* 50
Table 2-17: Arguments for *BrowseRecordTasks()* 51
Table 2-18: Error Codes for *BrowseRecordTasks()* 52
Table 2-19: Arguments for *CreateRecordSchedule()* 53
Table 2-20: Error Codes for *CreateRecordSchedule()* 54
Table 2-21: Arguments for *DeleteRecordSchedule()* 55
Table 2-22: Error Codes for *DeleteRecordSchedule()* 55
Table 2-23: Arguments for *GetRecordSchedule()* 56
Table 2-24: Error Codes for *GetRecordSchedule()* 56
Table 2-25: Arguments for *EnableRecordSchedule()* 57
Table 2-26: Error Codes for *EnableRecordSchedule()* 57
Table 2-27: Arguments for *DisableRecordSchedule()* 58
Table 2-28: Error Codes for *DisableRecordSchedule()* 58
Table 2-29: Arguments for *DeleteRecordTask()* 59
Table 2-30: Error Codes for *DeleteRecordTask()* 59
Table 2-31: Arguments for *GetRecordTask()* 60
Table 2-32: Error Codes for *GetRecordTask()* 60
Table 2-33: Arguments for *EnableRecordTask()* 61

Table 2-34: Error Codes for *EnableRecordTask()* 61
Table 2-35: Arguments for *DisableRecordTask()* 62
Table 2-36: Error Codes for *DisableRecordTask()* 62
Table 2-37: Arguments for *ResetRecordTask()* 63
Table 2-38: Error Codes for *ResetRecordTask()* 63
Table 2-39: Arguments for *GetRecordScheduleConflicts()* 64
Table 2-40: Error Codes for *GetRecordScheduleConflicts()* 64
Table 2-41: Arguments for *GetRecordTaskConflicts()* 65
Table 2-42: Error Codes for *GetRecordTaskConflicts()* 65
Table 2-43: Common Error Codes 66
Table 2-44: *recordTask* State Timeline 76
Table 2-45: Example 1: Fewer *recordSchedule* instances than the Number of Supported Priority Levels. 77
Table 2-46: Example 2: More *recordSchedule* instances than the Number of Supported Priority Levels. 78
Table 2-47: Existing *recordSchedule* Priorities 79
Table 2-48: *desiredPriority* Property Set to "*RS-C*" 79
Table 2-49: *desiredPriority* Property Set to "*HIGHEST*", "*L1_HI*", or "*RS-A*" 79
Table 2-50: *desiredPriority* Property Set to "*LOWEST*", "*L3_LOW*", or "*RS-B*" 80
Table 2-51: *desiredPriority* Property Set to "*RS-C*" 80
Table B-1: Base Properties Overview 124
Table B-2: allowedValueList for the *class* Property 125
Table B-3: Priority Properties 126
Table B-4: allowedValueList for the *priority* Property 127
Table B-5: Primary allowedValueList for the *desiredPriority* Property 128
Table B-6: Additional allowedValueList for the *desiredPriority* Property 129
Table B-7: allowedValueList for the *desiredPriority@type* Property 130
Table B-8: Output Control Properties 130
Table B-9: *desiredRecordQuality* Example 132
Table B-10: allowedValueList for the *desiredRecordQuality* Property 133
Table B-11: allowedValueList for the *desiredRecordQuality@type* Property 134
Table B-12: Content Identification Related Properties 134
Table B-13: allowedValueList for the *scheduledChannelID@type* Property 136
Table B-14: Matching Content Criteria Properties 137
Table B-15: allowedValueList for the *matchingName@type* Property 138
Table B-16: allowedValueList for the *matchingID@type* Property 139
Table B-17: Matching Qualifying Criteria Properties 140
Table B-18: allowedValueList for the *matchingRatingLimit* Property Using the MPAA Rating System (*matchingRatingLimit@type* = "*MPAA.ORG*") 142
Table B-19: allowedValueList for the *matchingRatingLimit* Property Using the RIAA Rating System (*matchingRatingLimit@type* = "*RIAA.ORG*") 142

Table B-20: allowedValueList for the *matchingRatingLimit* Property Using the ESRB Rating System (*matchingRatingLimit@type* = "*ESRB.ORG*")....142
Table B-21: allowedValueList for the *matchingRatingLimit* Property Using the TVGUIDELINES Rating System (*matchingRatingLimit@type* = "*TVGUIDELINES.ORG*")....142
Table B-22: allowedValueList for the *matchingRatingLimit@type* Property....143
Table B-23: allowedValueList for the *matchingEpisodeType* Property....144
Table B-24: Content Control Properties....144
Table B-25: allowedValueList for the *durationLimit@effect* Property....147
Table B-26: Storage Related Properties....148
Table B-27: Schedule State Properties....149
Table B-28: allowedValueList for the *scheduleState* Property....150
Table B-29: allowedValueList for the *scheduleState@currentErrors* Property....150
Table B-30: Statistics Properties....151
Table B-31: Task General Properties....152
Table B-32: Task Content Identification Properties....153
Table B-33: *recordQuality* Example....156
Table B-34: allowedValueList for the *recordQuality* Property....157
Table B-35: Task Matched Content Criteria Properties....157
Table B-36: Task Matched Qualifying Criteria Properties....158
Table B-37: Task Matched Content Control Properties....159
Table B-38: State Related Properties....161
Table B-39: allowedValueList for the *taskState* Property....162
Table B-40: allowedValueList for the *taskState* Property....163
Table B-41: allowedValueList for the *taskState@phase* Property....164
Table B-42: allowedValueList for the *taskState@xxx* Properties....167
Table C-1: Class Properties Overview for *recordScheduleParts* usage....177
Table C-2: Class Properties Overview for *recordSchedule* usage....180
Table C-3: Class Properties Overview for *recordTask* usage....184
Table C-4: *object* Base Class Properties....188
Table C-5: *object.recordSchedule* Base Class Properties....189
Table C-6: *object.recordSchedule.direct* Class Properties....190
Table C-7: *object.recordSchedule.direct.manual* Class Properties....191
Table C-8: *object.recordSchedule.direct.cdsEPG* Class Properties....192
Table C-9: *object.recordSchedule.direct.cdsNonEPG* Class Properties....193
Table C-10: *object.recordSchedule.direct.programCode* Class Properties....193
Table C-11: *object.recordSchedule.query* Class Properties....194
Table C-12: *object.recordSchedule.query.contentName* Class Properties....195
Table C-13: *object.recordSchedule.query.contentID* Class Properties....197
Table C-14: *object.recordTask* Base Class Properties....199

LIST OF FIGURES

Figure 1: Creating a new *recordSchedule* 31
Figure 2: Capability check. 32
Figure 3: Browse *recordSchedule*. 32
Figure 4: Delete a *recordSchedule* 32
Figure 5: A Full-Featured State Diagram 68
Figure 6: A Minimal-Implementation State Diagram 73
Figure 7: Class hierarchy for the ScheduledRecording service. 174