

ISO/IEC 29341-8-5:2008-11 (E)

Information technology_ - UPnP Device Architecture_ - Part_8-5: Internet Gateway Device Control Protocol_ - Wireless Local Area Network Access Point Device

CONTENTS

- FOREWORD3
- ORIGINAL UPNP DOCUMENTS (informative)5
- 1. Overview and Scope7**
 - 1.1. Focus and Goals for DCP version 1.0.....7
 - 1.2. Non-Goals for DCP version 1.0.....7
 - 1.3. WLAN Security Requirements and Recommendations8
 - 1.3.1. AP Parameter Configuration9
 - 1.3.2. Support for per-client credentials9
- 2. Device Definitions10**
 - 2.1. Device Type10
 - 2.2. Device Model.....10
 - 2.2.1. Description of Device Requirements10
 - 2.2.2. Relationships Between Services12
 - 2.3. Theory of Operation12
 - 2.3.1. WLAN node Requirements12
 - 2.3.2. Scenarios for introduction of WLAN clients to the AP.....13
 - 2.3.3. Setting up a secure control point (if DeviceSecurity is implemented in AP device).....13
 - 2.3.4. AP uses network-wide credentials for authentication13
 - 2.3.5. AP uses client-specific credential for authentication.....14
- 3. XML Device Description15**
- 4. Test16**
- 5. Annex 1 (normative): Access Control Definitions (if DeviceSecurity service is implemented) .17**
 - 5.1. Permissions.....17
 - 5.2. Profiles18
 - 5.3. Access Control List (ACL) entry18

LIST OF TABLES

- Table 1: Device Requirements for stand-alone *WLANAccessPointDevice*.....10
- Table 2: Device Requirements for embedded *WLANAccessPointDevice*.....11