

ISO/IEC 29341-8-19:2008-11 (E)

Information technology_ - UPnP Device Architecture_ - Part_ 8-19: Internet Gateway Device Control Protocol_ - Wide Area Network Plain Old Telephone Service Link Configuration Service

CONTENTS

- FOREWORD4
- ORIGINAL UPNP DOCUMENTS (informative)6
- 1. Overview and Scope8**
- 2. Service Modeling Definitions9**
 - 2.1. ServiceType9
 - 2.2. State Variables9
 - 2.2.1. ISPPhoneNumber10
 - 2.2.2. ISPInfo10
 - 2.2.3. LinkType10
 - 2.2.4. NumberOfRetries11
 - 2.2.5. DelayBetweenRetries11
 - 2.2.6. Fclass11
 - 2.2.7. DataModulationSupported11
 - 2.2.8. DataProtocol11
 - 2.2.9. DataCompression11
 - 2.2.10. PlusVTRCommandSupported11
 - 2.2.11. Relationships Between State Variables11
 - 2.3. Eventing and Moderation12
 - 2.3.1. Event Model12
 - 2.4. Actions13
 - 2.4.1. SetISPInfo13
 - 2.4.2. SetCallRetryInfo14
 - 2.4.3. GetISPInfo14
 - 2.4.4. GetCallRetryInfo15
 - 2.4.5. GetFclass15
 - 2.4.6. GetDataModulationSupported16
 - 2.4.7. GetDataProtocol16
 - 2.4.8. GetDataCompression17
 - 2.4.9. GetPlusVTRCommandSupported17
 - 2.4.10. Non-Standard Actions Implemented by a UPnP Vendor18
 - 2.4.11. Relationships Between Actions18
 - 2.4.12. Common Error Codes18
 - 2.5. Theory of Operation18
- 3. XML Service Description19**
- 4. Test23**

LIST OF TABLES

Table 1: State Variables	9
Table 1.1: AllowedValueList for LinkType	9
Table 1.2: AllowedValueList for DataModulationSupported	10
Table 1.3: AllowedValueList for DataProtocol	10
Table 1.4: AllowedValueList for DataCompression.....	10
Table 2: Event Moderation.....	12
Table 3: Actions	13
Table 4: Arguments for SetISPInfo	13
Table 5: Arguments for SetCallRetryInfo	14
Table 6: Arguments for GetISPInfo	14
Table 7: Arguments for GetCallRetryInfo	15
Table 8: Arguments for GetFclass	15
Table 9: Arguments for GetDataModulationSupported	16
Table 10: Arguments for GetDataProtocol	16
Table 11: Arguments for GetDataCompression.....	17
Table 12: Arguments for GetPlusVTRCommandSupported	17
Table 13: Common Error Codes.....	18