ISO/IEC 29341-8-20:2008-11 (E)

Information technology_- UPnP Device Architecture_- Part_8-20: Internet Gateway Device Control Protocol_- Wide Area Network Point-to-Point Protocol Connection Service

CONTENTS

FOREWORD 5

ORIGINAL UPNP DOCUMENTS (informative) 7

1. Overview and Scope 9

2. Service Modeling Definitions 10

2.1. ServiceType 10

2.2. State Variablesgure 11

2.2.1. ConnectionType 15
2.2.2. PossibleConnectionTypes 15
2.2.3. ConnectionStatus 15
2.2.4. Uptime 15
2.2.5. UpstreamMaxBitRate 15
2.2.6. DownstreamMaxBitRate 15
2.2.7. LastConnectionError 15
2.2.8. AutoDisconnectTime 15
2.2.9. IdleDisconnectTime 15
2.2.10. WarnDisconnectDelay 16
2.2.11. RSIPAvailable 16
2.2.12. NATEnabled 16
2.2.13. UserName 16
2.2.14. Password 16
2.2.15. PPPEncryptionProtocol 16
2.2.16. PPPCompressionProtocol 16
2.2.17. PPPAuthenticationProtocol 16
2.2.18. ExternalIPAddress 16
2.2.19. PortMappingNumberOfEntries 17
2.2.20. PortMappingEnabled 17
2.2.21. PortMappingLeaseDuration 17
2.2.22. RemoteHost 17
2.2.23. ExternalPort 17
2.2.24. InternalPort 17
2.2.25. PortMappingProtocol 17
2.2.26. InternalClient 17
2.2.27. PortMappingDescription 18
2.2.28. Relationships Between State Variables 19

2.3. Eventing and Moderation 20

2.3.1. Event Model 20

2.4. Actions 21

2.4.1. SetConnectionType 22
2.4.2. GetConnectionTypeInfo 22
2.4.3. ConfigureConnection 23
2.4.4. RequestConnection 23
2.4.5. RequestTermination 24
2.4.6. ForceTermination 25
2.4.7. SetAutoDisconnectTime 25
2.4.8. SetIdleDisconnectTime 26
2.4.9. SetWarnDisconnectDelay 26
2.4.10. GetStatusInfo 27
2.4.11. GetLinkLayerMaxBitRates 27
2.4.12. GetPPPEncryptionProtocol 28
2.4.13. GetPPPCompressionProtocol 28
2.4.14. GetPPPAuthenticationProtocol 28
2.4.15. GetUserName 29
2.4.16. GetPassword 29
2.4.17. GetAutoDisconnectTime 30
2.4.18. GetIdleDisconnectTime 30

2.4.19. GetWarnDisconnectDelay 31
2.4.20. GetNATRSIPStatus 31
2.4.21. GetGenericPortMappingEntry 32
2.4.22. GetSpecificPortMappingEntry 33
2.4.23. AddPortMapping 33
2.4.24. DeletePortMapping 35
2.4.25. GetExternalIPAddress 35
2.4.26. Non-Standard Actions Implemented by a UPnP Vendor 36
2.4.27. Relationships Between Actions 36
2.4.28. Common Error Codes 36
2.5. Theory of Operation 37
2.5.1. Connection Initiation 38
2.5.2. Connection Termination 40
2.5.3. Connection Scenarios 41
2.5.4. Non-UPnP compliant clients 42
2.5.5. VPN connections 42
3. XML Service Description 44
4. Test 53

LIST OF TABLES

Table 1: State Variables 11
Table 1.1: AllowedValueList for `PossibleConnectionTypes` 12
Table 1.2: AllowedValueList for `ConnectionStatus` 13
Table 1.3: AllowedValueList for `LastConnectionError` 14
Table 1.4: AllowedValueList for PortMapping`Protocol` 14
Table 2: Event Moderation 20
Table 3: Actions 21
Table 4: Arguments for `SetConnectionType` 22
Table 5: Arguments for `GetConnectionTypeInfo` 22
Table 6: Arguments for `ConfigureConnection` 23
Table 7: Arguments for `SetAutoDisconnectTime` 25
Table 8: Arguments for `SetIdleDisconnectTime` 26
Table 9: Arguments for `SetWarnDisconnectDelay` 26
Table 10: Arguments for `GetStatusInfo` 27
Table 11: Arguments for `GetLinkLayerMaxBitRates` 27
Table 12: Arguments for `GetPPPEncryptionProtocol` 28
Table 13: Arguments for `GetPPPCompressionProtocol` 28
Table 14: Arguments for `GetPPPAuthenticationProtocol` 29
Table 15: Arguments for `GetuserName` 29
Table 16: Arguments for `GetPassword` 29
Table 17: Arguments for `GetAutoDisconnectTime` 30
Table 18: Arguments for `GetIdleDisconnectTime` 30
Table 19: Arguments for `GetWarnDisconnectDelay` 31
Table 20: Arguments for `GetNATRSIPStatus` 31
Table 21: Arguments for `GetGenericPortMappingEntry` 32
Table 22: Arguments for `GetSpecificPortMappingEntry` 33
Table 23: Arguments for `AddPortMapping` 34
Table 24: Arguments for `DeletePortMapping` 35
Table 25: Arguments for `GetExternalIPAddress` 35
Table 26: Common Error Codes 36