

# ISO/IEC 14165-321:2009-11 (E)

## Information technology\_ - Fibre Channel\_ - Part\_321: Audio-Video (FC-AV)

---

### Table of Contents

FOREWORD .....	12
INTRODUCTION .....	14
1 Scope .....	15
2 Normative references .....	15
3 Terms, definitions, abbreviations, keywords and conventions .....	17
3.1 Terms and definitions .....	17
3.2 Abbreviations and acronyms .....	19
3.3 Keywords .....	20
3.4 Conventions .....	20
4 Structure and concepts .....	22
4.1 Relationship with FC-FS .....	22
4.2 FC-AV Container system .....	22
4.3 Simple Content Movement .....	22
4.3.1 Overview .....	22
4.3.1.1 General .....	22
4.3.1.2 Content Movement layer .....	23
4.3.1.3 Content Transport layer .....	23
4.4 Frame Header Control Protocol .....	23
5 FC-AV Containers .....	24
5.1 Overview .....	24
5.2 The FC-AV Container system .....	25
5.2.1 Overview .....	25
5.2.2 The FC-AV Container .....	25
5.2.3 FC-AV concepts for Containers in Simple mode .....	25
5.3 Container Header structure .....	26
5.4 Description of Container Header contents .....	27
5.4.1 Container Information Block .....	27
5.4.2 Object Information Block .....	28
5.5 Extended Header description .....	28
5.6 Object classification system .....	29
5.6.1 Object classification overview .....	29
5.6.2 Object Type byte .....	31
5.6.2.1 General .....	31
5.6.2.2 Null Object .....	31
5.6.2.3 Video, uncompressed .....	31
5.6.2.4 Video, compressed .....	31
5.6.2.5 Reserved for future Video .....	31
5.6.2.6 Compressed FC-AV stream (Video Program) .....	31
5.6.2.7 Reserved for Video Program (multiplexed stream) .....	31
5.6.2.8 Graphics .....	31
5.6.2.9 Reserved for future Graphics .....	31
5.6.2.10 Audio, uncompressed .....	32
5.6.2.11 Audio, compressed .....	32
5.6.2.12 Reserved for future Audio .....	32
5.6.2.13 Ancillary data .....	32
5.6.2.14 Full Stream - structures .....	32
5.6.2.15 Reserved for future Full Stream - structures .....	32
5.6.2.16 Reserved .....	32
5.6.2.17 Negotiated Object Types .....	32
5.6.2.18 Vendor Specific Object Types .....	32
5.6.3 Object Index bytes .....	32

5.6.3.1	General	32
5.6.3.2	Vendor Specific Object Indices	33
5.6.4	Object Type Defined word	33
5.6.4.1	General	33
5.6.4.2	Object Type Defined word definition for Vendor Specific classifications	33
5.6.5	Object Data Packing	34
6	Compressed FC-AV stream transmission	35
6.1	Overview	35
6.1.1	General	35
6.1.2	Stream Header	35
6.1.3	Stream descriptor	35
6.1.3.1	Overview	35
6.1.3.2	Packet type	35
6.1.3.3	Stream type	36
6.1.4	Stream Time Stamp	36
6.1.5	CDS Packet length	36
6.1.6	CDS Packet format	37
6.1.7	CDS Packet Time Stamp	37
6.1.8	Byte count	37
6.1.9	CDS Packet payload	37
6.1.10	Forward Error Correction	37
6.2	Synchronization scheme	37
6.2.1	Overview	37
6.2.2	MPEG	38
6.2.3	Frame/Field compression	38
6.3	Error management scheme	38
6.3.1	Overview	38
6.3.2	Process policy without FEC	38
6.3.3	Process policy with FEC	38
6.3.4	Discard policy with immediate retransmission	39
6.4	Instances of compressed AV streams over Fibre Channel	39
6.4.1	DV based compression stream	39
6.4.1.1	Overview	39
6.4.1.2	Stream Header	39
6.4.1.2.1	Stream descriptor	39
6.4.1.2.1.1	Packet type	39
6.4.1.2.1.2	Stream type	39
6.4.1.2.2	CDS Packet length	40
6.4.1.3	CDS Packet format	40
6.4.1.3.1	Overview	40
6.4.1.3.2	CDS Packet payload (SMPTE)	40
6.4.1.3.3	FEC	41
6.4.2	MPEG-TS	41
6.4.2.1	Overview	41
6.4.2.2	Stream Header	41
6.4.2.2.1	Stream descriptor	41
6.4.2.2.1.1	Packet type	41
6.4.2.2.1.2	Stream type	41
6.4.2.2.2	CDS Packet length	42
6.4.2.3	CDS Packet format (MPEG-TS)	42
6.4.2.3.1	Overview	42
6.4.2.3.2	CDS Packet Time Stamp	42
6.4.2.3.3	CDS Packet payload (TS Packet)	43
6.4.2.3.4	FEC	43

7	Frame Header Control Protocol	44
7.1	Overview	44
7.2	Network profile	44
7.2.1	Topology	44
7.2.2	Classes of service	44
7.2.3	Error handling	44
7.2.4	Source and Sink rules	44
7.3	Frame header control fields	45
7.3.1	Overview	45
7.3.2	Routing Control (R_CTL)	45
7.3.3	Type	45
7.3.4	Frame Control (F_CTL)	45
7.3.5	Sequence Identifier (SEQ_ID)	45
7.3.6	Sequence Count (SEQ_CNT)	46
7.3.7	Payload	46
7.4	Example FHCP network	46
8	Simple Streaming protocol for SCMA	47
8.1	Overview	47
8.2	Stream establishment	47
8.2.1	Overview	47
8.2.2	Stream states	47
8.2.3	Establish Stream request	47
8.2.4	Establish Stream response	48
8.2.5	Content Attributes for Establish Stream operations	48
8.2.5.1	Overview	48
8.2.5.2	Content Attributes for Play mode	48
8.2.5.3	Content Attributes for Record mode	48
8.3	Stream Tear-down	49
8.3.1	Overview	49
8.3.2	Stream Tear-down request	49
8.3.3	Stream Tear-down response	49
8.4	Operations on established Streams	49
8.4.1	Overview	49
8.4.2	Play operation	49
8.4.3	Record operation	50
8.4.4	Stop operation	51
8.4.4.1	Overview	51
8.4.4.2	Stop operation in Play mode	51
8.4.4.3	Stop operation in Record mode	51
8.4.4.4	Stop operation response	51
8.4.5	Pause operation	52
8.4.5.1	Overview	52
8.4.5.2	Pause operation in Play mode	52
8.4.5.3	Pause operation request in Record mode	52
8.4.5.4	Pause operation response	52
8.4.6	Resume operation	52
8.4.6.1	Overview	52
8.4.6.2	Resume operation request for Play mode	52
8.4.6.3	Resume operation request in Record mode	53
8.4.6.4	Resume operation response	53
8.5	Operation notifications	53
8.5.1	Overview	53
8.5.2	Operation Complete notification	53
8.5.2.1	Overview	53

8.5.2.2 Streams in Play mode	53
8.5.2.3 Streams in Record mode	54
8.5.3 Operation Error notification	54
8.6 Content Movement transactions	54
8.6.1 Overview	54
8.6.2 Content Movement request	55
8.6.3 Content Movement response	55
8.7 Simple Streaming data format	56
8.7.1 Overview	56
8.7.2 SSRB format	56
8.7.2.1 Overview	56
8.7.2.2 Revision field	56
8.7.2.3 Request Identifier	56
8.7.2.4 Streaming Operation code	57
8.7.2.5 Reason Code field	57
8.7.2.6 Reason Code explanation	57
8.7.2.7 Vendor Unique field	57
8.7.2.8 Operation specific data	57
8.7.3 Simple Streaming operation requests	58
8.7.4 Simple Streaming responses	58
8.7.4.1 Overview	58
8.7.4.2 Negative operation response	58
8.7.4.3 Positive Operation response	59
8.7.5 Simple Streaming operation data	59
8.7.5.1 Overview	59
8.7.5.2 Establish Stream (ESST) operation	60
8.7.5.2.1 Overview	60
8.7.5.2.2 Stream Mode	60
8.7.5.2.3 Content name	60
8.7.5.2.4 Content Attributes	61
8.7.5.2.4.1 Content Type	61
8.7.5.2.4.2 Access Control Field	61
8.7.5.2.4.3 Frame rate	61
8.7.5.2.4.4 Total frames	61
8.7.5.2.4.5 Maximum frame size	61
8.7.5.2.4.6 Total Time	62
8.7.5.2.5 Stream Identifier	62
8.7.5.3 Tear-Down Stream (TDST) operation	62
8.7.5.4 Stop (STP) operation	62
8.7.5.5 Pause (PAS) operation	62
8.7.5.6 Resume (RSM) operation	62
8.7.5.7 Play (PLY) operation	63
8.7.5.7.1 Overview	63
8.7.5.7.2 Format field	63
8.7.5.7.3 Begin Relative Range field	63
8.7.5.7.4 End Relative Range field	63
8.7.5.7.5 Begin Relative Time field	64
8.7.5.7.6 End Relative Time field	64
8.7.5.8 Record (RCD) operation	64
8.7.6 Simple Streaming Notifications	64
9 Simple Streaming protocol - SCSI-3 FCP mapping	66
9.1 Overview	66
9.2 Client and Server requirements	66
9.2.1 Classes of service	66

9.2.2 Topology	66
9.2.3 Quality of Service for Classes 1, 2, and 3	66
9.2.4 Quality of Service for Class 4	66
9.2.5 Login	66
9.2.5.1 Fabric Login	66
9.2.5.2 Port Login	67
9.2.5.3 Process Login	67
9.3 Establish Stream operation using SCSI-3 FCP	67
9.3.1 Overview	67
9.3.2 Establish Stream request	67
9.3.3 Establish Stream response	68
9.4 Stream Tear-down operation using SCSI-3 FCP	69
9.4.1 Overview	69
9.4.2 Stream Tear-down request	69
9.4.3 Stream Tear-down response	69
9.5 Play operation using SCSI-3 FCP	70
9.5.1 Overview	70
9.5.2 Play operation request	70
9.5.3 Play operation response	71
9.6 Record operation using SCSI-3 FCP	72
9.6.1 Overview	72
9.6.2 Record operation request	72
9.6.3 Record operation response	72
9.7 Stop operation using SCSI-3 FCP	73
9.7.1 General	73
9.7.2 Stop operation Request	73
9.7.3 Stop operation response	73
9.8 Pause operation using SCSI-3 FCP	74
9.8.1 Overview	74
9.8.2 Pause operation request	74
9.8.3 Pause operation response	75
9.9 Resume operation using SCSI-3 FCP	76
9.9.1 Overview	76
9.9.2 Resume operation request	76
9.9.3 Resume operation response	76
9.10 Operation Complete notification using SCSI-3 FCP	77
9.11 Operation Error notification using SCSI-3 FCP	78
9.12 SCMA Content Movement transaction	79
9.12.1 Overview	79
9.12.2 SCMA Content Movement from the server to the client (Play operations)	79
9.12.3 SCMA Content Movement from the client to the server (Record operations)	79
Annex A (normative)	80
A.1 Overview	80
A.2 Container Header format	80
A.2.1 Overview	80
A.2.2 Container Count	80
A.2.3 Clip ID	80
A.2.4 Container Time Stamp	80
A.2.5 Transmission type	80
A.2.5.1 Video frame rate	80
A.2.5.2 Transmission rate	80
A.2.6 Container type	81
A.2.6.1 Mode	81
A.2.6.2 Number of Objects	81

A.2.6.3 Size of Extended Header . . . . .	81
A.2.7 Object Information Block . . . . .	81
A.2.7.1 Object n Type . . . . .	81
A.2.7.2 Object n Link Pointer . . . . .	81
A.2.7.3 Object n Index . . . . .	81
A.2.7.4 Object n Size . . . . .	81
A.2.7.5 Object n Offset . . . . .	81
A.2.7.6 Object n Type defined . . . . .	81
A.3 Object description . . . . .	82
A.3.1 General . . . . .	82
A.3.2 Object 0– Ancillary Data – Uncompressed Video . . . . .	83
A.3.2.1 General . . . . .	83
A.3.2.2 Object 0 Word 0 . . . . .	83
A.3.2.2.1 Number of Rows . . . . .	83
A.3.2.2.2 Number of Columns . . . . .	84
A.3.2.2.3 Frame/Field Based Video . . . . .	84
A.3.2.3 Object 0 Word 1 . . . . .	85
A.3.2.3.1 Color Information . . . . .	85
A.3.2.3.2 Pixel Aspect ratio . . . . .	85
A.3.2.3.3 Pixel Array order . . . . .	86
A.3.2.3.4 Packing Table number . . . . .	86
A.3.2.3.5 Bits per subpixel (n) . . . . .	87
A.3.2.4 Object 0, Words 2 and 3 – User Defined words . . . . .	87
A.3.2.5 Object 0 Words 4-259 Ancillary Object Color palette . . . . .	88
A.3.3 Object 1 - Audio data . . . . .	88
A.3.4 Objects 2 and 3 - Video data . . . . .	88
A.4 Profile examples (Informative) . . . . .	89
A.4.1 Monochrome Video example . . . . .	89
A.4.2 RGB Video example . . . . .	91
Annex B (normative) . . . . .	93
B.1 Type 10h characteristics . . . . .	93
B.1.1 Overview . . . . .	93
B.1.2 Object Type Defined Word assignment . . . . .	93
B.1.3 Data packing guidelines . . . . .	93
B.1.4 Sample Packing, Video types defined in SMPTE and ITU . . . . .	93
B.1.4.1 Frame start for Full content - Reference SMPTE 125M-1995 . . . . .	93
B.1.4.1.1 Frame mode 525 line/29.97 Hz systems . . . . .	93
B.1.4.1.2 Field mode 525 line/59.94 Hz systems . . . . .	93
B.1.4.1.3 Frame mode 625 line/25 Hz systems . . . . .	93
B.1.4.1.4 Field mode 625 line/50 Hz systems . . . . .	93
B.1.4.2 Sample mapping active video only . . . . .	93
B.1.4.2.1 General . . . . .	93
B.1.4.2.2 Frame mode 525/29.97 systems . . . . .	94
B.1.4.2.3 Field mode 525/59.94 systems . . . . .	94
B.1.4.2.3.1 General . . . . .	94
B.1.4.2.3.2 8-Bit Sample Case . . . . .	94
B.1.4.2.3.3 10-Bit Sample Case . . . . .	95
B.1.4.3 NTSC 4fsc Case . . . . .	96
B.1.5 Type 10h table . . . . .	97
B.2 Type 11h characteristics . . . . .	98
B.3 Type 20h characteristics . . . . .	98
B.3.1 Overview . . . . .	98
B.3.2 Type 20h table . . . . .	98
B.4 Type 30h characteristics . . . . .	98

B.5 Type 40h characteristics . . . . .	98
B.5.1 Overview . . . . .	98
B.5.2 Type 40h table . . . . .	98
B.5.3 Data packing guidelines. . . . .	98
B.6 Type 41h characteristics . . . . .	100
B.7 Type 60h characteristics . . . . .	100
B.7.1 Overview . . . . .	100
B.7.2 Type 60h table . . . . .	100
Annex C (informative) . . . . .	101
C.1 Fields, frames and interlace . . . . .	101
C.2 Colorimetry . . . . .	101
C.3 Gamma correction . . . . .	101
C.4 RGB . . . . .	101
C.5 YUV. . . . .	101
C.6 Video formats . . . . .	102
C.6.1 Overview . . . . .	102
C.6.2 Standard-Definition Television. . . . .	102
C.6.2.1 General . . . . .	102
C.6.2.2 Composite Analog Video . . . . .	102
C.6.2.2.1 Overview. . . . .	102
C.6.2.2.2 NTSC . . . . .	102
C.6.2.2.3 PAL. . . . .	103
C.6.2.2.4 SECAM. . . . .	103
C.6.2.3 Component Analog Video . . . . .	103
C.6.2.3.1 RGB . . . . .	103
C.6.2.3.2 YUV . . . . .	103
C.6.2.4 Component Digital Video ( $4f_{sc}$ ) . . . . .	103
C.6.2.5 Analog Component Digital Video. . . . .	104
C.6.2.5.1 General. . . . .	104
C.6.2.5.2 Y, $C_B$ , $C_R$ . . . . .	104
C.6.2.5.3 Ancillary Data . . . . .	104
C.6.2.6 Component Digital (480 lines progressive) . . . . .	104
C.6.3 High-Definition Television . . . . .	104
C.6.4 Digital Video Formats for Television . . . . .	105
Annex D (informative) . . . . .	106
D.1 Overview . . . . .	106
D.2 File transfers . . . . .	106
D.3 Streaming transfers. . . . .	106
Annex E (informative) . . . . .	107
E.1 Overview . . . . .	107
E.2 RFC 1323 . . . . .	107
E.3 Copy avoidance . . . . .	107
E.4 On-board checksum generation . . . . .	107
Annex F (informative) . . . . .	109
Annex G (informative). . . . .	110
G.1 Overview. . . . .	110
G.2 Packing table . . . . .	110
BIBLIOGRAPHY . . . . .	113

## List of Tables

Table 1 – Container Header (Simple Mode) . . . . .	26
Table 2 – Video frame rate – encoding . . . . .	27
Table 3 – Object Information Block . . . . .	28
Table 4 – Extended Container Header . . . . .	29
Table 5 – Object Class Hierarchy . . . . .	30
Table 6 – Organization Unique Identifier Object Type Defined Word format . . . . .	33
Table 7 – Organization Unique Identifier Object Type Defined Word format . . . . .	34
Table 8 – SSRB Format . . . . .	56
Table 9 – Streaming Operation codes . . . . .	57
Table 10 – Simple Streaming operation requests . . . . .	58
Table 11 – Reason Code explanation . . . . .	59
Table 12 – ESST Request payload . . . . .	60
Table 13 – ESST Response payload . . . . .	60
Table 14 – Content Name . . . . .	60
Table 15 – Content Attributes . . . . .	61
Table 16 – TDST Request payload . . . . .	62
Table 17 – STP Request payload . . . . .	62
Table 18 – PAS Request payload . . . . .	62
Table 19 – RSM Request payload . . . . .	62
Table 20 – PLY Request payload . . . . .	63
Table 21 – Play parameters . . . . .	63
Table 22 – PLY Request payload . . . . .	64
Table 23 – Simple Streaming Notifications . . . . .	64
Table 24 – Operation Error Reason Code . . . . .	64
Table 25 – Operation Error codes . . . . .	65
Table 26 – Establish Stream operation . . . . .	67
Table 27 – Stream Tear-down operation . . . . .	69
Table 28 – Play operation . . . . .	70
Table 29 – Record operation . . . . .	72
Table 30 – Stop operation . . . . .	73
Table 31 – Pause operation . . . . .	74
Table 32 – Resume operation . . . . .	76
Table 33 – Operation Complete notification . . . . .	77
Table 34 – Operation Complete notification . . . . .	78
Table 35 – SCMA Content Movement operation . . . . .	79
Table A.1 – Video Format codes . . . . .	84
Table A.2 – Color Information codes . . . . .	85
Table A.3 – Pixel Aspect ratio codes . . . . .	85
Table A.4 – Pixel Array order codes . . . . .	86
Table A.5 – Packing Table number . . . . .	86
Table A.6 – Color Information format per subpixel mapping . . . . .	87
Table A.7 – Word 4-259 Color Palette word format . . . . .	88
Table B.1 – Type 10h Index values and Characteristics . . . . .	97
Table B.2 – Type 20h Index values . . . . .	98
Table B.3 – Type 40h Index values . . . . .	98
Table B.4 – Type 60h Index values . . . . .	100
Table C.1 – Digital video formats for television . . . . .	105
Table G.1 – Packing table . . . . .	111

## List of Figures

Figure 1 – FC-AV model . . . . .	22
Figure 2 – Simple Content Movement Architecture . . . . .	23
Figure 3 – The FC-AV Container system . . . . .	24
Figure 4 – Component AV Stream Object format . . . . .	35
Figure 5 – Stream Header format . . . . .	35
Figure 6 – Stream descriptor . . . . .	35
Figure 7 – CDS Packet Format . . . . .	37
Figure 8 – Signal type format . . . . .	39
Figure 9 – CDS Packet Format . . . . .	40
Figure 10 – CDS Packet Payload format (SMPTE) . . . . .	40
Figure 11 – Signal type format . . . . .	41
Figure 12 – CDS Packet format (MPEG-TS) . . . . .	42
Figure 13 – CDS Packet format (TS Packet) . . . . .	43
Figure 14 – FHCP Frame Header . . . . .	45
Figure 15 – Example FHCP network . . . . .	46
Figure A.1 – Object 0 – Ancillary data definition . . . . .	83
Figure A.2 – Bit and Byte Packing . . . . .	87
Figure A.3 – Monochrome example – Container Header . . . . .	89
Figure A.4 – Monochrome example - Object 0 (Ancillary data) . . . . .	90
Figure A.5 – Monochrome example - Object 2 (Video data) . . . . .	90
Figure A.6 – RGB example - Container Header . . . . .	91
Figure A.7 – RGB example - Object 0 (Ancillary Data) . . . . .	92
Figure A.8 – RGB example - Object 2 (Video Data) . . . . .	92
Figure B.1 – 8-bit Sample Packing . . . . .	94
Figure B.2 – YC <sub>B</sub> C <sub>R</sub> Active Video Packing . . . . .	95
Figure B.3 – NTSC 4fsc Video Packing . . . . .	96
Figure B.4 – Raw Audio Sample Packing . . . . .	99
Figure B.5 – Raw 16-Bit Packing of Two Channels, A & B . . . . .	99
Figure B.6 – AES/EBU Block, Frame, and Subframe format . . . . .	99
Figure B.7 – Fibre Channel Transmission Word Mapping of AES/EBU Subframe pair . . . . .	100
Figure F.1 – Video frame rate value . . . . .	109
Figure G.1 – Bit and Byte Packing . . . . .	112