ISO/IEC 14165-321:2009-11 (E)

Information technology_- Fibre Channel_- Part_321: Audio-Video (FC-AV)

Table of Contents

FOREWORD . . . 12
INTRODUCTION . . . 14
1 Scope . . . 15
2 Normative references . . . 15
3 Terms, definitions, abbreviations, keywords and conventions . . . 17
3.1 Terms and definitions . . . 17
3.2 Abbreviations and acronyms . . . 19
3.3 Keywords . . . 20
3.4 Conventions . . . 20
4 Structure and concepts . . . 22
4.1 Relationship with FC-FS . . . 22
4.2 FC-AV Container system . . . 22
4.3 Simple Content Movement . . . 22
4.3.1 Overview . . . 22
4.3.1.1 General . . . 22
4.3.1.2 Content Movement layer . . . 23
4.3.1.3 Content Transport layer . . . 23
4.4 Frame Header Control Protocol . . . 23
5 FC-AV Containers . . . 24
5.1 Overview . . . 24
5.2 The FC-AV Container system . . . 25
5.2.1 Overview . . . 25
5.2.2 The FC-AV Container . . . 25
5.2.3 FC-AV concepts for Containers in Simple mode . . . 25
5.3 Container Header structure . . . 26
5.4 Description of Container Header contents . . . 27
5.4.1 Container Information Block . . . 27
5.4.2 Object Information Block . . . 28
5.5 Extended Header description . . . 28
5.6 Object classification system . . . 29
5.6.1 Object classification overview . . . 29
5.6.2 Object Type byte . . . 31
5.6.2.1 General . . . 31
5.6.2.2 Null Object . . . 31
5.6.2.3 Video, uncompressed . . . 31
5.6.2.4 Video, compressed . . . 31
5.6.2.5 Reserved for future Video . . . 31
5.6.2.6 Compressed FC-AV stream (Video Program) . . . 31
5.6.2.7 Reserved for Video Program (multiplexed stream) . . . 31
5.6.2.8 Graphics . . . 31
5.6.2.9 Reserved for future Graphics . . . 31
5.6.2.10 Audio, uncompressed . . . 32
5.6.2.11 Audio, compressed . . . 32
5.6.2.12 Reserved for future Audio . . . 32
5.6.2.13 Ancillary data . . . 32
5.6.2.14 Full Stream - structures . . . 32
5.6.2.15 Reserved for future Full Stream - structures . . . 32
5.6.2.16 Reserved . . . 32
5.6.2.17 Negotiated Object Types . . . 32
5.6.2.18 Vendor Specific Object Types . . . 32
5.6.3 Object Index bytes . . . 32

5.6.3.1 General . . . 32
5.6.3.2 Vendor Specific Object Indices . . . 33
5.6.4 Object Type Defined word . . . 33
5.6.4.1 General . . . 33
5.6.4.2 Object Type Defined word definition for Vendor Specific classifications . . . 33
5.6.5 Object Data Packing . . . 34
6 Compressed FC-AV stream transmission . . . 35
6.1 Overview . . . 35
6.1.1 General . . . 35
6.1.2 Stream Header . . . 35
6.1.3 Stream descriptor . . . 35
6.1.3.1 Overview . . . 35
6.1.3.2 Packet type . . . 35
6.1.3.3 Stream type . . . 36
6.1.4 Stream Time Stamp . . . 36
6.1.5 CDS Packet length . . . 36
6.1.6 CDS Packet format . . . 37
6.1.7 CDS Packet Time Stamp . . . 37
6.1.8 Byte count . . . 37
6.1.9 CDS Packet payload . . . 37
6.1.10 Forward Error Correction . . . 37
6.2 Synchronization scheme . . . 37
6.2.1 Overview . . . 37
6.2.2 MPEG . . . 38
6.2.3 Frame/Field compression . . . 38
6.3 Error management scheme . . . 38
6.3.1 Overview . . . 38
6.3.2 Process policy without FEC . . . 38
6.3.3 Process policy with FEC . . . 38
6.3.4 Discard policy with immediate retransmission . . . 39
6.4 Instances of compressed AV streams over Fibre Channel . . . 39
6.4.1 DV based compression stream . . . 39
6.4.1.1 Overview . . . 39
6.4.1.2 Stream Header . . . 39
6.4.1.2.1 Stream descriptor . . . 39
6.4.1.2.1.1 Packet type . . . 39
6.4.1.2.1.2 Stream type . . . 39
6.4.1.2.2 CDS Packet length . . . 40
6.4.1.3 CDS Packet format . . . 40
6.4.1.3.1 Overview . . . 40
6.4.1.3.2 CDS Packet payload (SMPTE) . . . 40
6.4.1.3.3 FEC . . . 41
6.4.2 MPEG-TS . . . 41
6.4.2.1 Overview . . . 41
6.4.2.2 Stream Header . . . 41
6.4.2.2.1 Stream descriptor . . . 41
6.4.2.2.1.1 Packet type . . . 41
6.4.2.2.1.2 Stream type . . . 41
6.4.2.2.2 CDS Packet length . . . 42
6.4.2.3 CDS Packet format (MPEG-TS) . . . 42
6.4.2.3.1 Overview . . . 42
6.4.2.3.2 CDS Packet Time Stamp . . . 42
6.4.2.3.3 CDS Packet payload (TS Packet) . . . 43
6.4.2.3.4 FEC . . . 43

7 Frame Header Control Protocol 44
7.1 Overview 44
7.2 Network profile 44
7.2.1 Topology 44
7.2.2 Classes of service 44
7.2.3 Error handling 44
7.2.4 Source and Sink rules 44
7.3 Frame header control fields 45
7.3.1 Overview 45
7.3.2 Routing Control (R_CTL) 45
7.3.3 Type 45
7.3.4 Frame Control (F_CTL) 45
7.3.5 Sequence Identifier (SEQ_ID) 45
7.3.6 Sequence Count (SEQ_CNT) 46
7.3.7 Payload 46
7.4 Example FHCP network 46
8 Simple Streaming protocol for SCMA 47
8.1 Overview 47
8.2 Stream establishment 47
8.2.1 Overview 47
8.2.2 Stream states 47
8.2.3 Establish Stream request 47
8.2.4 Establish Stream response 48
8.2.5 Content Attributes for Establish Stream operations 48
8.2.5.1 Overview 48
8.2.5.2 Content Attributes for Play mode 48
8.2.5.3 Content Attributes for Record mode 48
8.3 Stream Tear-down 49
8.3.1 Overview 49
8.3.2 Stream Tear-down request 49
8.3.3 Stream Tear-down response 49
8.4 Operations on established Streams 49
8.4.1 Overview 49
8.4.2 Play operation 49
8.4.3 Record operation 50
8.4.4 Stop operation 51
8.4.4.1 Overview 51
8.4.4.2 Stop operation in Play mode 51
8.4.4.3 Stop operation in Record mode 51
8.4.4.4 Stop operation response 51
8.4.5 Pause operation 52
8.4.5.1 Overview 52
8.4.5.2 Pause operation in Play mode 52
8.4.5.3 Pause operation request in Record mode 52
8.4.5.4 Pause operation response 52
8.4.6 Resume operation 52
8.4.6.1 Overview 52
8.4.6.2 Resume operation request for Play mode 52
8.4.6.3 Resume operation request in Record mode 53
8.4.6.4 Resume operation response 53
8.5 Operation notifications 53
8.5.1 Overview 53
8.5.2 Operation Complete notification 53
8.5.2.1 Overview 53

8.5.2.2 Streams in Play mode . . . 53
8.5.2.3 Streams in Record mode . . . 54
8.5.3 Operation Error notification . . . 54
8.6 Content Movement transactions . . . 54
8.6.1 Overview . . . 54
8.6.2 Content Movement request . . . 55
8.6.3 Content Movement response . . . 55
8.7 Simple Streaming data format . . . 56
8.7.1 Overview . . . 56
8.7.2 SSRB format . . . 56
8.7.2.1 Overview . . . 56
8.7.2.2 Revision field . . . 56
8.7.2.3 Request Identifier . . . 56
8.7.2.4 Streaming Operation code . . . 57
8.7.2.5 Reason Code field . . . 57
8.7.2.6 Reason Code explanation . . . 57
8.7.2.7 Vendor Unique field . . . 57
8.7.2.8 Operation specific data . . . 57
8.7.3 Simple Streaming operation requests . . . 58
8.7.4 Simple Streaming responses . . . 58
8.7.4.1 Overview . . . 58
8.7.4.2 Negative operation response . . . 58
8.7.4.3 Positive Operation response . . . 59
8.7.5 Simple Streaming operation data . . . 59
8.7.5.1 Overview . . . 59
8.7.5.2 Establish Stream (ESST) operation . . . 60
8.7.5.2.1 Overview . . . 60
8.7.5.2.2 Stream Mode . . . 60
8.7.5.2.3 Content name . . . 60
8.7.5.2.4 Content Attributes . . . 61
8.7.5.2.4.1 Content Type . . . 61
8.7.5.2.4.2 Access Control Field . . . 61
8.7.5.2.4.3 Frame rate . . . 61
8.7.5.2.4.4 Total frames . . . 61
8.7.5.2.4.5 Maximum frame size . . . 61
8.7.5.2.4.6 Total Time . . . 62
8.7.5.2.5 Stream Identifier . . . 62
8.7.5.3 Tear-Down Stream (TDST) operation . . . 62
8.7.5.4 Stop (STP) operation . . . 62
8.7.5.5 Pause (PAS) operation . . . 62
8.7.5.6 Resume (RSM) operation . . . 62
8.7.5.7 Play (PLY) operation . . . 63
8.7.5.7.1 Overview . . . 63
8.7.5.7.2 Format field . . . 63
8.7.5.7.3 Begin Relative Range field . . . 63
8.7.5.7.4 End Relative Range field . . . 63
8.7.5.7.5 Begin Relative Time field . . . 64
8.7.5.7.6 End Relative Time field . . . 64
8.7.5.8 Record (RCD) operation . . . 64
8.7.6 Simple Streaming Notifications . . . 64
9 Simple Streaming protocol - SCSI-3 FCP mapping . . . 66
9.1 Overview . . . 66
9.2 Client and Server requirements . . . 66
9.2.1 Classes of service . . . 66

9.2.2 Topology . . . 66
9.2.3 Quality of Service for Classes 1, 2, and 3 . . . 66
9.2.4 Quality of Service for Class 4 . . . 66
9.2.5 Login . . . 66
9.2.5.1 Fabric Login . . . 66
9.2.5.2 Port Login . . . 67
9.2.5.3 Process Login . . . 67
9.3 Establish Stream operation using SCSI-3 FCP . . . 67
9.3.1 Overview . . . 67
9.3.2 Establish Stream request . . . 67
9.3.3 Establish Stream response . . . 68
9.4 Stream Tear-down operation using SCSI-3 FCP . . . 69
9.4.1 Overview . . . 69
9.4.2 Stream Tear-down request . . . 69
9.4.3 Stream Tear-down response . . . 69
9.5 Play operation using SCSI-3 FCP . . . 70
9.5.1 Overview . . . 70
9.5.2 Play operation request . . . 70
9.5.3 Play operation response . . . 71
9.6 Record operation using SCSI-3 FCP . . . 72
9.6.1 Overview . . . 72
9.6.2 Record operation request . . . 72
9.6.3 Record operation response . . . 72
9.7 Stop operation using SCSI-3 FCP . . . 73
9.7.1 General . . . 73
9.7.2 Stop operation Request . . . 73
9.7.3 Stop operation response . . . 73
9.8 Pause operation using SCSI-3 FCP . . . 74
9.8.1 Overview . . . 74
9.8.2 Pause operation request . . . 74
9.8.3 Pause operation response . . . 75
9.9 Resume operation using SCSI-3 FCP . . . 76
9.9.1 Overview . . . 76
9.9.2 Resume operation request . . . 76
9.9.3 Resume operation response . . . 76
9.10 Operation Complete notification using SCSI-3 FCP . . . 77
9.11 Operation Error notification using SCSI-3 FCP . . . 78
9.12 SCMA Content Movement transaction . . . 79
9.12.1 Overview . . . 79
9.12.2 SCMA Content Movement from the server to the client (Play operations) . . . 79
9.12.3 SCMA Content Movement from the client to the server (Record operations) . . . 79
Annex A (normative) . . . 80
A.1 Overview . . . 80
A.2 Container Header format . . . 80
A.2.1 Overview . . . 80
A.2.2 Container Count . . . 80
A.2.3 Clip ID . . . 80
A.2.4 Container Time Stamp . . . 80
A.2.5 Transmission type . . . 80
A.2.5.1 Video frame rate . . . 80
A.2.5.2 Transmission rate . . . 80
A.2.6 Container type . . . 81
A.2.6.1 Mode . . . 81
A.2.6.2 Number of Objects . . . 81

A.2.6.3 Size of Extended Header . . . 81
A.2.7 Object Information Block . . . 81
A.2.7.1 Object n Type . . . 81
A.2.7.2 Object n Link Pointer . . . 81
A.2.7.3 Object n Index . . . 81
A.2.7.4 Object n Size . . . 81
A.2.7.5 Object n Offset . . . 81
A.2.7.6 Object n Type defined . . . 81
A.3 Object description . . . 82
A.3.1 General . . . 82
A.3.2 Object 0– Ancillary Data – Uncompressed Video . . . 83
A.3.2.1 General . . . 83
A.3.2.2 Object 0 Word 0 . . . 83
A.3.2.2.1 Number of Rows . . . 83
A.3.2.2.2 Number of Columns . . . 84
A.3.2.2.3 Frame/Field Based Video . . . 84
A.3.2.3 Object 0 Word 1 . . . 85
A.3.2.3.1 Color Information . . . 85
A.3.2.3.2 Pixel Aspect ratio . . . 85
A.3.2.3.3 Pixel Array order . . . 86
A.3.2.3.4 Packing Table number . . . 86
A.3.2.3.5 Bits per subpixel (n) . . . 87
A.3.2.4 Object 0, Words 2 and 3 – User Defined words . . . 87
A.3.2.5 Object 0 Words 4-259 Ancillary Object Color palette . . . 88
A.3.3 Object 1 - Audio data . . . 88
A.3.4 Objects 2 and 3 - Video data . . . 88
A.4 Profile examples (Informative) . . . 89
A.4.1 Monochrome Video example . . . 89
A.4.2 RGB Video example . . . 91
Annex B (normative) . . . 93
B.1 Type 10h characteristics . . . 93
B.1.1 Overview . . . 93
B.1.2 Object Type Defined Word assignment . . . 93
B.1.3 Data packing guidelines . . . 93
B.1.4 Sample Packing, Video types defined in SMPTE and ITU . . . 93
B.1.4.1 Frame start for Full content - Reference SMPTE 125M-1995 . . . 93
B.1.4.1.1 Frame mode 525 line/29.97 Hz systems . . . 93
B.1.4.1.2 Field mode 525 line/59.94 Hz systems . . . 93
B.1.4.1.3 Frame mode 625 line/25 Hz systems . . . 93
B.1.4.1.4 Field mode 625 line/50 Hz systems . . . 93
B.1.4.2 Sample mapping active video only . . . 93
B.1.4.2.1 General . . . 93
B.1.4.2.2 Frame mode 525/29.97 systems . . . 94
B.1.4.2.3 Field mode 525/59.94 systems . . . 94
B.1.4.2.3.1 General . . . 94
B.1.4.2.3.2 8-Bit Sample Case . . . 94
B.1.4.2.3.3 10-Bit Sample Case . . . 95
B.1.4.3 NTSC 4fsc Case . . . 96
B.1.5 Type 10h table . . . 97
B.2 Type 11h characteristics . . . 98
B.3 Type 20h characteristics . . . 98
B.3.1 Overview . . . 98
B.3.2 Type 20h table . . . 98
B.4 Type 30h characteristics . . . 98

B.5 Type 40h characteristics . . . 98
B.5.1 Overview . . . 98
B.5.2 Type 40h table . . . 98
B.5.3 Data packing guidelines . . . 98
B.6 Type 41h characteristics . . . 100
B.7 Type 60h characteristics . . . 100
B.7.1 Overview . . . 100
B.7.2 Type 60h table . . . 100
Annex C (informative) . . . 101
C.1 Fields, frames and interlace . . . 101
C.2 Colorimetry . . . 101
C.3 Gamma correction . . . 101
C.4 RGB . . . 101
C.5 YUV . . . 101
C.6 Video formats . . . 102
C.6.1 Overview . . . 102
C.6.2 Standard-Definition Television . . . 102
C.6.2.1 General . . . 102
C.6.2.2 Composite Analog Video . . . 102
C.6.2.2.1 Overview . . . 102
C.6.2.2.2 NTSC . . . 102
C.6.2.2.3 PAL . . . 103
C.6.2.2.4 SECAM . . . 103
C.6.2.3 Component Analog Video . . . 103
C.6.2.3.1 RGB . . . 103
C.6.2.3.2 YUV . . . 103
C.6.2.4 Component Digital Video ($4f_{sc}$) . . . 103
C.6.2.5 Analog Component Digital Video . . . 104
C.6.2.5.1 General . . . 104
C.6.2.5.2 Y, C_B, C_R . . . 104
C.6.2.5.3 Ancillary Data . . . 104
C.6.2.6 Component Digital (480 lines progressive) . . . 104
C.6.3 High-Definition Television . . . 104
C.6.4 Digital Video Formats for Television . . . 105
Annex D (informative) . . . 106
D.1 Overview . . . 106
D.2 File transfers . . . 106
D.3 Streaming transfers . . . 106
Annex E (informative) . . . 107
E.1 Overview . . . 107
E.2 RFC 1323 . . . 107
E.3 Copy avoidance . . . 107
E.4 On-board checksum generation . . . 107
Annex F (informative) . . . 109
Annex G (informative) . . . 110
G.1 Overview . . . 110
G.2 Packing table . . . 110
BIBLIOGRAPHY . . . 113

List of Tables

Table 1 – Container Header (Simple Mode) . . . 26
Table 2 – Video frame rate – encoding . . . 27
Table 3 – Object Information Block . . . 28
Table 4 – Extended Container Header . . . 29
Table 5 – Object Class Hierarchy . . . 30
Table 6 – Organization Unique Identifier Object Type Defined Word format . . . 33
Table 7 – Organization Unique Identifier Object Type Defined Word format . . . 34
Table 8 – SSRB Format . . . 56
Table 9 – Streaming Operation codes . . . 57
Table 10 – Simple Streaming operation requests . . . 58
Table 11 – Reason Code explanation . . . 59
Table 12 – ESST Request payload . . . 60
Table 13 – ESST Response payload . . . 60
Table 14 – Content Name . . . 60
Table 15 – Content Attributes . . . 61
Table 16 – TDST Request payload . . . 62
Table 17 – STP Request payload . . . 62
Table 18 – PAS Request payload . . . 62
Table 19 – RSM Request payload . . . 62
Table 20 – PLY Request payload . . . 63
Table 21 – Play parameters . . . 63
Table 22 – PLY Request payload . . . 64
Table 23 – Simple Streaming Notifications . . . 64
Table 24 – Operation Error Reason Code . . . 64
Table 25 – Operation Error codes . . . 65
Table 26 – Establish Stream operation . . . 67
Table 27 – Stream Tear-down operation . . . 69
Table 28 – Play operation . . . 70
Table 29 – Record operation . . . 72
Table 30 – Stop operation . . . 73
Table 31 – Pause operation . . . 74
Table 32 – Resume operation . . . 76
Table 33 – Operation Complete notification . . . 77
Table 34 – Operation Complete notification . . . 78
Table 35 – SCMA Content Movement operation . . . 79
Table A.1 – Video Format codes . . . 84
Table A.2 – Color Information codes . . . 85
Table A.3 – Pixel Aspect ratio codes . . . 85
Table A.4 – Pixel Array order codes . . . 86
Table A.5 – Packing Table number . . . 86
Table A.6 – Color Information format per subpixel mapping . . . 87
Table A.7 – Word 4-259 Color Palette word format . . . 88
Table B.1 – Type 10h Index values and Characteristics . . . 97
Table B.2 – Type 20h Index values . . . 98
Table B.3 – Type 40h Index values . . . 98
Table B.4 – Type 60h Index values . . . 100
Table C.1 – Digital video formats for television . . . 105
Table G.1 – Packing table . . . 111

List of Figures

Figure 1 – FC-AV model . . . 22
Figure 2 – Simple Content Movement Architecture . . . 23
Figure 3 – The FC-AV Container system . . . 24
Figure 4 – Component AV Stream Object format . . . 35
Figure 5 – Stream Header format . . . 35
Figure 6 – Stream descriptor . . . 35
Figure 7 – CDS Packet Format . . . 37
Figure 8 – Signal type format . . . 39
Figure 9 – CDS Packet Format . . . 40
Figure 10 – CDS Packet Payload format (SMPTE) . . . 40
Figure 11 – Signal type format . . . 41
Figure 12 – CDS Packet format (MPEG-TS) . . . 42
Figure 13 – CDS Packet format (TS Packet) . . . 43
Figure 14 – FHCP Frame Header . . . 45
Figure 15 – Example FHCP network . . . 46
Figure A.1 – Object 0 – Ancillary data definition . . . 83
Figure A.2 – Bit and Byte Packing . . . 87
Figure A.3 – Monochrome example – Container Header . . . 89
Figure A.4 – Monochrome example - Object 0 (Ancillary data) . . . 90
Figure A.5 – Monochrome example - Object 2 (Video data) . . . 90
Figure A.6 – RGB example - Container Header . . . 91
Figure A.7 – RGB example - Object 0 (Ancillary Data) . . . 92
Figure A.8 – RGB example - Object 2 (Video Data) . . . 92
Figure B.1 – 8-bit Sample Packing . . . 94
Figure B.2 – YC_BC_R Active Video Packing . . . 95
Figure B.3 – NTSC 4fsc Video Packing . . . 96
Figure B.4 – Raw Audio Sample Packing . . . 99
Figure B.5 – Raw 16-Bit Packing of Two Channels, A & B . . . 99
Figure B.6 – AES/EBU Block, Frame, and Subframe format . . . 99
Figure B.7 – Fibre Channel Transmission Word Mapping of AES/EBU Subframe pair . . . 100
Figure F.1 – Video frame rate value . . . 109
Figure G.1 – Bit and Byte Packing . . . 112