

ISO/IEC 14165-321:2009-11 (E)

Information technology_ - Fibre Channel_ - Part_ 321: Audio-Video (FC-AV)

Table of Contents

- FOREWORD 12
- INTRODUCTION 14
- 1 Scope 15
- 2 Normative references 15
- 3 Terms, definitions, abbreviations, keywords and conventions 17
 - 3.1 Terms and definitions 17
 - 3.2 Abbreviations and acronyms 19
 - 3.3 Keywords 20
 - 3.4 Conventions 20
- 4 Structure and concepts 22
 - 4.1 Relationship with FC-FS 22
 - 4.2 FC-AV Container system 22
 - 4.3 Simple Content Movement 22
 - 4.3.1 Overview 22
 - 4.3.1.1 General 22
 - 4.3.1.2 Content Movement layer 23
 - 4.3.1.3 Content Transport layer 23
 - 4.4 Frame Header Control Protocol 23
- 5 FC-AV Containers 24
 - 5.1 Overview 24
 - 5.2 The FC-AV Container system 25
 - 5.2.1 Overview 25
 - 5.2.2 The FC-AV Container 25
 - 5.2.3 FC-AV concepts for Containers in Simple mode 25
 - 5.3 Container Header structure 26
 - 5.4 Description of Container Header contents 27
 - 5.4.1 Container Information Block 27
 - 5.4.2 Object Information Block 28
 - 5.5 Extended Header description 28
 - 5.6 Object classification system 29
 - 5.6.1 Object classification overview 29
 - 5.6.2 Object Type byte 31
 - 5.6.2.1 General 31
 - 5.6.2.2 Null Object 31
 - 5.6.2.3 Video, uncompressed 31
 - 5.6.2.4 Video, compressed 31
 - 5.6.2.5 Reserved for future Video 31
 - 5.6.2.6 Compressed FC-AV stream (Video Program) 31
 - 5.6.2.7 Reserved for Video Program (multiplexed stream) 31
 - 5.6.2.8 Graphics 31
 - 5.6.2.9 Reserved for future Graphics 31
 - 5.6.2.10 Audio, uncompressed 32
 - 5.6.2.11 Audio, compressed 32
 - 5.6.2.12 Reserved for future Audio 32
 - 5.6.2.13 Ancillary data 32
 - 5.6.2.14 Full Stream - structures 32
 - 5.6.2.15 Reserved for future Full Stream - structures 32
 - 5.6.2.16 Reserved 32
 - 5.6.2.17 Negotiated Object Types 32
 - 5.6.2.18 Vendor Specific Object Types 32
 - 5.6.3 Object Index bytes 32

5.6.3.1	General	32
5.6.3.2	Vendor Specific Object Indices	33
5.6.4	Object Type Defined word	33
5.6.4.1	General	33
5.6.4.2	Object Type Defined word definition for Vendor Specific classifications	33
5.6.5	Object Data Packing	34
6	Compressed FC-AV stream transmission	35
6.1	Overview	35
6.1.1	General	35
6.1.2	Stream Header	35
6.1.3	Stream descriptor	35
6.1.3.1	Overview	35
6.1.3.2	Packet type	35
6.1.3.3	Stream type	36
6.1.4	Stream Time Stamp	36
6.1.5	CDS Packet length	36
6.1.6	CDS Packet format	37
6.1.7	CDS Packet Time Stamp	37
6.1.8	Byte count	37
6.1.9	CDS Packet payload	37
6.1.10	Forward Error Correction	37
6.2	Synchronization scheme	37
6.2.1	Overview	37
6.2.2	MPEG	38
6.2.3	Frame/Field compression	38
6.3	Error management scheme	38
6.3.1	Overview	38
6.3.2	Process policy without FEC	38
6.3.3	Process policy with FEC	38
6.3.4	Discard policy with immediate retransmission	39
6.4	Instances of compressed AV streams over Fibre Channel	39
6.4.1	DV based compression stream	39
6.4.1.1	Overview	39
6.4.1.2	Stream Header	39
6.4.1.2.1	Stream descriptor	39
6.4.1.2.1.1	Packet type	39
6.4.1.2.1.2	Stream type	39
6.4.1.2.2	CDS Packet length	40
6.4.1.3	CDS Packet format	40
6.4.1.3.1	Overview	40
6.4.1.3.2	CDS Packet payload (SMPTE)	40
6.4.1.3.3	FEC	41
6.4.2	MPEG-TS	41
6.4.2.1	Overview	41
6.4.2.2	Stream Header	41
6.4.2.2.1	Stream descriptor	41
6.4.2.2.1.1	Packet type	41
6.4.2.2.1.2	Stream type	41
6.4.2.2.2	CDS Packet length	42
6.4.2.3	CDS Packet format (MPEG-TS)	42
6.4.2.3.1	Overview	42
6.4.2.3.2	CDS Packet Time Stamp	42
6.4.2.3.3	CDS Packet payload (TS Packet)	43
6.4.2.3.4	FEC	43

7	Frame Header Control Protocol	44
7.1	Overview	44
7.2	Network profile	44
7.2.1	Topology	44
7.2.2	Classes of service	44
7.2.3	Error handling	44
7.2.4	Source and Sink rules	44
7.3	Frame header control fields	45
7.3.1	Overview	45
7.3.2	Routing Control (R_CTL)	45
7.3.3	Type	45
7.3.4	Frame Control (F_CTL)	45
7.3.5	Sequence Identifier (SEQ_ID)	45
7.3.6	Sequence Count (SEQ_CNT)	46
7.3.7	Payload	46
7.4	Example FHCP network	46
8	Simple Streaming protocol for SCMA	47
8.1	Overview	47
8.2	Stream establishment	47
8.2.1	Overview	47
8.2.2	Stream states	47
8.2.3	Establish Stream request	47
8.2.4	Establish Stream response	48
8.2.5	Content Attributes for Establish Stream operations	48
8.2.5.1	Overview	48
8.2.5.2	Content Attributes for Play mode	48
8.2.5.3	Content Attributes for Record mode	48
8.3	Stream Tear-down	49
8.3.1	Overview	49
8.3.2	Stream Tear-down request	49
8.3.3	Stream Tear-down response	49
8.4	Operations on established Streams	49
8.4.1	Overview	49
8.4.2	Play operation	49
8.4.3	Record operation	50
8.4.4	Stop operation	51
8.4.4.1	Overview	51
8.4.4.2	Stop operation in Play mode	51
8.4.4.3	Stop operation in Record mode	51
8.4.4.4	Stop operation response	51
8.4.5	Pause operation	52
8.4.5.1	Overview	52
8.4.5.2	Pause operation in Play mode	52
8.4.5.3	Pause operation request in Record mode	52
8.4.5.4	Pause operation response	52
8.4.6	Resume operation	52
8.4.6.1	Overview	52
8.4.6.2	Resume operation request for Play mode	52
8.4.6.3	Resume operation request in Record mode	53
8.4.6.4	Resume operation response	53
8.5	Operation notifications	53
8.5.1	Overview	53
8.5.2	Operation Complete notification	53
8.5.2.1	Overview	53

8.5.2.2 Streams in Play mode	53
8.5.2.3 Streams in Record mode	54
8.5.3 Operation Error notification	54
8.6 Content Movement transactions	54
8.6.1 Overview	54
8.6.2 Content Movement request	55
8.6.3 Content Movement response	55
8.7 Simple Streaming data format	56
8.7.1 Overview	56
8.7.2 SSRB format	56
8.7.2.1 Overview	56
8.7.2.2 Revision field	56
8.7.2.3 Request Identifier	56
8.7.2.4 Streaming Operation code	57
8.7.2.5 Reason Code field	57
8.7.2.6 Reason Code explanation	57
8.7.2.7 Vendor Unique field	57
8.7.2.8 Operation specific data	57
8.7.3 Simple Streaming operation requests	58
8.7.4 Simple Streaming responses	58
8.7.4.1 Overview	58
8.7.4.2 Negative operation response	58
8.7.4.3 Positive Operation response	59
8.7.5 Simple Streaming operation data	59
8.7.5.1 Overview	59
8.7.5.2 Establish Stream (ESST) operation	60
8.7.5.2.1 Overview	60
8.7.5.2.2 Stream Mode	60
8.7.5.2.3 Content name	60
8.7.5.2.4 Content Attributes	61
8.7.5.2.4.1 Content Type	61
8.7.5.2.4.2 Access Control Field	61
8.7.5.2.4.3 Frame rate	61
8.7.5.2.4.4 Total frames	61
8.7.5.2.4.5 Maximum frame size	61
8.7.5.2.4.6 Total Time	62
8.7.5.2.5 Stream Identifier	62
8.7.5.3 Tear-Down Stream (TDST) operation	62
8.7.5.4 Stop (STP) operation	62
8.7.5.5 Pause (PAS) operation	62
8.7.5.6 Resume (RSM) operation	62
8.7.5.7 Play (PLY) operation	63
8.7.5.7.1 Overview	63
8.7.5.7.2 Format field	63
8.7.5.7.3 Begin Relative Range field	63
8.7.5.7.4 End Relative Range field	63
8.7.5.7.5 Begin Relative Time field	64
8.7.5.7.6 End Relative Time field	64
8.7.5.8 Record (RCD) operation	64
8.7.6 Simple Streaming Notifications	64
9 Simple Streaming protocol - SCSI-3 FCP mapping	66
9.1 Overview	66
9.2 Client and Server requirements	66
9.2.1 Classes of service	66

9.2.2	Topology	66
9.2.3	Quality of Service for Classes 1, 2, and 3	66
9.2.4	Quality of Service for Class 4	66
9.2.5	Login	66
9.2.5.1	Fabric Login	66
9.2.5.2	Port Login	67
9.2.5.3	Process Login	67
9.3	Establish Stream operation using SCSI-3 FCP	67
9.3.1	Overview	67
9.3.2	Establish Stream request	67
9.3.3	Establish Stream response	68
9.4	Stream Tear-down operation using SCSI-3 FCP	69
9.4.1	Overview	69
9.4.2	Stream Tear-down request	69
9.4.3	Stream Tear-down response	69
9.5	Play operation using SCSI-3 FCP	70
9.5.1	Overview	70
9.5.2	Play operation request	70
9.5.3	Play operation response	71
9.6	Record operation using SCSI-3 FCP	72
9.6.1	Overview	72
9.6.2	Record operation request	72
9.6.3	Record operation response	72
9.7	Stop operation using SCSI-3 FCP	73
9.7.1	General	73
9.7.2	Stop operation Request	73
9.7.3	Stop operation response	73
9.8	Pause operation using SCSI-3 FCP	74
9.8.1	Overview	74
9.8.2	Pause operation request	74
9.8.3	Pause operation response	75
9.9	Resume operation using SCSI-3 FCP	76
9.9.1	Overview	76
9.9.2	Resume operation request	76
9.9.3	Resume operation response	76
9.10	Operation Complete notification using SCSI-3 FCP	77
9.11	Operation Error notification using SCSI-3 FCP	78
9.12	SCMA Content Movement transaction	79
9.12.1	Overview	79
9.12.2	SCMA Content Movement from the server to the client (Play operations)	79
9.12.3	SCMA Content Movement from the client to the server (Record operations)	79
Annex A	(normative)	80
A.1	Overview	80
A.2	Container Header format	80
A.2.1	Overview	80
A.2.2	Container Count	80
A.2.3	Clip ID	80
A.2.4	Container Time Stamp	80
A.2.5	Transmission type	80
A.2.5.1	Video frame rate	80
A.2.5.2	Transmission rate	80
A.2.6	Container type	81
A.2.6.1	Mode	81
A.2.6.2	Number of Objects	81

A.2.6.3 Size of Extended Header	81
A.2.7 Object Information Block	81
A.2.7.1 Object n Type	81
A.2.7.2 Object n Link Pointer	81
A.2.7.3 Object n Index	81
A.2.7.4 Object n Size	81
A.2.7.5 Object n Offset	81
A.2.7.6 Object n Type defined	81
A.3 Object description	82
A.3.1 General	82
A.3.2 Object 0– Ancillary Data – Uncompressed Video	83
A.3.2.1 General	83
A.3.2.2 Object 0 Word 0	83
A.3.2.2.1 Number of Rows	83
A.3.2.2.2 Number of Columns	84
A.3.2.2.3 Frame/Field Based Video	84
A.3.2.3 Object 0 Word 1	85
A.3.2.3.1 Color Information	85
A.3.2.3.2 Pixel Aspect ratio	85
A.3.2.3.3 Pixel Array order	86
A.3.2.3.4 Packing Table number	86
A.3.2.3.5 Bits per subpixel (n)	87
A.3.2.4 Object 0, Words 2 and 3 – User Defined words	87
A.3.2.5 Object 0 Words 4-259 Ancillary Object Color palette	88
A.3.3 Object 1 - Audio data	88
A.3.4 Objects 2 and 3 - Video data	88
A.4 Profile examples (Informative)	89
A.4.1 Monochrome Video example	89
A.4.2 RGB Video example	91
Annex B (normative)	93
B.1 Type 10h characteristics	93
B.1.1 Overview	93
B.1.2 Object Type Defined Word assignment	93
B.1.3 Data packing guidelines	93
B.1.4 Sample Packing, Video types defined in SMPTE and ITU	93
B.1.4.1 Frame start for Full content - Reference SMPTE 125M-1995	93
B.1.4.1.1 Frame mode 525 line/29.97 Hz systems	93
B.1.4.1.2 Field mode 525 line/59.94 Hz systems	93
B.1.4.1.3 Frame mode 625 line/25 Hz systems	93
B.1.4.1.4 Field mode 625 line/50 Hz systems	93
B.1.4.2 Sample mapping active video only	93
B.1.4.2.1 General	93
B.1.4.2.2 Frame mode 525/29.97 systems	94
B.1.4.2.3 Field mode 525/59.94 systems	94
B.1.4.2.3.1 General	94
B.1.4.2.3.2 8-Bit Sample Case	94
B.1.4.2.3.3 10-Bit Sample Case	95
B.1.4.3 NTSC 4fsc Case	96
B.1.5 Type 10h table	97
B.2 Type 11h characteristics	98
B.3 Type 20h characteristics	98
B.3.1 Overview	98
B.3.2 Type 20h table	98
B.4 Type 30h characteristics	98

B.5 Type 40h characteristics	98
B.5.1 Overview	98
B.5.2 Type 40h table	98
B.5.3 Data packing guidelines.	98
B.6 Type 41h characteristics	100
B.7 Type 60h characteristics	100
B.7.1 Overview	100
B.7.2 Type 60h table	100
Annex C (informative)	101
C.1 Fields, frames and interlace	101
C.2 Colorimetry	101
C.3 Gamma correction	101
C.4 RGB	101
C.5 YUV.	101
C.6 Video formats	102
C.6.1 Overview	102
C.6.2 Standard-Definition Television.	102
C.6.2.1 General	102
C.6.2.2 Composite Analog Video	102
C.6.2.2.1 Overview.	102
C.6.2.2.2 NTSC	102
C.6.2.2.3 PAL.	103
C.6.2.2.4 SECAM.	103
C.6.2.3 Component Analog Video	103
C.6.2.3.1 RGB	103
C.6.2.3.2 YUV	103
C.6.2.4 Component Digital Video ($4f_{sc}$)	103
C.6.2.5 Analog Component Digital Video.	104
C.6.2.5.1 General.	104
C.6.2.5.2 Y, C_B , C_R	104
C.6.2.5.3 Ancillary Data	104
C.6.2.6 Component Digital (480 lines progressive)	104
C.6.3 High-Definition Television	104
C.6.4 Digital Video Formats for Television	105
Annex D (informative)	106
D.1 Overview	106
D.2 File transfers	106
D.3 Streaming transfers.	106
Annex E (informative)	107
E.1 Overview	107
E.2 RFC 1323	107
E.3 Copy avoidance	107
E.4 On-board checksum generation	107
Annex F (informative)	109
Annex G (informative).	110
G.1 Overview.	110
G.2 Packing table	110
BIBLIOGRAPHY	113

List of Tables

Table 1 – Container Header (Simple Mode)	26
Table 2 – Video frame rate – encoding	27
Table 3 – Object Information Block	28
Table 4 – Extended Container Header	29
Table 5 – Object Class Hierarchy	30
Table 6 – Organization Unique Identifier Object Type Defined Word format	33
Table 7 – Organization Unique Identifier Object Type Defined Word format	34
Table 8 – SSRB Format	56
Table 9 – Streaming Operation codes	57
Table 10 – Simple Streaming operation requests	58
Table 11 – Reason Code explanation	59
Table 12 – ESST Request payload	60
Table 13 – ESST Response payload	60
Table 14 – Content Name	60
Table 15 – Content Attributes	61
Table 16 – TDST Request payload	62
Table 17 – STP Request payload	62
Table 18 – PAS Request payload	62
Table 19 – RSM Request payload	62
Table 20 – PLY Request payload	63
Table 21 – Play parameters	63
Table 22 – PLY Request payload	64
Table 23 – Simple Streaming Notifications	64
Table 24 – Operation Error Reason Code	64
Table 25 – Operation Error codes	65
Table 26 – Establish Stream operation	67
Table 27 – Stream Tear-down operation	69
Table 28 – Play operation	70
Table 29 – Record operation	72
Table 30 – Stop operation	73
Table 31 – Pause operation	74
Table 32 – Resume operation	76
Table 33 – Operation Complete notification	77
Table 34 – Operation Complete notification	78
Table 35 – SCMA Content Movement operation	79
Table A.1 – Video Format codes	84
Table A.2 – Color Information codes	85
Table A.3 – Pixel Aspect ratio codes	85
Table A.4 – Pixel Array order codes	86
Table A.5 – Packing Table number	86
Table A.6 – Color Information format per subpixel mapping	87
Table A.7 – Word 4-259 Color Palette word format	88
Table B.1 – Type 10h Index values and Characteristics	97
Table B.2 – Type 20h Index values	98
Table B.3 – Type 40h Index values	98
Table B.4 – Type 60h Index values	100
Table C.1 – Digital video formats for television	105
Table G.1 – Packing table	111

List of Figures

Figure 1 – FC-AV model	22
Figure 2 – Simple Content Movement Architecture	23
Figure 3 – The FC-AV Container system	24
Figure 4 – Component AV Stream Object format	35
Figure 5 – Stream Header format	35
Figure 6 – Stream descriptor	35
Figure 7 – CDS Packet Format	37
Figure 8 – Signal type format	39
Figure 9 – CDS Packet Format	40
Figure 10 – CDS Packet Payload format (SMPTE)	40
Figure 11 – Signal type format	41
Figure 12 – CDS Packet format (MPEG-TS)	42
Figure 13 – CDS Packet format (TS Packet)	43
Figure 14 – FHCP Frame Header	45
Figure 15 – Example FHCP network	46
Figure A.1 – Object 0 – Ancillary data definition	83
Figure A.2 – Bit and Byte Packing	87
Figure A.3 – Monochrome example – Container Header	89
Figure A.4 – Monochrome example - Object 0 (Ancillary data)	90
Figure A.5 – Monochrome example - Object 2 (Video data)	90
Figure A.6 – RGB example - Container Header	91
Figure A.7 – RGB example - Object 0 (Ancillary Data)	92
Figure A.8 – RGB example - Object 2 (Video Data)	92
Figure B.1 – 8-bit Sample Packing	94
Figure B.2 – YC _B C _R Active Video Packing	95
Figure B.3 – NTSC 4fsc Video Packing	96
Figure B.4 – Raw Audio Sample Packing	99
Figure B.5 – Raw 16-Bit Packing of Two Channels, A & B	99
Figure B.6 – AES/EBU Block, Frame, and Subframe format	99
Figure B.7 – Fibre Channel Transmission Word Mapping of AES/EBU Subframe pair	100
Figure F.1 – Video frame rate value	109
Figure G.1 – Bit and Byte Packing	112