Information technology - UPnP Device Architecture - Part 4-14: Audio Video Device Control Protocol - Level 2 - Scheduled Recording Service

Contents

Page

1 Overview and Scope 8
1.1 Introduction 8
1.2 Notation 9
1.2.1 Data Types 9
1.2.2 Strings Embedded in Other Strings 9
1.2.3 Extended Backus-Naur Form 10
1.3 Derived Data Types 10
1.3.1 Comma Separated Value (CSV) Lists 11
1.4 Management of XML Namespaces in Standardized DCPs 12
1.4.1 Namespace Prefix Requirements 14
1.4.2 Namespace Names, Namespace Versioning and Schema Versioning 15
1.4.3 Namespace Usage Examples 17
1.5 Vendor-defined Extensions 18
1.5.1 Vendor-defined Action Names 18
1.5.2 Vendor-defined State Variable Names 18
1.5.3 Vendor-defined XML Elements and attributes 18
1.5.4 Vendor-defined Property Names 18
1.6 References 18
2 Service Modeling Definitions 22
2.1 ServiceType 22
2.2 Terms and Abbreviations 22
2.2.1 Abbreviations 22
2.2.2 Terms 22
2.3 ScheduledRecording Service Architecture 29
2.3.1 *recordSchedule* 29
2.3.2 *recordTask* 30
2.4 State Variables 31
2.4.1 State Variable Overview 32
2.4.2 *SortCapabilities* 32
2.4.3 *SortLevelCapability* 32
2.4.4 *StateUpdateID* 33
2.4.5 *LastChange* 33
2.4.6 *A_ARG_TYPE_PropertyList* 36
2.4.7 *A_ARG_TYPE_DataTypeID* 36
2.4.8 *A_ARG_TYPE_ObjectID* 36
2.4.9 *A_ARG_TYPE_ObjectIDList* 36
2.4.10 *A_ARG_TYPE_PropertyInfo* 36
2.4.11 *A_ARG_TYPE_Index* 37
2.4.12 *A_ARG_TYPE_Count* 37
2.4.13 *A_ARG_TYPE_SortCriteria* 37
2.4.14 *A_ARG_TYPE_RecordSchedule* 37
2.4.15 *A_ARG_TYPE_RecordTask* 37
2.4.16 *A_ARG_TYPE_RecordScheduleParts* 38
2.5 Eventing and Moderation 39
2.6 Actions 40

2.6.1 *GetSortCapabilities()* 40
2.6.2 *GetPropertyList()* 41
2.6.3 *GetAllowedValues()* 42
2.6.4 *GetStateUpdateID()* 44
2.6.5 *BrowseRecordSchedules()* 44
2.6.6 *BrowseRecordTasks()* 49
2.6.7 *CreateRecordSchedule()* 50
2.6.8 *DeleteRecordSchedule()* 53
2.6.9 *GetRecordSchedule()* 54
2.6.10 *EnableRecordSchedule()* 55
2.6.11 *DisableRecordSchedule()* 56
2.6.12 *DeleteRecordTask()* 57
2.6.13 *GetRecordTask()* 58
2.6.14 *EnableRecordTask()* 59
2.6.15 *DisableRecordTask()* 60
2.6.16 *ResetRecordTask()* 61
2.6.17 *GetRecordScheduleConflicts()* 62
2.6.18 *GetRecordTaskConflicts()* 63
2.6.19 Common Error Codes 64
2.7 State Diagram of *recordTask* 66
2.7.1 A Full-Featured State Diagram 66
2.7.2 A Minimal-Implementation State Diagram 71
2.7.3 *recordTask* State Example 74
2.8 ScheduledRecording Service Priority Model 75
2.8.1 Introduction of the ScheduledRecording Service Priority Model 75
2.8.2 Ordered Priority within Each Priority Level 76
2.8.3 Setting the Initial Priority Level of a *recordSchedule* 77
2.8.4 Sorting *recordSchedule* Instances Based on their Current Priority Settings 79
2.9 Theory of Operation 79
2.9.1 Introduction 79
2.9.2 Checking the Capabilities of a ScheduledRecording Service 79
2.9.3 Adding a Scheduled Recording Entry to the List 90
2.9.4 Deleting a *recordSchedule* 102
2.9.5 Browsing *recordSchedule* and *recordTask* instances 103
2.9.6 Rating System 108
2.9.7 Conflict Detection and Resolution 109
3 XML Service Description 110
4 Test 118
Annex A (normative) srs XML Document 119
A.1 *A_ARG_TYPE_RecordSchedule AVDT XML Document* 119
A.2 *A_ARG_TYPE_RecordTask AVDT XML Document* 120
A.3 *A_ARG_TYPE_RecordScheduleParts AVDT XML Document* 120
Annex B (normative) AV Working Committee Extended Properties 122
B.1 Base Properties 122
B.1.1 *@id* 122
B.1.2 *title* 122
B.1.3 *class* 123
B.1.4 *additionalStatusInfo* 123

B.1.5 *cdsReference* 124
B.2 Priority Properties 125
B.2.1 *priority* 125
B.2.2 *desiredPriority* 126
B.2.3 *desiredPriority@type* 128
B.3 Output Control Properties 128
B.3.1 *recordDestination* 128
B.3.2 *desiredRecordQuality* 130
B.4 Content Identification Related Properties 133
B.4.1 *scheduledCDSObjectID* 133
B.4.2 *scheduledChannelID* 134
B.4.3 *scheduledStartDateTime* 136
B.4.4 *scheduledDuration* 137
B.4.5 *scheduledProgramCode* 137
B.5 Matching Content Criteria Properties 138
B.5.1 *matchingName* 138
B.5.2 *matchingID* 139
B.6 Matching Qualifying Criteria Properties 140
B.6.1 *matchingChannelID* 140
B.6.2 *matchingStartDateTimeRange* 142
B.6.3 *matchingDurationRange* 142
B.6.4 *matchingRatingLimit* 143
B.6.5 *matchingEpisodeType* 145
B.7 Content Control Properties 146
B.7.1 *totalDesiredRecordTasks* 146
B.7.2 *scheduledStartDateTimeAdjust* 146
B.7.3 *scheduledDurationAdjust* 147
B.7.4 *activePeriod* 147
B.7.5 *durationLimit* 148
B.7.6 *channelMigration* 149
B.7.7 *timeMigration* 149
B.7.8 *allowDuplicates* 150
B.8 Storage Related Properties 150
B.8.1 *persistedRecordings* 150
B.9 Schedule State Properties 152
B.9.1 *scheduleState* 152
B.9.2 *abnormalTasksExist* 153
B.10 Statistics Properties 153
B.10.1 *currentRecordTaskCount* 154
B.10.2 *totalCreatedRecordTasks* 154
B.10.3 *totalCompletedRecordTasks* 154
B.11 Task General Properties 155
B.11.1 *recordScheduleID* 155
B.11.2 *recordedCDSObjectID* 155
B.12 Task Content Identification Properties 156
B.12.1 *taskCDSObjectID* 156
B.12.2 *taskChannelID* 157
B.12.3 *taskStartDateTime* 158
B.12.4 *taskDuration* 158

B.12.5 *taskProgramCode* 159
B.12.6 *recordQuality* 159
B.13 Task Matched Content Criteria Properties 161
B.13.1 *matchedName* 161
B.13.2 *matchedID* 162
B.14 Task Matched Qualifying Criteria Properties 163
B.14.1 *matchedRating* 163
B.14.2 *matchedRating@type* 163
B.14.3 *matchedEpisodeType* 163
B.15 Task Matched Content Control Properties 164
B.15.1 *taskStartDateTimeAdjust* 164
B.15.2 *taskDurationAdjust* 164
B.15.3 *taskDurationLimit* 164
B.15.4 *taskDurationLimit@effect* 165
B.15.5 *taskChannelMigration* 165
B.15.6 *taskTimeMigration* 165
B.16 Task State Properties 166
B.16.1 *taskState* 166
B.17 ContentDirectory Service Imported Properties 175
Annex C (normative) AV Working Committee Class Definitions 180
C.1 Class Hierarchy 180
C.1.1 Relationships between Classes and Properties 181
C.1.2 *recordScheduleParts* Properties 182
C.1.3 *recordSchedule* Properties 186
C.1.4 *recordTask* Properties 190
C.2 Class Definitions 192
C.3 *object* Base Class 193
C.3.1 *object.recordSchedule* Class 194
C.3.2 *object.recordTask* Class 207
Annex D (normative) EBNF Syntax Definitions 209
D.1 Priority Syntax 209
D.2 Date&time Syntax 209
D.3 Class Name Syntax 209
Annex E (informative) ScheduledRecording Service Relationship to ContentDirectory Service 211
Annex F (informative) ScheduledRecording Service Relationship to EPG 212
Annex G (informative) AVDT Examples 213
G.1 *A_ARG_TYPE_RecordSchedule* AVDT Example 213
G.2 *A_ARG_TYPE_RecordTask* AVDT Example 228
G.3 *A_ARG_TYPE_RecordScheduleParts* AVDT Example 244

Figure 1 — Creating a new *recordSchedule* 29
Figure 2 — Capability check. 30
Figure 3 — Browse *recordSchedule*. 30
Figure 4 — Delete a *recordSchedule* 30
Figure 5 — A Full-Featured State Diagram 67
Figure 6 — A Minimal-Implementation State Diagram 72

Figure 7 — Class hierarchy for the ScheduledRecording service. 181

Table 1-1 — EBNF Operators 10
Table 1-2 — CSV Examples 11
Table 1-3 — Namespace Definitions 13
Table 1-4 — Schema-related Information 14
Table 1-5 — Default Namespaces for the AV Specifications 15
Table 2-1 — Abbreviations 22
Table 2-1 — Properties in XML 25
Table 2-2 — State Variables 32
Table 2-3 — allowedValueList for the *DataTypeID* argument 32
Table 2-4 — Allowed Elements in <StateEvent> Element 34
Table 2-5 — Eventing and Moderation 39
Table 2-6 — Actions 40
Table 2-7 — Arguments for *GetSortCapabilities()* 40
Table 2-8 — Error Codes for *GetSortCapabilities()* 41
Table 2-9 — Arguments for *GetPropertyList()* 41
Table 2-10 — Error Codes for *GetPropertyList()* 42
Table 2-11 — Arguments for *GetAllowedValues()* 42
Table 2-12 — Error Codes for *GetAllowedValues()* 43
Table 2-13 — Arguments for *GetStateUpdateID()* 44
Table 2-14 — Error Codes for *GetStateUpdateID()* 44
Table 2-15 — Arguments for *BrowseRecordSchedules()* 44
Table 2-16 — Error Codes for *BrowseRecordSchedules()* 48
Table 2-17 — Arguments for *BrowseRecordTasks()* 49
Table 2-18 — Error Codes for *BrowseRecordTasks()* 50
Table 2-19 — Arguments for *CreateRecordSchedule()* 51
Table 2-20 — Error Codes for *CreateRecordSchedule()* 53
Table 2-21 — Arguments for *DeleteRecordSchedule()* 54
Table 2-22 — Error Codes for *DeleteRecordSchedule()* 54
Table 2-23 — Arguments for *GetRecordSchedule()* 54
Table 2-24 — Error Codes for *GetRecordSchedule()* 55
Table 2-25 — Arguments for *EnableRecordSchedule()* 56
Table 2-26 — Error Codes for *EnableRecordSchedule()* 56
Table 2-27 — Arguments for *DisableRecordSchedule()* 57
Table 2-28 — Error Codes for *DisableRecordSchedule()* 57
Table 2-29 — Arguments for *DeleteRecordTask()* 57
Table 2-30 — Error Codes for *DeleteRecordTask()* 58
Table 2-31 — Arguments for *GetRecordTask()* 58
Table 2-32 — Error Codes for *GetRecordTask()* 59
Table 2-33 — Arguments for *EnableRecordTask()* 59
Table 2-34 — Error Codes for *EnableRecordTask()* 60
Table 2-35 — Arguments for *DisableRecordTask()* 60

Table 2-36 — Error Codes for *DisableRecordTask()* 61
Table 2-37 — Arguments for *ResetRecordTask()* 61
Table 2-38 — Error Codes for *ResetRecordTask()* 62
Table 2-39 — Arguments for *GetRecordScheduleConflicts()* 62
Table 2-40 — Error Codes for *GetRecordScheduleConflicts()* 63
Table 2-41 — Arguments for *GetRecordTaskConflicts()* 63
Table 2-42 — Error Codes for *GetRecordTaskConflicts()* 64
Table 2-43 — Common Error Codes 65
Table 2-44 — *recordTask* State Timeline 75
Table 2-45 — Example 1: Fewer *recordSchedule* instances than the Number of Supported Priority Levels 76
Table 2-46 — Example 2: More *recordSchedule* instances than the Number of Supported Priority Levels 77
Table 2-47 — Existing *recordSchedule* Priorities 78
Table 2-48 — *desiredPriority* Property Set to "*RS-C*" 78
Table 2-49 — *desiredPriority* Property Set to "*HIGHEST*", "*L1_HI*", or "*RS-A*" 78
Table 2-50 — *desiredPriority* Property Set to "*LOWEST*", "*L3_LOW*", or "*RS-B*" 79
Table 2-51 — *desiredPriority* Property Set to "*RS-C*" 79
Table B.1 — Base Properties Overview 122
Table B.2 — allowedValueList for the *class* Property 123
Table B.3 — Priority Properties 125
Table B.4 — allowedValueList for the *priority* Property 125
Table B.5 — Primary allowedValueList for the *desiredPriority* Property 126
Table B.6 — Additional allowedValueList for the *desiredPriority* Property 127
Table B.7 — allowedValueList for the *desiredPriority@type* Property 128
Table B.8 — Output Control Properties 128
Table B.9 — *desiredRecordQuality* Example 131
Table B.10 — allowedValueList for the *desiredRecordQuality* Property 132
Table B.11 — allowedValueList for the *desiredRecordQuality@type* Property 132
Table B.12 — Content Identification Related Properties 133
Table B.13 — allowedValueList for the *scheduledChannelID@type* Property 135
Table B.14 — Matching Content Criteria Properties 138
Table B.15 — allowedValueList for the *matchingName@type* Property 139
Table B.16 — allowedValueList for the *matchingID@type* Property 140
Table B.17 — Matching Qualifying Criteria Properties 140
Table B.18 — allowedValueList for the *matchingRatingLimit* Property Using the MPAA Rating System (*matchingRatingLimit@type* = "*MPAA.ORG*") 143
Table B.19 — allowedValueList for the *matchingRatingLimit* Property Using the RIAA Rating System (*matchingRatingLimit@type* = "*RIAA.ORG*") 144
Table B.20 — allowedValueList for the *matchingRatingLimit* Property Using the ESRB Rating System (*matchingRatingLimit@type* = "*ESRB.ORG*") 144
Table B.21 — allowedValueList for the *matchingRatingLimit* Property Using the TVGUIDELINES Rating System (*matchingRatingLimit@type* = "*TVGUIDELINES.ORG*") 144
Table B.22 — allowedValueList for the *matchingRatingLimit@type* Property 145
Table B.23 — allowedValueList for the *matchingEpisodeType* Property 145

Table B.24 — Content Control Properties 146
Table B.25 — allowedValueList for the *durationLimit@effect* Property 149
Table B.26 — Storage Related Properties 150
Table B.27 — Schedule State Properties 152
Table B.28 — allowedValueList for the *scheduleState* Property 152
Table B.29 — allowedValueList for the *scheduleState@currentErrors* Property 153
Table B.30 — Statistics Properties 153
Table B.31 — Task General Properties 155
Table B.32 — Task Content Identification Properties 156
Table B.33 — *recordQuality* Example 160
Table B.34 — allowedValueList for the *recordQuality* Property 161
Table B.35 — Task Matched Content Criteria Properties 161
Table B.36 — Task Matched Qualifying Criteria Properties 163
Table B.37 — Task Matched Content Control Properties 164
Table B.38 — State Related Properties 166
Table B.39 — allowedValueList for the *taskState* Property 167
Table B.40 — allowedValueList for the *taskState* Property 167
Table B.41 — allowedValueList for the *taskState@phase* Property 169
Table B.42 — allowedValueList for the *taskState@xxx* Properties 173
Table C.1 — Class Properties Overview for *recordScheduleParts* usage 183
Table C.2 — Class Properties Overview for *recordSchedule* usage 187
Table C.3 — Class Properties Overview for *recordTask* usage 191
Table C.4 — *object* Base Class Properties 193
Table C.5 — *object.recordSchedule* Base Class Properties 194
Table C.6 — *object.recordSchedule.direct* Class Properties 196
Table C.7 — *object.recordSchedule.direct.manual* Class Properties 197
Table C.8 — *object.recordSchedule.direct.cdsEPG* Class Properties 198
Table C.9 — *object.recordSchedule.direct.cdsNonEPG* Class Properties 201
Table C.10 — *object.recordSchedule.direct.programCode* Class Properties 202
Table C.11 — *object.recordSchedule.query* Class Properties 203
Table C.12 — *object.recordSchedule.query.contentName* Class Properties 205
Table C.13 — *object.recordSchedule.query.contentID* Class Properties 206
Table C.14 — *object.recordTask* Base Class Properties 208