

ISO/IEC 29341-1-1:2011-09 (E)

Information technology - UPnP Device Architecture - Part 1-1: UPnP Device Architecture Version 1.1

| Contents | Page |
|---|------|
| Introduction | 4 |
| 0 Addressing | 10 |
| 0.1 Determining whether to use Auto-IP | 10 |
| 0.2 Choosing an address | 10 |
| 0.3 Testing the address | 11 |
| 0.4 Forwarding rules..... | 11 |
| 0.5 Periodic checking for dynamic address availability..... | 12 |
| 0.6 Device naming and DNS interaction | 12 |
| 0.7 Name to IP address resolution | 12 |
| 0.8 References..... | 12 |
| 1 Discovery | 13 |
| 1.1 SSDP message format..... | 16 |
| 1.1.1 SSDP Start-line..... | 16 |
| 1.1.2 SSDP message header fields | 16 |
| 1.1.3 SSDP header field extensions | 16 |
| 1.1.4 UUID format and RECOMMENDED generation algorithms | 17 |
| 1.1.5 SSDP processing rules | 17 |
| 1.2 Advertisement | 17 |
| 1.2.1 Advertisement protocols and standards | 18 |
| 1.2.2 Device available - NOTIFY with ssdp:alive..... | 18 |
| 1.2.3 Device unavailable -- NOTIFY with ssdp:byebye | 24 |
| 1.2.4 Device Update – NOTIFY with ssdp:update | 25 |
| 1.3 Search | 27 |
| 1.3.1 Search protocols and standards | 27 |
| 1.3.2 Search request with M-SEARCH | 28 |
| 1.3.3 Search response..... | 31 |
| 1.4 References..... | 33 |
| 2 Description | 33 |
| 2.1 Generic requirements on HTTP usage..... | 36 |
| 2.2 Generic requirements on XML usage..... | 38 |
| 2.3 Device description | 38 |
| 2.4 UPnP Device Template | 43 |
| 2.5 Service description | 43 |
| 2.5.1 Defining and processing extended data types | 50 |
| 2.5.2 String equivalents of extended data types..... | 51 |
| 2.5.3 Generic requirements..... | 52 |
| 2.5.4 Ordering of Elements | 52 |
| 2.5.5 Versioning | 53 |
| 2.6 UPnP Service Template | 53 |
| 2.7 Non-standard vendor extensions and limitations..... | 53 |
| 2.7.1 Placement of Additional Elements and Attributes | 55 |
| 2.8 UPnP Device Schema..... | 55 |
| 2.9 UPnP Service Schema..... | 55 |
| 2.10 UPnP Datatype Schema | 55 |
| 2.11 Retrieving a description using HTTP | 55 |

| | | |
|---------|--|-----|
| 2.12 | References..... | 59 |
| 3 | Control | 59 |
| 3.1 | Control protocols | 62 |
| 3.1.1 | SOAP Profile | 62 |
| 3.2 | Actions..... | 65 |
| 3.2.1 | Action invocation..... | 65 |
| 3.2.2 | Action Response..... | 68 |
| 3.2.3 | UPnP Action Schema | 70 |
| 3.2.4 | Recommendations and additional requirements | 71 |
| 3.2.5 | Action error response..... | 71 |
| 3.2.6 | UPnP Error Schema..... | 74 |
| 3.3 | Query for variable..... | 74 |
| 3.4 | References..... | 75 |
| 4 | Eventing..... | 75 |
| 4.1 | Unicast eventing..... | 75 |
| 4.1.1 | Subscription..... | 77 |
| 4.1.2 | SUBSCRIBE with NT and CALLBACK..... | 79 |
| 4.1.3 | Renewing a subscription with SUBSCRIBE with SID | 81 |
| 4.1.4 | Canceling a subscription with UNSUBSCRIBE | 82 |
| 4.2 | Multicast Eventing | 84 |
| 4.3 | Event messages | 85 |
| 4.3.1 | Error Cases | 86 |
| 4.3.2 | Unicast eventing: Event messages: NOTIFY | 86 |
| 4.3.3 | Multicast Eventing: Event messages: NOTIFY | 89 |
| 4.4 | UPnP Event Schema | 92 |
| 4.5 | Augmenting the UPnP Device and Service Schemas | 92 |
| 4.6 | References..... | 93 |
| 5 | Presentation..... | 93 |
| 5.1 | References..... | 94 |
| Annex A | (normative) IP Version 6 Support..... | 95 |
| A.1 | Introduction | 95 |
| A.2 | General Principles | 95 |
| A.2.1 | Device operation..... | 96 |
| A.2.2 | Control point operation..... | 96 |
| A.3 | Addressing | 96 |
| A.3.1 | Summary of boot/startup process | 96 |
| A.3.2 | Short overview of protocol specified by RFC 2462 | 97 |
| A.4 | Discovery | 97 |
| A.4.1 | Advertisement..... | 98 |
| A.4.2 | Advertisement: Device unavailable | 98 |
| A.4.3 | Advertisement: Device update | 99 |
| A.4.4 | Search..... | 99 |
| A.4.5 | Search response..... | 99 |
| A.5 | Description | 100 |
| A.6 | Control..... | 100 |
| A.7 | Eventing..... | 100 |
| A.8 | Presentation | 100 |
| A.9 | References..... | 101 |

| | |
|---|-----|
| Annex B (informative) Schemas | 102 |
| B.1 UPnP Device Schema | 102 |
| B.2 UPnP Service Schema | 106 |
| B.3 UPnP Control Schema | 110 |
| B.4 UPnP Error Schema | 111 |
| B.5 UPnP Event Schema | 112 |
| B.6 Schema references | 113 |
| | |
| Figure 1: — Protocol stack | 5 |
| Figure 1-1: — Discovery architecture | 13 |
| Figure 1-2: — Advertisement protocol stack | 18 |
| Figure 1-3: — Initial and repeat announcements, no announcement spreading | 20 |
| Figure 1-4: — Initial and repeat announcements, message spreading of repeat announcements | 20 |
| Figure 1-5: — Search protocol stack | 27 |
| Figure 2-1: — Description architecture | 33 |
| Figure 2-2: — Description retrieval protocol stack | 56 |
| Figure 3-1: — Control architecture | 59 |
| Figure 3-2: — Control protocol stack | 62 |
| Figure 4-1: — Unicast eventing architecture | 75 |
| Figure 4-2: — Unicast eventing protocol stack | 76 |
| Figure 4-3: — Multicast eventing architecture | 84 |
| Figure 4-4: — Multicast eventing protocol stack | 85 |
| Figure 5-1: — Presentation architecture | 93 |
| Figure 5-2: — Presentation protocol stack | 94 |
| | |
| Table 1 — Acronyms | 7 |
| Table 1-1: — Root device discovery messages | 19 |
| Table 1-2: — Embedded device discovery messages | 19 |
| Table 1-3: — Service discovery messages | 19 |
| Table 2-1: — Vendor extensions | 53 |
| Table 3-1: — SOAP 1.1 UPnP Profile | 62 |
| Table 3-2: — <code>mustUnderstand</code> attribute | 64 |
| Table 3-3: — UPnP Defined Action error codes | 73 |
| Table 4-4: — HTTP Status Codes indicating a Subscription Error | 81 |
| Table 4-5: — HTTP Status Codes indicating a Resubscription Error | 82 |
| Table 4-6: — HTTP Status Codes indicating a Cancel Subscription Error | 83 |
| Table 4-7: — HTTP Status Codes indicating a Notify Error | 89 |
| Table 4-8: — Multicast event levels | 91 |