ISO/IEC 14776-372:2011-10 (E)

Information technology - Small Computer System Interface (SCSI) - Part 372: SCSI Enclosure Services - 2 (SES-2)

CONTENTS

FOREWORD 10

INTRODUCTION 12

1 Scope 14

2 Normative references 15

3 Terms, definitions, symbols, abbreviations, keywords and conventions 16
3.1 Terms and definitions 16
3.2 Symbols and abbreviations 20
3.3 Keywords 20
3.4 Conventions 21

4 SCSI enclosure services model 23
4.1 Access to the enclosure services process 23
4.1.1 Access to the enclosure services process overview 23
4.1.2 Standalone enclosure services process 23
4.1.3 Attached enclosure services process 24
4.2 Management of indicators and controls 25
4.3 Subenclosures 26
4.3.1 Subenclosures overview 26
4.3.2 Generation code 27
4.3.3 Simple subenclosures 28
4.3.4 Multiple enclosure services processes in a subenclosure 29
4.4 Use of the Enclosure Busy diagnostic page 29
4.5 Invalid field errors 29
4.6 Thresholds 30
4.7 Reporting methods 31
4.7.1 Reporting methods overview 31
4.7.2 Polling 31
4.7.3 Timed completion function 31
4.7.4 CHECK CONDITION status 31
4.7.5 Asynchronous event notification 32
4.8 Additional sense codes 32

5 Commands for enclosure services peripheral devices 34

6 Parameters for enclosure services devices 36
6.1 Diagnostic parameters 36
6.1.1 Diagnostic parameters overview 36
6.1.2 Configuration diagnostic page 38
6.1.3 Enclosure Control diagnostic page 41
6.1.4 Enclosure Status diagnostic page 43
6.1.5 Help Text diagnostic page 45
6.1.6 String Out diagnostic page 46
6.1.7 String In diagnostic page 47

6.1.8 Threshold Out diagnostic page 47
6.1.9 Threshold In diagnostic page 49
6.1.10 Element Descriptor diagnostic page 50
6.1.11 Short Enclosure Status diagnostic page 52
6.1.12 Enclosure Busy diagnostic page 52
6.1.13 Additional Element Status diagnostic page 53
6.1.14 Subenclosure Help Text diagnostic page 63
6.1.15 Subenclosure String Out diagnostic page 64
6.1.16 Subenclosure String In diagnostic page 65
6.1.17 Supported SES Diagnostic Pages diagnostic page 67
6.1.18 Download Microcode Control diagnostic page 67
6.1.19 Download Microcode Status diagnostic page 70
6.1.20 Subenclosure Nickname Control diagnostic page 73
6.1.21 Subenclosure Nickname Status diagnostic page 74
6.2 Log parameters for enclosure services devices 76
6.3 Mode parameters for enclosure services devices 77
6.3.1 Mode parameters overview 77
6.3.2 Enclosure Services Management mode page 78
7 Element definitions 79
7.1 Element definitions overview 79
7.2 Element formats 81
7.2.1 Element formats overview 81
7.2.2 Control element format 81
7.2.3 Status element format 82
7.2.4 Threshold control element format 83
7.2.5 Threshold status element format 84
7.3 Field definitions for all element types 84
7.3.1 Unspecified element 84
7.3.2 Device Slot element 85
7.3.3 Array Device Slot element 88
7.3.4 Power Supply element 90
7.3.5 Cooling element 92
7.3.6 Temperature Sensor element 94
7.3.7 Door Lock element 95
7.3.8 Audible Alarm element 96
7.3.9 Enclosure Services Controller Electronics element 98
7.3.10 SCC Controller Electronics element 99
7.3.11 Nonvolatile Cache element 100
7.3.12 Invalid Operation Reason element 101
7.3.13 Uninterruptible Power Supply element 103
7.3.14 Display element 105
7.3.15 Key Pad Entry element 107
7.3.16 Enclosure element 108
7.3.17 SCSI Port/Transceiver element 110
7.3.18 Language element 111
7.3.19 Communication Port element 113
7.3.20 Voltage Sensor element 114
7.3.21 Current Sensor element 115
7.3.22 SCSI Target Port element 117

7.3.23 SCSI Initiator Port element 118
7.3.24 Simple Subenclosure element 119
7.3.25 SAS Expander element 119
7.3.26 SAS Connector element 120

Bibliography 122

Figure 0 – SCSI document structure 12
Figure 1 – Standalone enclosure services process 24
Figure 2 – Attached enclosure services process 25
Figure 3 – Subenclosures 27
Figure 4 – Multiple enclosure service processes in a subenclosure 29

Table 1 – Numbering conventions 22
Table 2 – Sense keys and additional sense codes 33
Table 3 – Commands for standalone enclosure services processes 34
Table 4 – Diagnostic page codes for enclosure service devices 36
Table 5 – Configuration diagnostic page 38
Table 6 – Enclosure descriptor 39
Table 7 – Type descriptor header format 40
Table 8 – Enclosure Control diagnostic page 41
Table 9 – Control descriptor 42
Table 10 – Control element processing 43
Table 11 – Enclosure Status diagnostic page 43
Table 12 – Status descriptor 45
Table 13 – Help Text diagnostic page 46
Table 14 – String Out diagnostic page 46
Table 15 – String In diagnostic page 47
Table 16 – Threshold Out diagnostic page 48
Table 17 – Threshold control descriptor 48
Table 18 – Threshold In diagnostic page 49
Table 19 – Threshold status descriptor 50
Table 20 – Element Descriptor diagnostic page 51
Table 21 – Element descriptor by type descriptor 51
Table 22 – Overall descriptor format and element descriptor format 52
Table 23 – Short Enclosure Status diagnostic page 52
Table 24 – Enclosure Busy diagnostic page 52
Table 25 – Additional Element Status diagnostic page 54
Table 26 – Additional Element Status descriptor with the EIP bit set to one 54
Table 27 – Additional Element Status descriptor with the EIP bit set to zero 54
Table 28 – Additional Element Status descriptor protocol-specific information for Fibre Channel with the EIP bit set to one 55
Table 29 – Additional Element Status descriptor protocol-specific information for Fibre Channel with the EIP bit set to zero 56
Table 30 – Port descriptor 56
Table 31 – BYPASS REASON field 57
Table 32 – Additional Element Status descriptor protocol-specific information for SAS 58
Table 33 – DESCRIPTOR TYPE field 58
Table 34 – Additional Element Status descriptor protocol-specific information for Device Slot elements and Array Device Slot elements for SAS with the EIP bit set to one 58
Table 35 – Additional Element Status descriptor protocol-specific information for Device Slot elements and Array Device Slot elements for SAS with the EIP bit set to zero 59
Table 36 – Phy descriptor 59
Table 37 – Additional Element Status descriptor protocol-specific information for SAS Expander elements 61
Table 38 – Expander phy descriptor 61

Table 39 – Additional Element Status descriptor protocol-specific information for SCSI Initiator Port, SCSI Target Port, and Enclosure Services Controller Electronics elements for SAS 62
Table 40 – Phy descriptor 62
Table 41 – Subenclosure Help Text diagnostic page 63
Table 42 – Subenclosure help text format 64
Table 43 – Subenclosure String Out diagnostic page 65
Table 44 – Subenclosure String In diagnostic page 66
Table 45 – Subenclosure string in data format 66
Table 46 – Supported SES Diagnostic Pages diagnostic page 67
Table 47 – Download Microcode Control diagnostic page 68
Table 48 – DOWNLOAD MICROCODE MODE field 69
Table 49 – Download Microcode Status diagnostic page 71
Table 50 – Download microcode status descriptor format 71
Table 51 – SUBENCLOSURE DOWNLOAD MICROCODE STATUS field 72
Table 52 – Subenclosure Nickname Control diagnostic page 74
Table 53 – Subenclosure Nickname Status diagnostic page 75
Table 54 – Subenclosure nickname status descriptor format 75
Table 55 – SUBENCLOSURE NICKNAME STATUS field 76
Table 56 – Log page codes for enclosure services devices 76
Table 57 – Mode page codes for enclosure services devices 77
Table 58 – Enclosure Services Management mode page 78
Table 59 – Element type codes 80
Table 60 – Control element format 81
Table 61 – Status element format 82
Table 62 – ELEMENT STATUS CODE field 82
Table 63 – ELEMENT STATUS CODE field usage in an overall status element 83
Table 64 – Threshold control element format 83
Table 65 – Threshold status element format 84
Table 66 – Unspecified control element 84
Table 67 – Unspecified status element 85
Table 68 – Device Slot control element 85
Table 69 – Device Slot status element 86
Table 70 – SLOT ADDRESS field 86
Table 71 – Array Device Slot control element 88
Table 72 – Array Device Slot status element 89
Table 73 – Power Supply control element 90
Table 74 – Power Supply status element 91
Table 75 – Cooling control element 92
Table 76 – REQUESTED SPEED CODE field 93
Table 77 – Cooling status element 93
Table 78 – ACTUAL SPEED CODE field 94
Table 79 – Temperature Sensor threshold control element field definitions 94

Table 80 – Temperature Sensor threshold status element field definitions 94
Table 81 – Temperature Sensor control element 94
Table 82 – Temperature Sensor status element 95
Table 83 – Door Lock control element 96
Table 84 – Door Lock status element 96
Table 85 – Audible Alarm control element 96
Table 86 – Audible Alarm status element 97
Table 87 – Enclosure Services Controller Electronics control element 98
Table 88 – Enclosure Services Controller Electronics status element 99
Table 89 – SCC Controller Electronics control element 99
Table 90 – SCC Controller Electronics status element 100
Table 91 – Nonvolatile Cache control element 100
Table 92 – Nonvolatile Cache status element 100
Table 93 – SIZE MULTIPLIER field and NONVOLATILE CACHE SIZE field 101
Table 94 – Invalid Operation Reason threshold control element field definitions 101
Table 95 – Invalid Operation Reason threshold status element field definitions 101
Table 96 – Invalid Operation Reason control element 102
Table 97 – Invalid Operation Reason status element 102
Table 98 – INVOP TYPE field 102
Table 99 – Invalid Operation Reason status element with the INVOP TYPE field set to 00b 102
Table 100 – Invalid Operation Reason status element with the INVOP TYPE field set to 01b 103
Table 101 – Invalid Operation Reason status element with the INVOP TYPE field set to 11b 103
Table 102 – Uninterruptible Power Supply threshold control element field definitions 103
Table 103 – Uninterruptible Power Supply threshold status element field definitions 104
Table 104 – Uninterruptible Power Supply control element 104
Table 105 – Uninterruptible Power Supply status element 104
Table 106 – BATTERY STATUS field 104
Table 107 – Display control element 106
Table 108 – DISPLAY MODE field 106
Table 109 – Display status element 106
Table 110 – DISPLAY MODE STATUS field 107
Table 111 – Key Pad Entry control element 107
Table 112 – Key Pad Entry status element 107
Table 113 – Enclosure control element 108
Table 114 – POWER CYCLE REQUEST field 108
Table 115 – POWER CYCLE DELAY field 108
Table 116 – POWER OFF DURATION field 109
Table 117 – Enclosure status element 109
Table 118 – TIME UNTIL POWER CYCLE field 109
Table 119 – REQUESTED POWER OFF DURATION field 110
Table 120 – SCSI Port/Transceiver control element 110
Table 121 – SCSI Port/Transceiver status element 111

Table 122 – Language control element 111
Table 123 – LANGUAGE CODE field 112
Table 124 – Language status element 112
Table 125 – LANGUAGE CODE field 113
Table 126 – Communication Port control element 113
Table 127 – Communication Port status element 113
Table 128 – Voltage Sensor threshold control element field definitions 114
Table 129 – Voltage Sensor threshold status element field definitions 114
Table 130 – Voltage Sensor control element 114
Table 131 – Voltage Sensor status element 115
Table 132 – Current Sensor threshold control element field definitions 115
Table 133 – Current Sensor threshold status element field definitions 116
Table 134 – Current Sensor control element 116
Table 135 – Current Sensor status element 116
Table 136 – SCSI Target Port control element 117
Table 137 – SCSI Target Port status element 117
Table 138 – SCSI Initiator Port control element 118
Table 139 – SCSI Initiator Port status element 118
Table 140 – Simple Subenclosure control element 119
Table 141 – Simple Subenclosure status element 119
Table 142 – SAS Expander control element 119
Table 143 – SAS Expander status element 120
Table 144 – SAS Connector control element 120
Table 145 – SAS Connector status element 120
Table 146 – CONNECTOR TYPE field 121