ISO/IEC 14763-2:2012-02 (E)

Information technology - Implementation and operation of customer premises cabling - Part 2: Planning and installation

Contents

Page

FOREWORD 8
INTRODUCTION 10
1 Scope 13
2 Normative references 14
3 Terms, definitions and abbreviations 15
3.1 Terms and definitions 15
3.2 Abbreviations 21
3.3 Conventions 22
4 Conformance 22
5 Specification of installations 23
5.1 General 23
5.2 Installation specification 23
5.2.1 Requirements 23
5.2.2 Recommendations 25
5.3 Technical specification 25
5.3.1 General 25
5.3.2 Safety requirements 26
5.3.3 Security requirements 26
5.3.4 Performance and configuration – Requirements 26
5.3.5 Environmental conditions 27
5.4 Scope of work 27
5.4.1 Pre-installation 27
5.4.2 Installation 28
5.4.3 Post-installation 29
5.5 Quality assurance 29
6 Quality planning 30
6.1 Quality plan 30
6.2 Sampling 31
6.2.1 Balanced cabling 31
6.2.2 Optical fibre cabling 33
6.3 Treatment of marginal results 34
6.3.1 Balanced cabling 34
6.3.2 Optical fibre cabling 34
6.4 Treatment of non-compliant results 35
6.5 Change control 35
7 Installation planning 35
7.1 General 35
7.2 Safety 35
7.2.1 General 35
7.2.2 Mains power cabling 35
7.2.3 Optical fibre cabling 35
7.3 Environment 36
7.4 Points of electrical contact 36
7.5 External service provision 36
7.5.1 Requirements 36

7.5.2 Recommendations 36
7.6 Pathways and pathway systems 36
7.6.1 General 36
7.6.2 Inside buildings 39
7.6.3 Outside buildings 42
7.7 Spaces 46
7.7.1 Requirements 46
7.7.2 Recommendations 48
7.8 Functional elements 50
7.8.1 Requirements 50
7.8.2 Recommendations 51
7.9 Segregation of information technology cabling and mains power cabling 52
7.9.1 General 52
7.9.2 Requirements 53
7.9.3 Recommendations 59
7.10 Cabling – Requirements 59
7.10.1 General 59
7.10.2 Unscreened cabling 59
7.10.3 Screened cabling 60
7.10.4 Optical fibre cabling 60
8 Installation practices 60
8.1 General 60
8.2 Safety 60
8.2.1 General 60
8.2.2 Mains power cabling 60
8.2.3 Functional bonding 60
8.2.4 Optical fibre cabling 60
8.2.5 Guards and signs 61
8.2.6 Enclosed spaces 61
8.2.7 Maintenance holes 61
8.2.8 Closures 61
8.3 Environment 61
8.3.1 Storage 61
8.3.2 Installation – Requirements 61
8.4 Component inspection and testing – Requirements 61
8.5 Pathways 62
8.5.1 Requirements 62
8.5.2 Inside buildings – Requirements 62
8.5.3 Outside buildings 62
8.6 Spaces 63
8.6.1 Requirements 63
8.6.2 Entrance facilities 63
8.6.3 Rooms and enclosures intended to contain distributors 63
8.6.4 Cabinets, frames and racks 63
8.6.5 Closures 63
8.6.6 Outlets 63
8.7 Pathway system installation 63
8.7.1 General 63
8.7.2 Inside buildings 64

8.7.3 Outside buildings 64
8.8 Closure installation 64
8.9 Cable installation 65
8.9.1 Cable installation within pathway systems 65
8.9.2 General 65
8.9.3 Inside buildings 66
8.9.4 Cable installation in maintenance holes 66
8.9.5 Cable installation within closures – Requirements 67
8.10 Jointing and terminating of cables 67
8.10.1 Requirements 67
8.10.2 Balanced cabling 68
8.10.3 Screened balanced cabling 68
8.10.4 Optical fibre cabling 68
8.11 Cords and jumpers 68
8.12 Surge protective devices 68
8.13 Acceptance 68
8.13.1 Inspection 68
8.13.2 Testing 69
9 Documentation and administration 69
9.1 Symbols and preparation of documents 69
9.2 Administration 69
9.2.1 General 69
9.2.2 Administration system 70
9.2.3 Identifiers – Requirements 72
9.2.4 Component labelling 72
9.2.5 Records 75
9.2.6 Cable administration system 79
9.2.7 Reports 82
10 Testing 82
10.1 General 82
10.1.1 Links and permanent links 82
10.1.2 Channels 83
10.1.3 Cabling interface adaptors 84
10.1.4 Calibration 84
10.1.5 Equipment protection 84
10.1.6 Measurement conditions 84
10.2 Test procedures for balanced cabling 85
10.2.1 General 85
10.2.2 Measurement of length-related parameters 85
10.2.3 Treatment of marginal test results 85
10.2.4 Treatment of unacceptable test results 85
10.2.5 Test result format 85
10.2.6 Test result documentation 86
10.3 Test procedures for optical fibre cabling 86
10.3.1 General 86
10.3.2 Treatment of unacceptable test results 86
10.3.3 Test result documentation 87
11 Inspection 87
11.1 General 87

11.2 Inspection Level 1 87
11.3 Inspection Level 2 88
11.4 Inspection Level 3 88
11.5 Inspection documentation – Requirements 88
12 Operation 89
12.1 Standard operating procedure 89
12.1.1 Requirements 89
12.1.2 Recommendations 89
12.2 Cords and jumpers 89
12.3 Optical fibre adaptors 89
13 Maintenance 89
13.1 Approaches to maintenance 89
13.1.1 General 89
13.1.2 Requirements 90
13.2 Maintenance procedures 90
13.2.1 Requirements 90
13.2.2 Recommendations 90
14 Repair 91
Annex A (normative) Optical fibre polarity maintenance: connecting hardware for multiple optical fibres 92
Annex B (normative) Common infrastructures within multi-tenant premises 101
Annex C (normative) Cabling in accordance with ISO/IEC 11801 109
Annex D (normative) Cabling in accordance with ISO/IEC 15018 116
Annex E (normative) Cabling in accordance with ISO/IEC 24764 122
Annex F (normative) Cabling in accordance with ISO/IEC 24702 135
Annex G (normative) Cabling in accordance with ISO/IEC TR 24704 138
Bibliography 139

Figure 1 – Schematic relationship between ISO/IEC 14763-2 and other relevant standards 12
Figure 2 – Quality assurance schematic 23
Figure 3 – Example of conformant and non-conformant bend radius management 40
Figure 4 – Example of use of curved corners in pathway systems 42
Figure 5 – Example of cabling installations outside buildings 43
Figure 6 – Dimensions of rooms intended to contain distributors 50
Figure 7 – Process of determining cable separation 54
Figure 8 – Flowchart for cable separation calculation 57
Figure 9 – Separation of mains power and information technology cables without dividers 58
Figure 10 – Separation of mains power and information technology cables with dividers 58
Figure 11 – Examples of cord and jumper labelling 74
Figure 12 – Cable administration database and possible linkages 80
Figure 13 – Basic cabling administration 80
Figure 14 – Examples of cabling permanent links 83
Figure 15 – Reference planes for link and channels (point-to-point) 83
Figure 16 – Example of a cabling channel 84

Figure A.1 – Duplex connecting hardware plug 93
Figure A.2 – Duplex connecting adapter 93
Figure A.3 – Duplex patch cord 93
Figure A.4 – Views of crossover patch cords 94
Figure A.5 – Optical fibre sequences and adapter orientation in patch panel for the symmetrical position method 95
Figure A.6 – Optical fibre sequences and adapter orientation in patch panel for the reverse-pair position method 95
Figure A.7 – Array connector cable or patch cord (key-up to key-up) 97
Figure A.8 – Array adapter with aligned keyways 97
Figure A.9 – Transition assembly 98
Figure A.10 – Connectivity method for duplex signals 99
Figure A.11 – Connectivity method for parallel optics channels 100
Figure B.1 – Example of common pathways and spaces in a multi-tenant building 102
Figure B.2 – Example of a campus entrance facility 104
Figure B.3 – Example 1: Common equipment room 106
Figure B.4 – Example 1: Common telecommunications room 107
Figure B.5 – Example 2: Common telecommunications room 107
Figure C.1 – Connection of functional elements providing redundancy 110
Figure E.1 – Connection of functional elements providing redundancy 123
Figure E.2 – Example of layered cable trays with smaller width upper trays 126
Figure E.3 – Example of uncovered (accessible) row of floor tiles to provide access to lower tray 127
Figure E.4 – Dimensions of rooms intended to contain distributors 129
Figure E.5 – Example of "hot" aisles, "cold" aisles and cable pathway locations 131

Table 1 – Installed balanced cabling test parameters 31
Table 2 – Minimum sample sizes for alien (exogenous) crosstalk testing 33
Table 3 – Installed optical fibre cabling test parameters 33
Table 4 – Examples of pathway systems 37
Table 5 – Stacking height for non-continuous and interval support pathway systems 41
Table 6 – Design and planning of pathways outside buildings 43
Table 7 – Separation recommendations between metallic information technology cabling and specific EMI sources 53
Table 8 – Classification of information technology cables 55
Table 9 – Minimum separation S 55
Table 10 – Power cabling factor P 56
Table 11 – Level of installation complexity 70
Table 12 – Level of operational complexity 70
Table 13 – Minimum requirements of administration systems 71
Table 14 – Minimum requirements of operational administration systems 72
Table 15 – Labelling requirements 73
Table 16 – Labelling recommendations (additional) 74
Table 17 – Infrastructure records for spaces, cabinets, racks, frames and closures 76

Table 18 – Infrastructure records for cables and termination points 77
Table 19 – Infrastructure records 78
Table 20 – Infrastructure records for pathways and premises 79
Table 21 – Recommendations of installation administration systems 81
Table 22 – Recommendations of operational administration systems 81
Table A.1 – Optical fibre colour code scheme of IEC 60794-2 92
Table B.1 – Summary of common spaces used to service a multi-tenant building 102
Table D.1 – Minimum requirements for dimensions of primary distribution spaces 118
Table D.2 – Requirements for dimensions of secondary distribution spaces 119
Table D.3 – Minimum dimensions of spaces allocated to junction boxes 120
Table D.4 – Recommendations for dimensions of primary distribution spaces 120
Table D.5 – Recommendations for dimensions of secondary distribution spaces 121
Table E.1 – Environmental requirements for data centres 124
Table F.1 – Risk elements for consideration in determining an appropriate maintenance approach 137