

DIN ISO 12789-1:2013-01 (E)

Reference radiation fields - Simulated workplace neutron fields - Part 1: Characteristics and methods of production (ISO 12789-1:200 8)

Contents		Page
National foreword		3
National Annex NA (informative) Bibliography		3
Introduction		4
1 Scope		5
2 Normative references		5
3 Terms and definitions		5
4 Simulated workplace neutron fields		7
5 General requirements for the production of simulated workplace neutron spectra		7
6 Characterization of simulated workplace neutron fields		8
7 Fluence to dose-equivalent conversion coefficients		10
8 Sources of uncertainty		11
9 Expression and reporting of uncertainties		11
Annex A (informative) Examples of simulated workplace neutron fields		12
Bibliography		26
Figures Figure A.1 -- Schematic diagram of the PTB irradiation facility (vertical cross-section)		15
Figure A.2 -- Fluence rate spectra behind a shadow object for various calibration sources in the PTB		16
Figure A.3 -- Schematic cross-sectional view of the IPSN-CEA Cadarache Laboratory simulated workplace neutron field facility		17
Figure A.4 -- Measured and calculated neutron spectra produced at the IPSN-CEA Cadarache facility (238U-induced fission by 14,6 MeV neutrons with additional moderation)		18
Figure A.5 -- Neutron spectrum measured at the IPSN-CEA Cadarache facility		19
Figure A.6 -- GRENF facility (horizontal cross-section at the plane of the beam)		20
Figure A.7 -- Unfolded spectral neutron fluence per log energy interval in the GRENF facility		21
Figure A.8 -- Plan view of SILÉNE reactor facility (ground view)		22
Figure A.9 -- Neutron spectra produced at the reference position using different shields in the SILÉNE facility		23

Figure A.10 -- Cross-sectional diagram of the CERN reference neutron facility (vertical cross-section) 24

Figure A.11 -- Calculated and measured neutron energy spectra produced in the CERN facility 25

Tables Table 1 -- Ambient and personal dose equivalent per unit neutron fluence, $h^*(10)$ and h_p , slab(10,), in units of μSvcm^2 , for monoenergetic neutrons incident on the ICRU sphere and ICRU tissue slab phantom 9