ISO/IEC TR 11801-9901:2014-10 (E)

Information technology - Generic cabling for customer premises - Part 9901: Guidance for balanced cabling in support of at least 40 Gbit/s data transmission

Contents

Page

FOREWORD 6
INTRODUCTION 8
1 Scope 9
2 Normative references 9
3 Terms, definitions and abbreviations 10
3.1 Terms and definitions 10
3.2 Abbreviations 10
4 Channel requirements using components with enhanced performance and extended frequency 11
4.1 General 11
4.2 Return loss 11
4.3 Insertion loss 13
4.4 Near-end crosstalk loss (NEXT) 14
4.4.1 Pair-to-pair NEXT 14
4.4.2 Power sum NEXT (PS NEXT) 15
4.5 Attenuation to crosstalk loss ratio near-end (ACR-N) 16
4.5.1 Pair-to-pair ACR-N 16
4.5.2 Power sum ACR-N (PS ACR-N) 16
4.6 Attenuation to crosstalk ratio far-end (ACR-F) 16
4.6.1 Pair-to-pair ACR-F 16
4.6.2 Power sum ACR-F (PS ACR-F) 17
4.7 Alien (Exogenous) crosstalk 18
4.7.1 PS ANEXT 18
4.7.2 PS AACR-F 19
4.8 DC loop resistance 20
4.9 Propagation delay 20
4.10 Delay skew 21
4.11 Unbalance attenuation near end (TCL), far end (ELTCTL) and coupling attenuation 21
4.11.1 General 21
4.11.2 Unbalance attenuation, near end 21
4.11.3 Unbalance attenuation far end (ELTCTL) 22
4.11.4 Coupling attenuation 23
5 Channel requirements for Category 6_A and Category 7_A components 23
5.1 General 23
5.2 Return loss 23
5.3 Insertion loss 24
5.4 Near-end crosstalk loss (NEXT) 25
5.4.1 Pair-to-pair NEXT 25
5.4.2 Power sum NEXT (PS NEXT) 26

5.5 Attenuation to crosstalk loss ratio near end (ACR N) 27
5.5.1 Pair-to-pair ACR-N 27
5.5.2 Power sum ACR-N (PS ACR-N) 27
5.6 Attenuation to crosstalk loss ratio far-end (ACR-F) 27
5.6.1 Pair-to-pair ACR-F 27
5.6.2 Power sum ACR-F (PS ACR-F) 28
5.7 Alien (Exogenous) crosstalk 29
5.8 DC loop resistance 29
5.9 Propagation delay 29
5.10 Delay skew 30
5.11 Transverse conversion loss (TCL) 30
5.12 Equal level transverse conversion loss (ELTCTL) 30
5.13 Coupling attenuation 30
Annex A (informative) Assessment of cabling capacity for 40 Gbit/s 31
A.1 Overview 31
A.2 Channels Class I and Class II (Clause 4) 32
A.2.1 General 32
A.2.2 Results 32
A.2.3 Case 1 33
A.2.4 Case 2 36
A.2.5 Case 3: alien crosstalk included 38
A.3 Channel requirement for Category 6_A and Category 7_A components (Clause 5) 42
A.3.1 Category 6_A Case 2 42
A.3.2 Category 7_A Case 2 43
A.4 Characterisation of channels using standardised components with extended frequency (Annex B) 44
A.4.1 General 44
A.4.2 CHε using the same cancellation as in A.2.4.2 44
A.4.3 CHγ using the same cancellation as in A.2.4.3 44
A.5 Excerpt of definitions and formulae used in this annex 45
A.5.1 Shannon capacity 45
A.5.2 Margin 45
A.5.3 Transmit power 45
A.5.4 Cancellation 45
A.5.5 Background noise 45
A.5.6 Bandwidth 45
A.5.7 Electronic noise 45
A.5.8 Cabling noise 46
A.5.9 Signal 46
A.5.10 Noise 46
Annex B (informative) Characterisation of a channel using standardised components with extended frequency 47
B.1 General 47
B.2 Return loss 47
B.3 Insertion loss 48
B.4 Near-end crosstalk loss (NEXT) 48
B.4.1 Pair-to-pair NEXT 48
B.4.2 Power sum NEXT (PS NEXT) 49
B.5 Attenuation to crosstalk loss ratio near-end (ACR-N) 50
B.5.1 Pair-to-pair ACR-N 50
B.5.2 Power sum ACR-N (PS ACR-N) 50

B.6 Attenuation to crosstalk ratio far end (ACR F) 51
B.6.1 Pair-to-pair ACR-F 51
B.6.2 Power sum ACR-F (PS ACR-F) 51
B.7 Alien (Exogenous) crosstalk 52
B.7.1 PS ANEXT 52
B.7.2 PS AACR-F 53
B.8 DC loop resistance 54
B.9 Propagation delay 54
B.10 Delay skew 55
B.11 Transverse conversion loss (TCL) 55
B.12 Unbalance attenuation far end (ELTCTL) 56
B.13 Coupling attenuation 56

Figure A.1 – Channel Shannon capacity and margin for Class I 34
Figure A.2 – Channel Shannon capacity and margin for Class II 35
Figure A.3 – Channel Shannon capacity and margin for Class I 37
Figure A.4 – Channel Shannon capacity and margin for Class II 38
Figure A.5 – Influence of the PS AACR-F reference length on noise level on a 30 m channel 39
Figure A.6 – Influence of the PS AACR-F reference length on noise level on a 3 m channel 40
Figure A.7 – Influence of PS AACR-F on Shannon capacity and margin 41
Figure A.8 – Channel Shannon capacity and margin for Category 6_A 42
Figure A.9 – Channel Shannon capacity and margin for Category 7_A 43

Table 1 – Formulae for return loss limits for a channel 11
Table 2 – Return loss limits for a channel at key frequencies 12
Table 3 – Formulae for insertion loss limits for a channel 13
Table 4 – Insertion loss limits for a channel at key frequencies 14
Table 5 – Formulae for pair-to-pair NEXT limits for a channel 14
Table 6 – Pair-to-pair NEXT limits for a channel at key frequencies 15
Table 7 – Formulae for PS NEXT limits for a channel 15
Table 8 – PS NEXT limits for a channel at key frequencies 16
Table 9 – Formulae for ACR-F limits for a channel 17
Table 10 – ACR-F limits for a channel at key frequencies 17
Table 11 – Formulae for PS ACR-F limits for a channel 18
Table 12 – PS ACR-F limits for a channel at key frequencies 18
Table 13 – Formulae for PS ANEXT limits for a channel 19
Table 14 – PS ANEXT limits for a channel at key frequencies 19
Table 15 – Formulae for PS AACR-F limits for a channel 19
Table 16 – PS AACR-F limits for a channel at key frequencies 20
Table 17 – Formulae for propagation delay limits for a 30 m channel 20
Table 18 – Propagation delay limits for a channel at key frequencies 20
Table 19 – Delay skew limits for a 30 m channel 21
Table 20 – TCL for a channel 21
Table 21 – TCL limits for a channel at key frequencies 22
Table 22 – ELTCTL for a channel 22
Table 23 – ELTCTL limits for a channel at key frequencies 22
Table 24 – Coupling attenuation for a channel 23

Table 25 – Coupling attenuation limits for a channel at key frequencies 23
Table 26 – Formulae for return loss limits for a channel 24
Table 27 – Return loss limits for a channel at key frequencies 24
Table 28 – Formulae for insertion loss limits for a channel 24
Table 29 – Insertion loss limits for a channel at key frequencies 25
Table 30 – Formulae for NEXT limits for a channel 25
Table 31 – NEXT limits for a channel at key frequencies 25
Table 32 – Formulae for PS NEXT limits for a channel 26
Table 33 – PS NEXT limits for a channel at key frequencies 26
Table 34 – Formulae for ACR-F limits for a channel 27
Table 35 – ACR-F limits for a channel at key frequencies 28
Table 36 – Formulae for PS ACR-F limits for a channel 28
Table 37 – PS ACR-F limits for a channel at key frequencies 29
Table 38 – Formulae for propagation delay limits for a channel 29
Table 39 – Propagation delay limits for a channel at key frequencies 29
Table 40 – Delay skew limits for a channel 30
Table A.1 – Cancellation levels at 30 m channel length, Case 1: Fixed cancellation values 32
Table A.2 – Cancellation levels at 30 m channel length Case 2: cabling noise cancelled below background noise 32
Table B.1 – Formulae for return loss limits for a channel 47
Table B.2 – Return loss limits for a channel at key frequencies 47
Table B.3 – Formulae for insertion loss limits for a channel 48
Table B.4 – Insertion loss limits for a channel at key frequencies 48
Table B.5 – Formulae for pair-to-pair NEXT limits for a channel 49
Table B.6 – Pair-to-pair NEXT limits for a channel at key frequencies (informative) 49
Table B.7 – Formulae for PS NEXT limits for a channel 50
Table B.8 – PS NEXT limits for a channel at key frequencies 50
Table B.9 – Formulae for ACR-F limits for a channel 51
Table B.10 – ACR-F limits for a channel at key frequencies 51
Table B.11 – Formulae for PS ACR-F limits for a channel 52
Table B.12 – PS ACR-F limits for a channel at key frequencies 52
Table B.13 – Formulae for PS ANEXT limits for a channel 53
Table B.14 – PS ANEXT limits for a channel at key frequencies 53
Table B.15 – Formulae for PS AACR-F limits for a channel 53
Table B.16 – PS AACR-F limits for a channel at key frequencies 54
Table B.17 – Formulae for propagation delay limits for a 30 m channel 54
Table B.18 – Propagation delay limits for a channel at key frequencies 54
Table B.19 – Delay skew limits for a 30 m channel 55
Table B.20 – Formulae for TCL limits for an unscreened channel 55
Table B.21 – TCL limits for an unscreened channel at key frequencies 55
Table B.22 – ELTCTL for channel for an unscreened channel 56
Table B.23 – Formulae for coupling attenuation limits for a screened channel 56
Table B.24 – Coupling attenuation limits for a screened channel at key frequencies 56