

# ISO/IEC 24775-7:2014-11 (E)

## Information technology - Storage management - Part 7: Host Elements

---

### Contents

FOREWORD.....	13
Introduction .....	15
1 Scope .....	17
2 Normative References.....	18
3 Terms and definitions .....	18
4 Typographical conventions.....	20
4.1 Maturity model.....	20
4.2 Experimental maturity level .....	20
4.3 Implemented maturity level .....	20
4.4 Stable maturity level.....	21
4.5 Finalized maturity level.....	21
4.6 Deprecated material.....	21
5 Disk Partition Subprofile .....	23
5.1 Description .....	23
5.1.1 General.....	23
5.1.2 Background on X86 MBR Partitions .....	24
5.2 Health and Fault Management Considerations.....	28
5.3 Supported Subprofiles and Packages.....	29
5.4 Methods of the Profile .....	29
5.4.1 SetPartitionStyle.....	29
5.4.2 CreateOrModifyPartition .....	29
5.5 Client Considerations and Recipes .....	30
5.5.1 General.....	30
5.5.2 Create New Partition Using All Available Space at End of Volume.....	30
5.6 Registered Name and Version .....	33
5.7 CIM Elements.....	33
5.7.1 General.....	33
5.7.2 CIM_BasedOn (Partition to Extent) .....	34
5.7.3 CIM_BasedOn (Partition to Partition) .....	34
5.7.4 CIM_DiskPartitionConfigurationCapabilities.....	34
5.7.5 CIM_DiskPartitionConfigurationService .....	35
5.7.6 CIM_ElementCapabilities .....	35
5.7.7 CIM_GenericDiskPartition .....	35
5.7.8 CIM_HostedService .....	36
5.7.9 CIM_InstalledPartitionTable (Capabilities to Extent) .....	36
5.7.10 CIM_InstalledPartitionTable (Capabilities to Partition) .....	36
5.7.11 CIM_LogicalDisk .....	37
5.7.12 CIM_LogicalDiskBasedOnPartition .....	37
5.7.13 CIM_StorageExtent.....	37
5.7.14 CIM_SystemDevice (System to Extent) .....	38
5.7.15 CIM_SystemDevice (System to LogicalDisk) .....	38
5.7.16 CIM_SystemDevice (System to Partition) .....	38
6 FC HBA Profile .....	40
6.1 Synopsis.....	40
6.2 Description .....	40
6.3 Implementation.....	40
6.3.1 General.....	40
6.3.2 Modeling SCSI Protocol Support.....	41
6.3.3 Persistent Binding .....	42
6.3.4 LED Blink.....	43
6.4 Health and Fault Management.....	43
6.5 Methods .....	44

6.5.1	Extrinsic Methods of this Profile .....	44
6.5.2	StorageNameBindingService.CreateStorageNameBinding .....	44
6.5.3	StorageNameBindingService.CreateOSStorageNameBinding .....	44
6.5.4	CIM_AlarmDevice.SetAlarmState .....	45
6.5.5	Intrinsic Methods of this Profile .....	45
6.6	Client Considerations and Recipes .....	46
6.6.1	General.....	46
6.6.2	Discovery HBA Topology and Attributes .....	46
6.6.3	Get the statistics for each port.....	48
6.6.4	Define a persistent binding to a target PWWN .....	49
6.6.5	Define a persistent binding to an LUID.....	51
6.6.6	Blink the LED.....	52
6.7	CIM Elements.....	53
6.7.1	General.....	53
6.7.2	CIM_AlarmDevice .....	54
6.7.3	CIM_AssociatedAlarm .....	55
6.7.4	CIM_ComputerSystem .....	55
6.7.5	CIM_ControlledBy .....	56
6.7.6	CIM_ElementCapabilities (Capabilities to FCPort).....	56
6.7.7	CIM_ElementCapabilities (Capabilities to System) .....	56
6.7.8	CIM_ElementSettingData .....	57
6.7.9	CIM_ElementSoftwareIdentity (Driver).....	57
6.7.10	CIM_ElementSoftwareIdentity (FCode/BIOS) .....	57
6.7.11	CIM_ElementSoftwareIdentity (Firmware) .....	58
6.7.12	CIM_FCPort .....	58
6.7.13	CIM_HostedCollection.....	58
6.7.14	CIM_HostedService .....	59
6.7.15	CIM_InstalledSoftwareIdentity (Driver).....	59
6.7.16	CIM_LogicalPortGroup.....	59
6.7.17	CIM_MemberOfCollection .....	60
6.7.18	CIM_OSStorageNameBinding .....	60
6.7.19	CIM_PhysicalPackage .....	61
6.7.20	CIM_PortController.....	61
6.7.21	CIM_Product .....	61
6.7.22	CIM_ProductPhysicalComponent .....	62
6.7.23	CIM_Realizes .....	62
6.7.24	CIM_ServiceAvailableToElement.....	62
6.7.25	CIM_SoftwareIdentity (Driver) .....	63
6.7.26	CIM_SoftwareIdentity (FCode/BIOS) .....	63
6.7.27	CIM_SoftwareIdentity (Firmware).....	63
6.7.28	CIM_StorageNameBinding.....	64
6.7.29	CIM_StorageNameBindingCapabilities .....	65
6.7.30	CIM_StorageNameBindingService.....	65
6.7.31	CIM_SystemDevice (Associates System to PortController).....	65
7	Storage HBA Profile .....	67
7.1	Synopsis.....	67
7.2	Description .....	67
7.3	Implementation.....	67
7.3.1	Health and Fault Management Consideration .....	67
7.3.2	Cascading Considerations .....	67
7.3.3	Storage HBA Model Overview.....	67
7.3.4	CIM_ComputerSystem .....	68
7.3.5	Profile Registration Profile.....	68
7.3.6	Generic Initiator Ports Profile .....	69

7.3.7	Software Inventory Profile .....	69
7.3.8	Software Update Profile .....	71
7.3.9	HBA Hot Swap Events .....	71
7.3.10	Physical Asset Profile .....	71
7.3.11	Modeling Attached Disk, Tape, and Optical Drives .....	72
7.3.12	Virtual System Considerations .....	72
7.3.13	Fibre Channel HBAs.....	72
7.4	Methods of the Profile .....	73
7.4.1	General.....	73
7.4.2	Profile Conventions for Operations .....	73
7.5	Use Cases.....	73
7.6	CIM Elements.....	74
7.6.1	General.....	74
7.6.2	CIM_ControlledBy .....	74
7.6.3	CIM_PortController.....	75
7.6.4	CIM_Product .....	75
7.6.5	CIM_ProductElementComponent.....	75
7.6.6	CIM_Realizes .....	76
7.6.7	CIM_SystemDevice .....	76
8	Host Discovered Resources Profile.....	77
8.1	Description .....	77
8.1.1	General.....	77
8.1.2	Host Disk Extent Class Name Conventions .....	78
8.1.3	Discovered Hardware Resources.....	78
8.2	Health and Fault Management Considerations .....	82
8.3	Cascading Considerations .....	82
8.4	Supported Subprofiles and Packages.....	82
8.5	Extrinsic Methods of the Profile – StorageConfigurationService.ScsiScan.....	82
8.6	Client Considerations and Recipes .....	82
8.7	Registered Name and Version .....	84
8.8	CIM Elements.....	84
8.8.1	General.....	84
8.8.2	CIM_ATAInitiatorTargetLogicalUnitPath .....	85
8.8.3	CIM_ATAProtocolEndpoint .....	85
8.8.4	CIM_ComputerSystem .....	86
8.8.5	CIM_HostedAccessPoint.....	86
8.8.6	CIM_LogicalDisk .....	87
8.8.7	CIM_SCSIArbitraryLogicalUnit .....	87
8.8.8	CIM_SCSIInitiatorTargetLogicalUnitPath .....	88
8.8.9	CIM_SCSIProtocolEndpoint .....	88
8.8.10	CIM_StorageExtent .....	88
8.8.11	CIM_SystemDevice.....	89
8.8.12	CIM_TapeDrive .....	89
8.8.13	SNIA_SBInitiatorTargetLogicalUnitPath.....	90
8.8.14	SNIA_SBProtocolEndpoint.....	90
9	Host Hardware RAID Controller Profile .....	92
9.1	Synopsis.....	92
9.2	Description .....	92
9.3	Implementation.....	93
9.3.1	Relationship to autonomous profiles .....	93
9.3.2	CIM_PortController.....	93
9.3.3	CIM_ComputerSystem .....	93
9.3.4	CIM_AlarmDevice .....	94
9.3.5	Server Profile.....	94

9.3.6	Profile Registration .....	94
9.3.7	Profile Discovery and Advertisement .....	95
9.3.8	Physical Asset Profile .....	95
9.3.9	Storage Enclosure Profile .....	95
9.3.10	Implementation of Block Services Package .....	95
9.3.11	Implementation of DAPort and SCSIProtocolController .....	97
9.3.12	Implementation of Software Inventory Profile .....	98
9.3.13	Implementation of Initiator Ports Profiles .....	99
9.3.14	Models for Imported Storage .....	100
9.3.15	Implementation of Extent Composition Profile .....	102
9.3.16	Disk Sparing .....	102
9.3.17	Multi-function controllers .....	102
9.3.18	Health and Fault Management Consideration .....	103
9.3.19	Cascading Considerations .....	104
9.4	Methods .....	104
9.4.1	Extrinsic Methods of the Profile .....	104
9.4.2	Intrinsic Methods of this Profile .....	104
9.5	Use Cases .....	104
9.6	CIM Elements .....	105
9.6.1	General .....	105
9.6.2	CIM_AlarmDevice .....	106
9.6.3	CIM_AssociatedAlarm .....	107
9.6.4	CIM_ComputerSystem (Host Hardware RAID Controller) .....	107
9.6.5	CIM_ComputerSystemPackage (Associates PhysicalPackage to ComputerSystem) .....	108
9.6.6	CIM_ControlledBy .....	108
9.6.7	CIM_LogicalIdentity .....	108
9.6.8	CIM_MediaAccessDevice .....	109
9.6.9	CIM_PortController .....	109
9.6.10	CIM_Product .....	109
9.6.11	CIM_ProductPhysicalComponent .....	110
9.6.12	CIM_ProtocolControllerForUnit (Extent or MediaAccessDevice) .....	110
9.6.13	CIM_ProtocolControllerForUnit (Volume) .....	111
9.6.14	CIM_Realizes (Associates PhysicalPackage to PortController) .....	111
9.6.15	CIM_SAPAvailableForElement .....	111
9.6.16	CIM_SCSIProtocolController .....	112
9.6.17	CIM_SoftwareIdentity (Driver) .....	112
9.6.18	CIM_SoftwareIdentity (FCode/BIOS) .....	112
9.6.19	CIM_SoftwareIdentity (Firmware) .....	113
9.6.20	CIM_StorageExtent .....	113
9.6.21	CIM_SystemComponent .....	114
9.6.22	CIM_SystemDevice (Associates System to AlarmDevice) .....	114
9.6.23	CIM_SystemDevice (Associates controller system to PortController) .....	114
9.6.24	CIM_SystemDevice (System to SCSIProtocolController) .....	115
10	iSCSI Initiator Profile .....	116
10.1	Description .....	116
10.1.1	General .....	116
10.1.2	Sessions and Connections .....	117
10.1.3	Durable Names and Correlatable IDs of the Profile .....	118
10.2	Health and Fault Management Considerations .....	119
10.3	Supported Subprofiles and Packages .....	119
10.4	Methods of the Profile .....	119
10.5	Client Considerations and Recipes .....	119
10.5.1	Add an additional NIC port .....	119
10.5.2	Find the health of an initiator .....	119

10.5.3	Enable/disable header and data digest .....	119
10.6	Registered Name and Version .....	119
10.7	CIM Elements.....	120
10.7.1	General.....	120
10.7.2	CIM_BindsTo (TCPProtocolEndpoint to IPProtocolEndpoint).....	121
10.7.3	CIM_BindsTo (iSCSIProtocolEndpoint to TCPProtocolEndpoint) .....	121
10.7.4	CIM_ComputerSystem (Host Hardware RAID Controller).....	121
10.7.5	CIM_ControlledBy (Host Hardware RAID Controller).....	122
10.7.6	CIM_DeviceSAPImplementation (EthernetPort to IPProtocolEndpoint).....	122
10.7.7	CIM_DeviceSAPImplementation (EthernetPort to iSCSIProtocolEndpoint) .....	123
10.7.8	CIM_ElementSoftwareIdentity (Host Hardware RAID Controller) .....	123
10.7.9	CIM_EndpointOfNetworkPipe (Between iSCSI Session and iSCSIProtocolEndpoint) .....	123
10.7.10	CIM_EndpointOfNetworkPipe (Between iSCSI connection and TCPProtocolEndpoint).....	124
10.7.11	CIM_InstalledSoftwareIdentity (Host Hardware RAID Controller).....	124
10.7.12	CIM_NetworkPipeComposition (Host Hardware RAID Controller).....	124
10.7.13	CIM_PhysicalPackage (Host Hardware RAID Controller).....	124
10.7.14	CIM_PortController (Host Hardware RAID Controller).....	125
10.7.15	CIM_Product (Host Hardware RAID Controller).....	125
10.7.16	CIM_ProductPhysicalComponent (Host Hardware RAID Controller).....	125
10.7.17	CIM_ProtocolControllerForPort (Host Hardware RAID Controller) .....	126
10.7.18	CIM_Realizes (Host Hardware RAID Controller) .....	126
10.7.19	CIM_SAPAvailableForElement (Host Hardware RAID Controller).....	126
10.7.20	CIM_SCSIProtocolController (Host Hardware RAID Controller).....	127
10.7.21	CIM_SoftwareIdentity (Host Hardware RAID Controller) .....	127
10.7.22	CIM_SystemDevice (to EthernetPort) .....	128
10.7.23	CIM_SystemDevice (to PortController) .....	128
10.7.24	CIM_SystemDevice (to ProtocolController) .....	128
10.7.25	CIM_iSCSIConnection (Host Hardware RAID Controller).....	128
10.7.26	CIM_iSCSISession (Host Hardware RAID Controller) .....	129
11	SCSI Multipath Management Subprofile .....	131
11.1	Description .....	131
11.1.1	General.....	131
11.1.2	Asymmetric Multipath Target Devices .....	132
11.2	Health and Fault Management Considerations.....	133
11.3	Cascading Considerations .....	133
11.4	Supported Subprofiles and Packages.....	133
11.5	Methods of the Profile .....	133
11.5.1	General.....	133
11.5.2	SCSIPathConfigurationService.SetTPGAccess .....	133
11.5.3	SCSIPathConfigurationService.SetLoadBalanceAlgorithm.....	133
11.5.4	SCSIPathConfigurationService.AssignLogicalUnitToPortGroup .....	133
11.5.5	SCSIPathConfigurationService.SetOverridePath.....	134
11.5.6	SCSIPathConfigurationService.CancelOverridePath .....	134
11.6	Client Considerations and Recipes .....	134
11.6.1	Discover All Paths to a Disk Volume .....	134
11.6.2	Force Failover or change Load Balancing on a volume .....	136
11.6.3	Change a LogicalDisk's LoadBalance Algorithm.....	138
11.7	Registered Name and Version .....	140
11.8	CIM Elements.....	140
11.8.1	General.....	140
11.8.2	CIM_ConcreteComponent.....	141
11.8.3	CIM_ConcreteDependency .....	141
11.8.4	CIM_ElementCapabilities .....	141

11.8.5	CIM_ElementSettingData .....	142
11.8.6	CIM_ElementSoftwareIdentity (Driver) .....	142
11.8.7	CIM_ElementSoftwareIdentity (MP API Plugin) .....	142
11.8.8	CIM_HostedService .....	143
11.8.9	CIM_MemberOfCollection .....	143
11.8.10	CIM_Product .....	143
11.8.11	CIM_SCSIMultipathConfigurationCapabilities .....	144
11.8.12	CIM_SCSIMultipathSettings .....	144
11.8.13	CIM_SCSIPathConfigurationService .....	145
11.8.14	CIM_SCSITargetPortGroup .....	145
11.8.15	CIM_ServiceAvailableToElement .....	146
11.8.16	CIM_SoftwareIdentity (Driver) .....	146
11.8.17	CIM_SoftwareIdentity (MP API Plugin) .....	147
12	SB Multipath Management Profile .....	148
12.1	General remark .....	148
12.2	Description .....	148
12.3	Health and Fault Management Consideration .....	149
12.4	Cascading Considerations .....	149
12.5	Supported Profiles, Subprofiles, and Packages .....	149
12.6	Methods .....	149
12.6.1	Extrinsic Methods of this Profile .....	149
12.6.2	Intrinsic Methods of this Profile .....	149
12.7	Client Considerations and Recipes .....	149
12.8	Registered Name and Version .....	150
12.9	CIM Elements .....	150
12.9.1	General .....	150
12.9.2	SNIA_SBInitiatorTargetLogicalUnitPath .....	150
Annex A	(informative) SMI-S Information Model .....	151
Bibliography	.....	153

Figure 1 - Experimental maturity level tag .....	20
Figure 2 - Implemented maturity level tag.....	21
Figure 3 - Stable maturity level tag .....	21
Figure 4 - Deprecated tag .....	22
Figure 5 - Disk Partition Class Hierarchy .....	24
Figure 6 - Disk Partition Class Diagram.....	24
Figure 7 - Disk MBR Partition Example .....	25
Figure 8 - MBR Partition Instance Diagram .....	26
Figure 9 - MBR and VTOC Partition Instance Diagram .....	27
Figure 10 - Partition Instance Diagram for Size/Address Rules.....	28
Figure 11 - FC HBA Instance Diagram .....	41
Figure 12 - HBA Card with Two Ports.....	42
Figure 13 - Persistent Binding Model.....	43
Figure 14 - Model Overview.....	68
Figure 15 - Profile Registration Profile.....	69
Figure 16 - Software Inventory Profile in Storage HBA.....	71
Figure 17 - HBA Card with Physical Classes.....	72
Figure 18 - Host Discovered Resources Block Diagram.....	77
Figure 19 - Host Discovered Resources Class Diagram .....	79
Figure 20 - Single SPI Disk Model .....	80
Figure 21 - Three FCP Logical Unit Instance Diagram .....	80
Figure 22 - ATA Discovered Resource Model .....	81
Figure 23 - SB Host Discovered Resources .....	81
Figure 24 - Host Hardware RAID Controller Package Diagram.....	93
Figure 25 - Alarms in Host Hardware RAID Controller .....	94
Figure 26 - Profile Registration with Host Hardware RAID Controller and Base Server Profiles .....	94
Figure 27 - Implementation of Physical Asset Profile .....	95
Figure 28 - Block Services Package in Host Hardware RAID Controller .....	96
Figure 29 - DAPort Subprofile in Host Hardware Controller .....	98
Figure 30 - Software Inventory Profile in Host Hardware RAID Controller .....	98
Figure 31 - Initiator Port profiles and Disk Drive Lite Subprofile .....	99
Figure 32 - Model for Imported Disks.....	100
Figure 33 - Imported Virtual Volumes .....	101
Figure 34 - Device "Pass Through" Example.....	102
Figure 35 - Example of Mutli-Function Controllers.....	103
Figure 36 - iSCSI Product and Package Model .....	117
Figure 37 - iSCSI Sessions and Connections Model .....	118
Figure 38 - iSCSI Initiator Node .....	118
Figure 39 - Multipath Management Class Diagram .....	131
Figure 40 - Four Path Instance Diagram.....	132
Figure 41 - Four SB Channel Instance Diagram.....	148
Figure 42 - Two SB Channel, Three Volume Instance Diagram.....	149

Table 1 - Capabilities Properties .....	27
Table 2 - CIM Elements for Disk Partition .....	33
Table 3 - SMI Referenced Properties/Methods for CIM_BasedOn (Partition to Extent) .....	34
Table 4 - SMI Referenced Properties/Methods for CIM_BasedOn (Partition to Partition) .....	34
Table 5 - SMI Referenced Properties/Methods for CIM_DiskPartitionConfigurationCapabilities .....	35
Table 6 - SMI Referenced Properties/Methods for CIM_DiskPartitionConfigurationService .....	35
Table 7 - SMI Referenced Properties/Methods for CIM_ElementCapabilities .....	35
Table 8 - SMI Referenced Properties/Methods for CIM_GenericDiskPartition .....	36
Table 9 - SMI Referenced Properties/Methods for CIM_HostedService.....	36
Table 10 - SMI Referenced Properties/Methods for CIM_InstalledPartitionTable (Capabilities to Extent).....	36
Table 11 - SMI Referenced Properties/Methods for CIM_InstalledPartitionTable (Capabilities to Partition).....	37
Table 12 - SMI Referenced Properties/Methods for CIM_LogicalDisk.....	37
Table 13 - SMI Referenced Properties/Methods for CIM_LogicalDiskBasedOnPartition .....	37
Table 14 - SMI Referenced Properties/Methods for CIM_StorageExtent .....	38
Table 15 - SMI Referenced Properties/Methods for CIM_SystemDevice (System to Extent) .....	38
Table 16 - SMI Referenced Properties/Methods for CIM_SystemDevice (System to LogicalDisk) .....	38
Table 17 - SMI Referenced Properties/Methods for CIM_SystemDevice (System to Partition) .....	39
Table 18 - Related Profiles for FC HBA .....	40
Table 19 - CIM Elements for FC HBA .....	53
Table 20 - SMI Referenced Properties/Methods for CIM_AlarmDevice.....	55
Table 21 - SMI Referenced Properties/Methods for CIM_AssociatedAlarm .....	55
Table 22 - SMI Referenced Properties/Methods for CIM_ComputerSystem .....	55
Table 23 - SMI Referenced Properties/Methods for CIM_ControlledBy .....	56
Table 24 - SMI Referenced Properties/Methods for CIM_ElementCapabilities (Capabilities to FCPort).....	56
Table 25 - SMI Referenced Properties/Methods for CIM_ElementCapabilities (Capabilities to System).....	57
Table 26 - SMI Referenced Properties/Methods for CIM_ElementSettingData .....	57
Table 27 - SMI Referenced Properties/Methods for CIM_ElementSoftwareIdentity (Driver) .....	57
Table 28 - SMI Referenced Properties/Methods for CIM_ElementSoftwareIdentity (FCode/BIOS) .....	58
Table 29 - SMI Referenced Properties/Methods for CIM_ElementSoftwareIdentity (Firmware).....	58
Table 30 - SMI Referenced Properties/Methods for CIM_FCPort.....	58
Table 31 - SMI Referenced Properties/Methods for CIM_HostedCollection.....	58
Table 32 - SMI Referenced Properties/Methods for CIM_HostedService.....	59
Table 33 - SMI Referenced Properties/Methods for CIM_InstalledSoftwareIdentity (Driver).....	59
Table 34 - SMI Referenced Properties/Methods for CIM_LogicalPortGroup .....	59
Table 35 - SMI Referenced Properties/Methods for CIM_MemberOfCollection .....	60
Table 36 - SMI Referenced Properties/Methods for CIM_OSStorageNameBinding.....	60
Table 37 - SMI Referenced Properties/Methods for CIM_PhysicalPackage.....	61
Table 38 - SMI Referenced Properties/Methods for CIM_PortController.....	61
Table 39 - SMI Referenced Properties/Methods for CIM_Product.....	62
Table 40 - SMI Referenced Properties/Methods for CIM_ProductPhysicalComponent.....	62
Table 41 - SMI Referenced Properties/Methods for CIM_Realizes .....	62
Table 42 - SMI Referenced Properties/Methods for CIM_ServiceAvailableToElement .....	63
Table 43 - SMI Referenced Properties/Methods for CIM_SoftwareIdentity (Driver) .....	63
Table 44 - SMI Referenced Properties/Methods for CIM_SoftwareIdentity (FCode/BIOS) .....	63
Table 45 - SMI Referenced Properties/Methods for CIM_SoftwareIdentity (Firmware).....	64
Table 46 - SMI Referenced Properties/Methods for CIM_StorageNameBinding.....	64
Table 47 - SMI Referenced Properties/Methods for CIM_StorageNameBindingCapabilities .....	65
Table 48 - SMI Referenced Properties/Methods for CIM_StorageNameBindingService.....	65
Table 49 - SMI Referenced Properties/Methods for CIM_SystemDevice (Associates System to PortController).....	66

Table 50 - Related Profiles for Storage HBA .....	67
Table 51 - CIM_PortController .....	73
Table 52 - CIM_SystemDevice .....	73
Table 53 - CIM Elements for Storage HBA .....	74
Table 54 - SMI Referenced Properties/Methods for CIM_ControlledBy .....	75
Table 55 - SMI Referenced Properties/Methods for CIM_PortController.....	75
Table 56 - SMI Referenced Properties/Methods for CIM_Product.....	75
Table 57 - SMI Referenced Properties/Methods for CIM_ProductElementComponent.....	76
Table 58 - SMI Referenced Properties/Methods for CIM_Realizes .....	76
Table 59 - SMI Referenced Properties/Methods for CIM_SystemDevice .....	76
Table 60 - Supported Profiles for Host Discovered Resources.....	82
Table 61 - CIM Elements for Host Discovered Resources.....	84
Table 62 - SMI Referenced Properties/Methods for CIM_ATAInitiatorTargetLogicalUnitPath.....	85
Table 63 - SMI Referenced Properties/Methods for CIM_ATAProtocolEndpoint.....	86
Table 64 - SMI Referenced Properties/Methods for CIM_ComputerSystem .....	86
Table 65 - SMI Referenced Properties/Methods for CIM_HostedAccessPoint.....	86
Table 66 - SMI Referenced Properties/Methods for CIM_LogicalDisk.....	87
Table 67 - SMI Referenced Properties/Methods for CIM_SCSIArbitraryLogicalUnit .....	87
Table 68 - SMI Referenced Properties/Methods for CIM_SCSIInitiatorTargetLogicalUnitPath .....	88
Table 69 - SMI Referenced Properties/Methods for CIM_SCSIProtocolEndpoint .....	88
Table 70 - SMI Referenced Properties/Methods for CIM_StorageExtent .....	89
Table 71 - SMI Referenced Properties/Methods for CIM_SystemDevice .....	89
Table 72 - SMI Referenced Properties/Methods for CIM_TapeDrive .....	89
Table 73 - SMI Referenced Properties/Methods for SNIA_SBInitiatorTargetLogicalUnitPath .....	90
Table 74 - SMI Referenced Properties/Methods for SNIA_SBProtocolEndpoint.....	91
Table 75 - Related Profiles for Host Hardware RAID Controller .....	92
Table 76 - CIM Elements for Host Hardware RAID Controller .....	105
Table 77 - SMI Referenced Properties/Methods for CIM_AlarmDevice.....	106
Table 78 - SMI Referenced Properties/Methods for CIM_AssociatedAlarm .....	107
Table 79 - SMI Referenced Properties/Methods for CIM_ComputerSystem (Host Hardware RAID Controller) .....	107
Table 80 - SMI Referenced Properties/Methods for CIM_ComputerSystemPackage (Associates PhysicalPackage to ComputerSystem) .....	108
Table 81 - SMI Referenced Properties/Methods for CIM_ControlledBy .....	108
Table 82 - SMI Referenced Properties/Methods for CIM_LogicalIdentity .....	108
Table 83 - SMI Referenced Properties/Methods for CIM_MediaAccessDevice.....	109
Table 84 - SMI Referenced Properties/Methods for CIM_PortController.....	109
Table 85 - SMI Referenced Properties/Methods for CIM_Product.....	110
Table 86 - SMI Referenced Properties/Methods for CIM_ProductPhysicalComponent.....	110
Table 87 - SMI Referenced Properties/Methods for CIM_ProtocolControllerForUnit (Extent or MediaAccessDevice).....	111
Table 88 - SMI Referenced Properties/Methods for CIM_ProtocolControllerForUnit (Volume).....	111
Table 89 - SMI Referenced Properties/Methods for CIM_Realizes (Associates PhysicalPackage to PortController).....	111
Table 90 - SMI Referenced Properties/Methods for CIM_SAPAvailableForElement.....	112
Table 91 - SMI Referenced Properties/Methods for CIM_SCSIProtocolController .....	112
Table 92 - SMI Referenced Properties/Methods for CIM_SoftwareIdentity (Driver) .....	112
Table 93 - SMI Referenced Properties/Methods for CIM_SoftwareIdentity (FCode/BIOS) .....	113
Table 94 - SMI Referenced Properties/Methods for CIM_SoftwareIdentity (Firmware).....	113
Table 95 - SMI Referenced Properties/Methods for CIM_StorageExtent .....	113
Table 96 - SMI Referenced Properties/Methods for CIM_SystemComponent .....	114
Table 97 - SMI Referenced Properties/Methods for CIM_SystemDevice (Associates System to AlarmDevice).....	114
Table 98 - SMI Referenced Properties/Methods for CIM_SystemDevice	

(Associates controller system to PortController).....	115
Table 99 - SMI Referenced Properties/Methods for CIM_SystemDevice (System to SCSIProtocolController) .....	115
Table 100 - iSCSI Terminology .....	116
Table 101 - OperationalStatus Values .....	119
Table 102 - Supported Profiles for iSCSI Initiator .....	119
Table 103 - CIM Elements for iSCSI Initiator .....	120
Table 104 - SMI Referenced Properties/Methods for CIM_BindsTo (TCPProtocolEndpoint to IPProtocolEndpoint) .....	121
Table 105 - SMI Referenced Properties/Methods for CIM_BindsTo (iSCSIProtocolEndpoint to TCPProtocolEndpoint) .....	121
Table 106 - SMI Referenced Properties/Methods for CIM_ComputerSystem (Host Hardware RAID Controller) .....	122
Table 107 - SMI Referenced Properties/Methods for CIM_ControlledBy (Host Hardware RAID Controller) .....	122
Table 108 - SMI Referenced Properties/Methods for CIM_DeviceSAPImplementation (EthernetPort to IPProtocolEndpoint).....	122
Table 109 - SMI Referenced Properties/Methods for CIM_DeviceSAPImplementation (EthernetPort to iSCSIProtocolEndpoint).....	123
Table 110 - SMI Referenced Properties/Methods for CIM_ElementSoftwareIdentity (Host Hardware RAID Controller) .....	123
Table 111 - SMI Referenced Properties/Methods for CIM_EndpointOfNetworkPipe (Between iSCSI Session and iSCSIProtocolEndpoint) .....	123
Table 112 - SMI Referenced Properties/Methods for CIM_EndpointOfNetworkPipe (Between iSCSI connection and TCPProtocolEndpoint).....	124
Table 113 - SMI Referenced Properties/Methods for CIM_InstalledSoftwareIdentity (Host Hardware RAID Controller) .....	124
Table 114 - SMI Referenced Properties/Methods for CIM_NetworkPipeComposition (Host Hardware RAID Controller) .....	124
Table 115 - SMI Referenced Properties/Methods for CIM_PhysicalPackage (Host Hardware RAID Controller) .....	125
Table 116 - SMI Referenced Properties/Methods for CIM_PortController (Host Hardware RAID Controller) .....	125
Table 117 - SMI Referenced Properties/Methods for CIM_Product (Host Hardware RAID Controller) .....	125
Table 118 - SMI Referenced Properties/Methods for CIM_ProductPhysicalComponent (Host Hardware RAID Controller) .....	126
Table 119 - SMI Referenced Properties/Methods for CIM_ProtocolControllerForPort (Host Hardware RAID Controller) .....	126
Table 120 - SMI Referenced Properties/Methods for CIM_Realizes (Host Hardware RAID Controller) .....	126
Table 121 - SMI Referenced Properties/Methods for CIM_SAPAvailableForElement (Host Hardware RAID Controller) .....	127
Table 122 - SMI Referenced Properties/Methods for CIM_SCSIProtocolController (Host Hardware RAID Controller) .....	127
Table 123 - SMI Referenced Properties/Methods for CIM_SoftwareIdentity (Host Hardware RAID Controller) .....	127
Table 124 - SMI Referenced Properties/Methods for CIM_SystemDevice (to EthernetPort) .....	128
Table 125 - SMI Referenced Properties/Methods for CIM_SystemDevice (to PortController) .....	128
Table 126 - SMI Referenced Properties/Methods for CIM_SystemDevice (to ProtocolController).....	128
Table 127 - SMI Referenced Properties/Methods for CIM_iSCSIConnection (Host Hardware RAID Controller) .....	129
Table 128 - SMI Referenced Properties/Methods for CIM_iSCSISession (Host Hardware RAID Controller) .....	130
Table 129 - CIM Elements for SCSI Multipath Management .....	140
Table 130 - SMI Referenced Properties/Methods for CIM_ConcreteComponent.....	141

Table 131 - SMI Referenced Properties/Methods for CIM_ConcreteDependency .....	141
Table 132 - SMI Referenced Properties/Methods for CIM_ElementCapabilities .....	142
Table 133 - SMI Referenced Properties/Methods for CIM_ElementSettingData .....	142
Table 134 - SMI Referenced Properties/Methods for CIM_ElementSoftwareIdentity (Driver) .....	142
Table 135 - SMI Referenced Properties/Methods for CIM_ElementSoftwareIdentity (MP API Plugin) .....	143
Table 136 - SMI Referenced Properties/Methods for CIM_HostedService.....	143
Table 137 - SMI Referenced Properties/Methods for CIM_MemberOfCollection .....	143
Table 138 - SMI Referenced Properties/Methods for CIM_Product.....	144
Table 139 - SMI Referenced Properties/Methods for CIM_SCSIMultipathConfigurationCapabilities .....	144
Table 140 - SMI Referenced Properties/Methods for CIM_SCSIMultipathSettings .....	144
Table 141 - SMI Referenced Properties/Methods for CIM_SCSIPathConfigurationService .....	145
Table 142 - SMI Referenced Properties/Methods for CIM_SCSITargetPortGroup.....	146
Table 143 - SMI Referenced Properties/Methods for CIM_ServiceAvailableToElement .....	146
Table 144 - SMI Referenced Properties/Methods for CIM_SoftwareIdentity (Driver) .....	147
Table 145 - SMI Referenced Properties/Methods for CIM_SoftwareIdentity (MP API Plugin).....	147
Table 146 - CIM Elements for SB Multipath Management.....	150
Table 147 - SMI Referenced Properties/Methods for SNIA_SBInitiatorTargetLogicalUnitPath .....	150