ISO/IEC 29341-12-10:2015-06 (E)

Information technology - UPnP Device Architecture - Part 12-10: Remote User Interface Device Control Protocol - Remote User Interface Client Service

Contents

Page

Foreword v

Introduction vi

1. Scope 1

2. Normative References 1

3. Service Modeling Definitions 2
3.1. ServiceType 2
3.2. State Variables 2
3.2.1. CompatibleUIsUpdateIDEvent 2
3.2.2. CurrentConnections 2
3.2.3. CurrentConnectionsEvent 3
3.2.4. DeviceProfile 3
3.2.5. A_ARG_TYPE_CompatibleUIs 3
3.2.6. A_ARG_TYPE_DisplayMessageType 3
3.2.7. A_ARG_TYPE_InputDataType 3
3.2.8. A_ARG_TYPE_Int 4
3.2.9. A_ARG_TYPE_String 4
3.3. Eventing and Moderation 4
3.3.1. Relationships Between State Variables 4
3.4. Actions 5
3.4.1. Connect 5
3.4.2. Disconnect 6
3.4.3. GetCurrentConnections 7
3.4.4. GetDeviceProfile 8
3.4.5. GetUIListing 9
3.4.6. AddUIListing 9
3.4.7. RemoveUIListing 10
3.4.8. DisplayMessage 11
3.4.9. ProcessInput 12
3.4.10. Non-Standard Actions Implemented by a UPnP Vendor 13
3.4.11. Relationships Between Actions 13
3.4.12. Common Error Codes 14

4. Theory of Operation 15
4.1. Example Values of State Variables 15
4.1.1. A_ARG_TYPE_URI 15
4.1.2. CurrentConnections 16
4.1.3. A_ARG_TYPE_CompatibleUIs 16
4.1.4. DeviceProfile 17
4.2. Remote UI Scenarios for the Basic DCP 18
4.2.1. Connect, Disconnect and GetCurrentConnections 18
4.2.2. Add, Get and Remove UI Listings 18
4.2.3. Display Message 18
4.2.4. Process Input 18
4.3. Remote UI Scenarios for the Advanced DCP 19
4.3.1. Mirror 19
4.3.2. Move 19
4.3.3. Reconnect 19

4.4. Types of Client Devices 20
4.4.1. Autonomous Remote UI Clients 20
4.4.2. Fully Remoted Remote UI Clients 20

5. DeviceProfile XSD Schema 21

6. A_ARG_TYPE_CompatibleUIs XSD Schema 22

7. XML Service Description 23

LIST OF TABLES Table 1: Service State Variables 2

Table 2: Allowed value list for state variable A_ARG_TYPE_DisplayMessageType 3

Table 3: Allowed value list for state variable A_ARG_TYPE_InputDataType 3

Table 4: Event moderation 4

Table 5: Actions 5

Table 6: Arguments for Connect() 5

Table 7: Arguments for Disconnect() 6

Table 8: Arguments for GetCurrentConnections() 7

Table 9: Arguments for GetDeviceProfile() 8

Table 10: Arguments for GetUIListing() 9

Table 11: Arguments for AddUIListing() 9

Table 12: Arguments for RemoveUIListing() 10

Table 13: Arguments for DisplayMessage() 11

Table 14. Arguments for ProcessInput() 12

Table 15: Common Error Codes 14