

ISO/IEC 14543-4-3:2015-09 (E)

Information technology - Home Electronic Systems (HES) architecture - Part 4-3: Application layer interface to lower communications layers for network enhanced control devices of HES Class 1

Contents	Page
FOREWORD.....	5
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions.....	7
3.2 Abbreviations	9
4 Conformance	9
5 Services of the application layer	9
5.1 Positioning in communications layers.....	9
5.1.1 General	9
5.1.2 When using UDP in layer 4 and IP in layer 3.....	10
5.2 Service primitives of the application layer	10
5.2.1 General	10
5.2.2 NECD objects from the viewpoint of application software.....	11
5.2.3 Case 1: Obtaining the status of another node	11
5.2.4 Case 2: Controlling the functions of other nodes.....	12
5.2.5 Case 3: Notifying own node status to other nodes	13
6 Application layer protocol data unit (APDU).....	15
6.1 Overview.....	15
6.2 NECD header (NHD).....	16
6.2.1 Overview	16
6.2.2 NECD header 1 (NHD1).....	16
6.2.3 NECD header 2 (NHD2).....	17
6.3 Transaction ID (TID)	17
6.4 NECD data (NDATA).....	17
6.5 NECD object (NOJ).....	17
6.6 NECD Service (NSV)	18
6.6.1 Overview	18
6.6.2 Property value write service (no response required) [0x60, 0x50]	22
6.6.3 Property value write service (response required) [0x61, 0x71, 0x51].....	22
6.6.4 Property value read service [0x62, 0x72, 0x52].....	23
6.6.5 Property value write and read service [0x6E, 0x7E, 0x5E]	24
6.6.6 Property value notification service [0x63, 0x73, 0x53].....	25
6.6.7 Property value notification (response required) [0x74, 0x7A].....	26
6.7 Processing object property counters (OPC, OPCSet and OPCGet)	27
6.8 NECD property (NPC).....	27
6.9 Property data counter (PDC).....	28
6.10 NECD property value data (NDT).....	28

7	Basic sequences	29
7.1	General.....	29
7.2	Basic sequences for object control.....	29
7.2.1	Overview	29
7.2.2	Basic sequences for object control in general	29
7.2.3	Basic sequences for service content.....	30
7.3	Basic sequences for node start-up.....	32
7.3.1	Overview	32
7.3.2	Basic sequence for NECD node start-up.....	32
8	NECD objects – Detailed specifications	33
8.1	General.....	33
8.2	Types of objects.....	33
8.2.1	Device objects	33
8.2.2	Node profile object	33
8.3	NECD property value data types	33
8.3.1	Overview	33
8.3.2	NECD property value range	34
8.3.3	Class-specific mandatory properties	34
8.3.4	Profiles obliged to have a status change announcement function.....	35
	Bibliography.....	36
	Figure 1 – Communications middleware.....	9
	Figure 2 – Acquisition of status of another node (synchronous type).....	11
	Figure 3 – Acquisition of status of another node (asynchronous type).....	12
	Figure 4 – Objects seen from application software	12
	Figure 5 – Method of controlling other nodes	13
	Figure 6 – Objects seen from application software	13
	Figure 7 – Method of notification to other nodes (synchronous type).....	14
	Figure 8 – Method of notification to other nodes (asynchronous type).....	14
	Figure 9 – Objects seen from application software	14
	Figure 10 – Example of object configuration	15
	Figure 11 – NECD frame format.....	16
	Figure 12 – Bit specifications of NHD 1	17
	Figure 13 – Detailed specifications of NHD 2	17
	Figure 14 – Bit specifications of the NOJ code.....	18
	Figure 15 – Bit specifications of the NSV code.....	18
	Figure 16 – Sequence diagram for NSV transmission and reception	21
	Figure 17 – NDATA configuration for property value write service (no response required).....	22
	Figure 18 – NDATA configuration for property value write service (response required)	23
	Figure 19 – NDATA configuration for property value read service	24
	Figure 20 – NDATA configuration for property value write and read service	25
	Figure 21 – NDATA configuration for property value notification service	26
	Figure 22 – NDATA configuration for property value notification (response required) service.....	27
	Figure 23 – Processing target property counter for three requests	27

Figure 24 – NPC detailed specifications	28
Figure 25 – NPC code allocation	28
Figure 26 – Basic sequence when controlled object does not exist	29
Figure 27 – Basic sequence when controlled objects exist	30
Figure 28 – Basic request receiving sequence for NSV = 0x60.....	30
Figure 29 – Basic request receiving sequence for NSV = 0x6*	31
Figure 30 – Basic request receiving sequence for NSV = 0x63.....	31
Figure 31 – Basic property value notification sequence	32
Figure 32 – Basic sequence for NECD node start-up	32
Table 1 – List of NSV Codes for Requests	20
Table 2 – List of NSV codes for response/notification	20
Table 3 – List of NSV codes for “Response not possible”	21
Table 4 – Data types, data sizes and overflow / underflow codes	34