

ISO/IEC 29341-20-13:2017-09 (E)

Information technology - UPnP Device Architecture - Part 20-13: Audio video device control protocol - Level 4 - Rendering control service

Contents		Page
1	Scope	1
1.1	Introduction	1
1.2	Multi-input Devices	1
2	Normative references	1
3	Terms, definitions, symbols and abbreviations	4
3.1	Provisioning terms	4
3.2	Symbols	5
4	Notations and Conventions	5
4.1	Notation	5
4.1.1	Data Types	5
4.1.2	Strings Embedded in Other Strings	6
4.1.3	Extended Backus-Naur Form	6
4.2	Derived Data Types	7
4.2.1	Summary	7
4.2.2	CSV Lists	7
4.3	Management of XML Namespaces in Standardized DCPs	8
4.3.1	Namespace Prefix Requirements	12
4.3.2	Namespace Names, Namespace Versioning and Schema Versioning	13
4.3.3	Namespace Usage Examples	15
4.4	Vendor-defined Extensions	15
4.4.1	Vendor-defined Action Names	15
4.4.2	Vendor-defined State Variable Names	15
4.4.3	Vendor-defined XML Elements and attributes	16
4.4.4	Vendor-defined Property Names	16
5	Service Modeling Definitions	16
5.1	Service Type	16
5.2	State Variables	17
5.2.1	State Variable Overview	17
5.2.2	LastChange	20
5.2.3	PresetNameList	23
5.2.4	Brightness	23
5.2.5	Contrast	23
5.2.6	Sharpness	23
5.2.7	RedVideoGain	23
5.2.8	GreenVideoGain	23
5.2.9	BlueVideoGain	24
5.2.10	RedVideoBlackLevel	24
5.2.11	GreenVideoBlackLevel	24
5.2.12	BlueVideoBlackLevel	24
5.2.13	ColorTemperature	24
5.2.14	HorizontalKeystone	24
5.2.15	VerticalKeystone	25
5.2.16	Mute	26
5.2.17	Volume	26
5.2.18	VolumeDB	26
5.2.19	Loudness	27
5.2.20	AllowedTransformSettings	27

5.2.21	TransformSettings	30
5.2.22	AllowedDefaultTransformSettings	31
5.2.23	DefaultTransformSettings	31
5.2.24	A_ARG_TYPE_Channel	32
5.2.25	A_ARG_TYPE_InstanceID	32
5.2.26	A_ARG_TYPE_PresetName	32
5.2.27	A_ARG_TYPE_DeviceUDN	32
5.2.28	A_ARG_TYPE_ServiceType	32
5.2.29	A_ARG_TYPE_ServiceID	33
5.2.30	A_ARG_TYPE_StateVariableValuePairs	33
5.2.31	A_ARG_TYPE_StateVariableList	33
5.2.32	Relationships between State Variables	33
5.3	Eventing and Moderation	34
5.3.1	Eventing and Moderation Overview	34
5.3.2	Event Model	36
5.4	Actions	36
5.4.1	Action Overview	36
5.4.2	ListPresets()	39
5.4.3	SelectPreset()	39
5.4.4	GetBrightness()	40
5.4.5	SetBrightness()	40
5.4.6	GetContrast()	41
5.4.7	SetContrast()	41
5.4.8	GetSharpness()	42
5.4.9	SetSharpness()	42
5.4.10	GetRedVideoGain()	43
5.4.11	SetRedVideoGain()	43
5.4.12	GetGreenVideoGain()	44
5.4.13	SetGreenVideoGain()	45
5.4.14	GetBlueVideoGain()	45
5.4.15	SetBlueVideoGain()	46
5.4.16	GetRedVideoBlackLevel()	46
5.4.17	SetRedVideoBlackLevel()	47
5.4.18	GetGreenVideoBlackLevel()	47
5.4.19	SetGreenVideoBlackLevel()	48
5.4.20	GetBlueVideoBlackLevel()	48
5.4.21	SetBlueVideoBlackLevel()	49
5.4.22	GetColorTemperature()	50
5.4.23	SetColorTemperature()	50
5.4.24	GetHorizontalKeystone()	51
5.4.25	SetHorizontalKeystone()	51
5.4.26	GetVerticalKeystone()	52
5.4.27	SetVerticalKeystone()	52
5.4.28	GetMute()	53
5.4.29	SetMute()	54
5.4.30	GetVolume()	54
5.4.31	SetVolume()	55
5.4.32	GetVolumeDB()	55
5.4.33	SetVolumeDB()	56
5.4.34	GetVolumeDBRange()	57
5.4.35	GetLoudness()	57
5.4.36	SetLoudness()	58
5.4.37	GetStateVariables()	59
5.4.38	SetStateVariables()	59
5.4.39	GetAllowedTransforms()	60
5.4.40	GetTransforms()	61
5.4.41	SetTransforms()	62
5.4.42	GetAllowedDefaultTransforms()	62
5.4.43	GetDefaultTransforms()	63
5.4.44	SetDefaultTransforms()	64
5.4.45	GetAllAvailableTransforms()	65
5.4.46	Relationships Between Actions	65

5.4.47	Common Error Codes	66
6	XML Service Description	66
7	Test	83
Annex A (informative) Theory of Operation		84
A.1	Multi-input Devices	84
A.2	Presets	85
A.3	Controlling the Display of Visual Content	85
A.4	Controlling Audio Content	86
A.5	Transforms	88
A.5.1	Retrieving Transforms	88
A.5.2	Get Allowed Transforms from an instance	89
A.5.3	Setting Transforms	91
A.5.4	Retrieving Current values of the Transforms	91
A.5.5	Querying and setting default values for a Transform	92
Annex B (normative) Pre-defined Transforms		94
B.1	Summary	94
B.2	Rotation	96
B.3	RedEye	96
B.4	Zoom	97
B.4.1	Additional units for the Zoom Transform	97
B.5	HorizontalPan	98
B.5.1	Additional units for the HorizontalPan Transform	98
B.6	VerticalPan	99
B.6.1	Additional units for the VerticalPan Transform	100
B.7	ImageDisplayTime	101
B.8	ImageTransitionEffects	102
B.9	Equalization	102
B.10	BandEq_[XX]_[YY]	103
B.10.1	Additional units for the BandEq_[XX]_[YY] Transform	104
B.11	SpeakerConfiguration	104
B.12	OutputSelection_[Name]	105
B.13	AudioTrackSelection	106
B.14	ClosedCaptioning	107
B.15	Subtitle	108
B.16	CameraAngle	109
B.17	PiP	109
B.18	ComponentInfoSelection	110
B.19	3DSettings3DScreen	111
B.20	3DSettings2DScreen	113
B.21	Legacy compatible transforms	113
B.21.1	Volume_[Channel]	113
B.21.2	VolumeDB_[Channel]	114
B.21.3	Mute_[Channel]	114
B.21.4	Loudness_[Channel]	115
B.21.5	Brightness	116
B.21.6	Sharpness	116
B.21.7	Contrast	117
B.21.8	RedVideoGain	117
B.21.9	GreenVideoGain	117
B.21.10	BlueVideoGain	118
B.21.11	RedVideoBlackLevel	118
B.21.12	GreenVideoBlackLevel	119
B.21.13	BlueVideoBlackLevel	119
B.21.14	ColorTemperature	120
B.21.15	HorizontalKeystone	120
B.21.16	VerticalKeystone	121
Annex C (informative) Bibliography		122

List of Tables

Table 1 — EBNF Operators.....	7
Table 2 — CSV Examples	8
Table 3 — Namespace Definitions.....	9
Table 4 — Schema-related Information.....	11
Table 5 — Default Namespaces for the AV Specifications.....	13
Table 6 — State Variables	17
Table 7 — allowedValueRange for <u>Brightness</u>	18
Table 8 — allowedValueRange for <u>Contrast</u>	18
Table 9 — allowedValueRange for <u>Sharpness</u>	18
Table 10 — allowedValueRange for <u>RedVideoGain</u>	18
Table 11 — allowedValueRange for <u>GreenVideoGain</u>	18
Table 12 — allowedValueRange for <u>BlueVideoGain</u>	18
Table 13 — allowedValueRange for <u>RedVideoBlackLevel</u>	19
Table 14 — allowedValueRange for <u>GreenVideoBlackLevel</u>	19
Table 15 — allowedValueRange for <u>BlueVideoBlackLevel</u>	19
Table 16 — allowedValueRange for <u>ColorTemperature</u>	19
Table 17 — allowedValueRange for <u>HorizontalKeystone</u>	19
Table 18 — allowedValueRange for <u>VerticalKeystone</u>	19
Table 19 — allowedValueRange for <u>Volume</u>	19
Table 20 — allowedValueRange for <u>VolumeDB</u>	19
Table 21 — allowedValueList for <u>A ARG TYPE Channel</u>	20
Table 22 — allowedValueList for <u>A ARG TYPE PresetName</u>	20
Table 23 — Allowed values for the <code>unit</code> attribute.....	29
Table 24 — Allowed values for the <code>scale</code> attribute.....	29
Table 25 — Predefined Names of Some Common Presets	32
Table 26 — Event moderation	35
Table 27 — Actions.....	37
Table 28 — Arguments for <u>ListPresets()</u>	39
Table 29 — Error Codes for <u>ListPresets()</u>	39
Table 30 — Arguments for <u>SelectPreset()</u>	39
Table 31 — Error Codes for <u>SelectPreset()</u>	40
Table 32 — Arguments for <u>GetBrightness()</u>	40
Table 33 — Error Codes for <u>GetBrightness()</u>	40
Table 34 — Arguments for <u>SetBrightness()</u>	40
Table 35 — Error Codes for <u>SetBrightness()</u>	41
Table 36 — Arguments for <u>GetContrast()</u>	41
Table 37 — Error Codes for <u>GetContrast()</u>	41
Table 38 — Arguments for <u>SetContrast()</u>	41
Table 39 — Error Codes for <u>SetContrast()</u>	42
Table 40 — Arguments for <u>GetSharpness()</u>	42
Table 41 — Error Codes for <u>GetSharpness()</u>	42

Table 42 — Arguments for <u>SetSharpness()</u>	43
Table 43 — Error Codes for <u>SetSharpness()</u>	43
Table 44 — Arguments for <u>GetRedVideoGain()</u>	43
Table 45 — Error Codes for <u>GetRedVideoGain()</u>	43
Table 46 — Arguments for <u>SetRedVideoGain()</u>	44
Table 47 — Error Codes for <u>SetRedVideoGain()</u>	44
Table 48 — Arguments for <u>GetGreenVideoGain()</u>	44
Table 49 — Error Codes for <u>GetGreenVideoGain()</u>	44
Table 50 — Arguments for <u>SetGreenVideoGain()</u>	45
Table 51 — Error Codes for <u>SetGreenVideoGain()</u>	45
Table 52 — Arguments for <u>GetBlueVideoGain()</u>	45
Table 53 — Error Codes for <u>GetBlueVideoGain()</u>	46
Table 54 — Arguments for <u>SetBlueVideoGain()</u>	46
Table 55 — Error Codes for <u>SetBlueVideoGain()</u>	46
Table 56 — Arguments for <u>GetRedVideoBlackLevel()</u>	46
Table 57 — Error Codes for <u>GetRedVideoBlackLevel()</u>	47
Table 58 — Arguments for <u>SetRedVideoBlackLevel()</u>	47
Table 59 — Error Codes for <u>SetRedVideoBlackLevel()</u>	47
Table 60 — Arguments for <u>GetGreenVideoBlackLevel()</u>	48
Table 61 — Error Codes for <u>GetGreenVideoBlackLevel()</u>	48
Table 62 — Arguments for <u>SetGreenVideoBlackLevel()</u>	48
Table 63 — Error Codes for <u>SetGreenVideoBlackLevel()</u>	48
Table 64 — Arguments for <u>GetBlueVideoBlackLevel()</u>	49
Table 65 — Error Codes for <u>GetBlueVideoBlackLevel()</u>	49
Table 66 — Arguments for <u>SetBlueVideoBlackLevel()</u>	49
Table 67 — Error Codes for <u>SetBlueVideoBlackLevel()</u>	50
Table 68 — Arguments for <u>GetColorTemperature()</u>	50
Table 69 — Error Codes for <u>GetColorTemperature()</u>	50
Table 70 — Arguments for <u>SetColorTemperature()</u>	50
Table 71 — Error Codes for <u>SetColorTemperature()</u>	51
Table 72 — Arguments for <u>GetHorizontalKeystone()</u>	51
Table 73 — Error Codes for <u>GetHorizontalKeystone()</u>	51
Table 74 — Arguments for <u>SetHorizontalKeystone()</u>	52
Table 75 — Error Codes for <u>SetHorizontalKeystone()</u>	52
Table 76 — Arguments for <u>GetVerticalKeystone()</u>	52
Table 77 — Error Codes for <u>GetVerticalKeystone()</u>	52
Table 78 — Arguments for <u>SetVerticalKeystone()</u>	53
Table 79 — Error Codes for <u>SetVerticalKeystone()</u>	53
Table 80 — Arguments for <u>GetMute()</u>	53
Table 81 — Error Codes for <u>GetMute()</u>	53
Table 82 — Arguments for <u>SetMute()</u>	54
Table 83 — Error Codes for <u>SetMute()</u>	54
Table 84 — Arguments for <u>GetVolume()</u>	54

Table 85 — Error Codes for <u>GetVolume()</u>	55
Table 86 — Arguments for <u>SetVolume()</u>	55
Table 87 — Error Codes for <u>SetVolume()</u>	55
Table 88 — Arguments for <u>GetVolumeDB()</u>	56
Table 89 — Error Codes for <u>GetVolumeDB()</u>	56
Table 90 — Arguments for <u>SetVolumeDB()</u>	56
Table 91 — Error Codes for <u>SetVolumeDB()</u>	57
Table 92 — Arguments for <u>GetVolumeDBRange()</u>	57
Table 93 — Error Codes for <u>GetVolumeDBRange()</u>	57
Table 94 — Arguments for <u>GetLoudness()</u>	58
Table 95 — Error Codes for <u>GetLoudness()</u>	58
Table 96 — Arguments for <u>SetLoudness()</u>	58
Table 97 — Error Codes for <u>SetLoudness()</u>	58
Table 98 — Arguments for <u>GetStateVariables()</u>	59
Table 99 — Error Codes for <u>GetStateVariables()</u>	59
Table 100 — Arguments for <u>SetStateVariables()</u>	60
Table 101 — Error Codes for <u>SetStateVariables()</u>	60
Table 102 — Arguments for <u>GetAllowedTransforms()</u>	61
Table 103 — Error Codes for <u>GetAllowedTransforms()</u>	61
Table 104 — Arguments for <u>GetTransforms()</u>	61
Table 105 — Error Codes for <u>GetTransforms()</u>	61
Table 106 — Arguments for <u>SetTransforms()</u>	62
Table 107 — Error Codes for <u>SetTransforms()</u>	62
Table 108 — Arguments for <u>GetAllowedDefaultTransforms()</u>	63
Table 109 — Error Codes for <u>GetAllowedDefaultTransforms()</u>	63
Table 110 — Arguments for <u>GetDefaultTransforms()</u>	63
Table 111 — Error Codes for <u>GetDefaultTransforms()</u>	64
Table 112 — Arguments for <u>SetDefaultTransforms()</u>	64
Table 113 — Error Codes for <u>SetDefaultTransforms()</u>	65
Table 114 — Arguments for <u>GetAllAvailableTransforms()</u>	65
Table 115 — Error Codes for <u>GetAllAvailableTransforms()</u>	65
Table 116 — Common Error Codes	66
Table B.1 — Pre-defined Transforms.....	95
Table B.2 — Recommended properties for <u>Rotation</u>	96
Table B.3 — allowedValueRange for <u>Rotation</u>	96
Table B.4 — Recommended properties for <u>RedEye</u>	96
Table B.5 — allowedValueList for <u>RedEye</u>	96
Table B.6 — Recommended properties for <u>Zoom</u>	97
Table B.7 — allowedValueRange for <u>Zoom</u>	97
Table B.8 — Alternative properties for <u>Zoom</u>	98
Table B.9 — allowedValueList for <u>Zoom</u> pre-defined values	98
Table B.10 — Recommended properties for <u>HorizontalPan</u>	98
Table B.11 — allowedValueRange for <u>HorizontalPan</u>	98

Table B.12 — Alternative properties for <u>HorizontalPan</u> (percentage unit).....	99
Table B.13 — allowedValueRange for <u>HorizontalPan</u> (percentage unit)	99
Table B.14 — Alternative properties mm for <u>HorizontalPan</u>	99
Table B.15 — allowedValueRange for <u>HorizontalPan (mm)</u>	99
Table B.16 — Recommended properties for <u>VerticalPan</u>	100
Table B.17 — allowedValueRange for <u>VerticalPan</u>	100
Table B.18 — Alternative properties for <u>VerticalPan</u> (percentage unit).....	100
Table B.19 — allowedValueRange for <u>VerticalPan</u> (percentage unit)	101
Table B.20 — Alternative properties for <u>VerticalPan</u> (mm unit)	101
Table B.21 — allowedValueRange for <u>VerticalPan</u> (mm unit).....	101
Table B.22 — Recommended properties for <u>ImageDisplayTime</u>	101
Table B.23 — allowedValueRange for <u>ImageDisplayTime</u> (sec unit)	102
Table B.25 — allowedValueList for <u>ImageTransitionEffects</u>	102
Table B.26 — Recommended properties for <u>Equalization</u>	102
Table B.27 — allowedValueList for <u>Equalization</u>	103
Table B.28 — Recommended properties for <u>BandEq [XX] [YY]</u>	104
Table B.29 — allowedValueRange for each <u>BandEq [XX] [YY]</u>	104
Table B.30 — Alternative properties for <u>BandEq [XX] [YY]</u> (Equalization volume unit)	104
Table B.31 — allowedValueRange for <u>BandEq [XX] [YY]</u> (Equalization volume unit)	104
Table B.32 — Recommended properties for <u>SpeakerConfiguration</u>	105
Table B.33 — allowedValueList for <u>SpeakerConfiguration</u>	105
Table B.34 — Transform names based on <u>OutputSelection [Name]</u>	105
Table B.35 — Recommended properties for <u>OutputSelection [Name]</u>	106
Table B.36 — allowedValueList for <u>OutputSelection [Name]</u>	106
Table B.37 — Recommended properties for <u>AudioTrackSelection</u>	106
Table B.38 — allowedValueList for <u>AudioTrackSelection</u> (language mode)	106
Table B.39 — Alternative properties for <u>AudioTrackSelection</u>	107
Table B.40 — allowedValueList for <u>AudioTrackSelection</u> (track indication mode).....	107
Table B.41 — Recommended properties for <u>ClosedCaptioning</u>	107
Table B.42 — allowedValueList for <u>ClosedCaptioning</u>	107
Table B.43 — Alternative properties for <u>ClosedCaptioning</u>	108
Table B.44 — allowedValueList for <u>ClosedCaptioning</u> (indication mode).....	108
Table B.45 — Recommended properties for <u>Subtitle</u>	108
Table B.46 — allowedValueList for <u>Subtitle</u>	108
Table B.47 — Alternative properties for <u>Subtitle</u>	109
Table B.48 — allowedValueList for <u>Subtitle</u> (track indication mode).....	109
Table B.49 — Recommended properties for <u>CameraAngle</u>	109
Table B.50 — allowedValueList for <u>CameraAngle</u>	109
Table B.51 — Recommended properties for <u>PiP</u>	110
Table B.52 — allowedValueList for <u>PiP</u>	110
Table B.53 — Recommended properties for <u>ComponentInfoSelection</u>	110
Table B.54 — allowedValueList for <u>ComponentInfoSelection</u>	110
Table B.55 — Recommended properties for <u>3DSettings3DScreen</u>	111

Table B.56 — allowedValueList for <u>3DSettings3DScreen</u>	112
Table B.57 — Recommended properties <u>3DSettings2DScreen</u>	113
Table B.58 — allowedValueList for <u>3DSettings2DScreen</u>	113
Table B.59 — Recommended properties for <u>Volume [Channel]</u>	114
Table B.60 — allowedValueRange for <u>Volume [Channel]</u>	114
Table B.61 — Recommended properties for <u>VolumeDB [Channel]</u>	114
Table B.62 — allowedValueRange for <u>VolumeDB [Channel]</u>	114
Table B.63 — Recommended properties for <u>Mute [Channel]</u>	115
Table B.64 — allowedValueList for <u>Mute [Channel]</u>	115
Table B.65 — Recommended properties for <u>Loudness [Channel]</u>	115
Table B.66 — allowedValueList for <u>Loudness [Channel]</u>	116
Table B.67 — Recommended properties for <u>Brightness</u>	116
Table B.68 — allowedValueRange for <u>Brightness</u>	116
Table B.69 — Recommended properties for <u>Sharpness</u>	116
Table B.70 — allowedValueRange for <u>Sharpness</u>	116
Table B.71 — Recommended properties for <u>Contrast</u>	117
Table B.72 — allowedValueRange for <u>Contrast</u>	117
Table B.73 — Recommended properties for <u>RedVideoGain</u>	117
Table B.74 — allowedValueRange for <u>RedVideoGain</u>	117
Table B.75 — Recommended properties for <u>GreenVideoGain</u>	118
Table B.76 — allowedValueRange for <u>GreenVideoGain</u>	118
Table B.77 — Recommended properties for <u>BlueVideoGain</u>	118
Table B.78 — allowedValueRange for <u>BlueVideoGain</u>	118
Table B.79 — Recommended properties for <u>RedVideoBlackLevel</u>	119
Table B.80 — allowedValueRange for <u>RedVideoBlackLevel</u>	119
Table B.81 — Recommended properties for <u>GreenVideoBlackLevel</u>	119
Table B.82 — allowedValueRange for <u>GreenVideoBlackLevel</u>	119
Table B.83 — Recommended properties for <u>BlueVideoBlackLevel</u>	120
Table B.84 — allowedValueRange for <u>BlueVideoBlackLevel</u>	120
Table B.85 — Recommended properties for <u>ColorTemperature</u>	120
Table B.86 — allowedValueRange for <u>ColorTemperature</u>	120
Table B.87 — Recommended properties for <u>HorizontalKeystone</u>	121
Table B.88 — allowedValueRange for <u>HorizontalKeystone</u>	121
Table B.89 — Recommended properties for <u>VerticalKeystone</u>	121
Table B.90 — allowedValueRange for <u>VerticalKeystone</u>	121

List of Figures

Figure 1 — Horizontal Keystone	25
Figure 2 — Vertical Keystone	26
Figure 3 — Relationship between <i>Volume</i> and <i>VolumeDB</i>	34
Figure 4 — Virtual Instances of RCS	84
Figure 5 — 6-channel Volume Control	86
Figure 6 — Graphical presentation of an implementation of the <i>3D-2D-TopBottom</i> transform, in this case showing only the Top image of a 3D stream as a 2D image on the 2D display	111
Figure 7 — Graphical presentation of an implementation of the <i>3D-2D-SideBySide</i> transform, in this case showing only the Right image of a 3D stream as a 2D image on the 2D display	111
Figure 8 — Graphical presentation of an implementation of the <i>3D-3D-TopBottom</i> transform	112
Figure 9 — Graphical presentation of an implementation of the <i>3D-3D-SideBySide</i> transform	112