ISO/IEC 29341-20-14:2017-09 (E)

Information technology - UPnP Device Architecture - Part 20-14: Audio video device control protocol - Level 4 - Scheduled recording service

Contents

Page

1 Scope 1

2 Normative references 2

3 Terms, definitions, symbols and abbreviations 5
3.1 Provisioning terms 5
3.2 Terms specific to ScheduledRecording service 5
3.2.1 CDS 5
3.2.2 EPG 6
3.2.3 SRS 6
3.2.4 CDS object 6
3.2.5 User Channel 6
3.2.6 Channel Group 6
3.2.7 Channel Line-up 6
3.2.8 object 6
3.2.9 class 6
3.2.10 object Modification 6
3.2.11 recordSchedule 6
3.2.12 Conflicting recordSchedule 6
3.2.13 recordTask 7
3.2.14 Conflicting recordTask 7
3.2.15 recordScheduleParts 7
3.2.16 Property-set Data Types 7
3.2.17 Property 7
3.2.18 Member Property 8
3.2.19 Supported Member Property 8
3.2.20 Multi-valued property 8
3.2.21 Single-valued property 8
3.2.22 XML Document 8
3.2.23 XML Fragment 9
3.2.24 actualScheduledStartDateTime 9
3.2.25 actualStartDateTime 9
3.2.26 actualScheduledEndDateTime 9
3.2.27 actualEndDateTime 9
3.2.28 actualScheduledDuration 9
3.2.29 Lexical Sort Order 10
3.2.30 Lexical Matching 10
3.2.31 Simple Non-case-sensitive Sort Order 10
3.2.32 Simple Non-case-sensitive Matching 11
3.2.33 Numeric Sort Order 11
3.2.34 Boolean Sort Order 11
3.2.35 Sequenced Sort 11
3.2.36 Sequenced Lexical Sort 11
3.2.37 Sequenced Numeric Sort 11
3.2.38 Lexical Numeric Sort 11
3.2.39 type Relationship Sort 12
3.3 Symbols 12

4 Notations and Conventions 12
4.1 Notation 12
4.1.1 Data Types 12

4.1.2 Strings Embedded in Other Strings 12
4.1.3 Extended Backus-Naur Form 13
4.2 Derived Data Types 13
4.2.1 Summary 13
4.2.2 CSV Lists 14
4.3 Management of XML Namespaces in Standardized DCPs 15
4.3.1 Namespace Prefix Requirements 19
4.3.2 Namespace Names, Namespace Versioning and Schema Versioning 20
4.3.3 Namespace Usage Examples 22
4.4 Vendor-defined Extensions 22
4.4.1 Vendor-defined Action Names 22
4.4.2 Vendor-defined State Variable Names 23
4.4.3 Vendor-defined XML Elements and attributes 23
4.4.4 Vendor-defined Property Names 23

5 Service Modeling Definitions 23
5.1 ServiceType 23
5.2 ScheduledRecording Service Architecture 23
5.2.1 recordSchedule 23
5.2.2 recordTask 25
5.3 State Variables 26
5.3.1 State Variable Overview 26
5.3.2 SortCapabilities 28
5.3.3 SortLevelCapability 28
5.3.4 StateUpdateID 28
5.3.5 LastChange 29
5.3.6 A_ARG_TYPE_PropertyList 32
5.3.7 A_ARG_TYPE_DataTypeID 32
5.3.8 A_ARG_TYPE_ObjectID 32
5.3.9 A_ARG_TYPE_ObjectIDList 32
5.3.10 A_ARG_TYPE_PropertyInfo 33
5.3.11 A_ARG_TYPE_Index 33
5.3.12 A_ARG_TYPE_Count 33
5.3.13 A_ARG_TYPE_SortCriteria 33
5.3.14 A_ARG_TYPE_RecordSchedule 33
5.3.15 A_ARG_TYPE_RecordTask 34
5.3.16 A_ARG_TYPE_RecordScheduleParts 34
5.4 Eventing and Moderation 35
5.5 Actions 35
5.5.1 Action Overview 35
5.5.2 GetSortCapabilities() 36
5.5.3 GetPropertyList() 37
5.5.4 GetAllowedValues() 38
5.5.5 GetStateUpdateID() 40
5.5.6 BrowseRecordSchedules() 40
5.5.7 BrowseRecordTasks() 45
5.5.8 CreateRecordSchedule() 47
5.5.9 DeleteRecordSchedule() 49
5.5.10 GetRecordSchedule() 50
5.5.11 EnableRecordSchedule() 51
5.5.12 DisableRecordSchedule() 52
5.5.13 DeleteRecordTask() 54
5.5.14 GetRecordTask() 54
5.5.15 EnableRecordTask() 55
5.5.16 DisableRecordTask() 57
5.5.17 ResetRecordTask() 58
5.5.18 GetRecordScheduleConflicts() 59
5.5.19 GetRecordTaskConflicts() 60
5.5.20 Common Error Codes 61
5.6 State Diagram of recordTask 62
5.6.1 A Full-Featured State Diagram 62
5.6.2 A Minimal-Implementation State Diagram 68

5.6.3 recordTask State Example 70
5.7 ScheduledRecording Service Priority Model 71
5.7.1 Introduction of the ScheduledRecording Service Priority Model 71
5.7.2 Ordered Priority within Each Priority Level 72
5.7.3 Setting the Initial Priority Level of a recordSchedule 73
5.7.4 Sorting recordSchedule Instances Based on their Current Priority Settings 75
5.8 Theory of Operation 76
5.8.1 Introduction 76
5.8.2 Checking the Capabilities of a ScheduledRecording Service 76
5.8.3 Adding a Scheduled Recording Entry to the List 88
5.8.4 Deleting a recordSchedule 106
5.8.5 Browsing recordSchedule and recordTask instances 106
5.8.6 Rating System 113
5.8.7 Conflict Detection and Resolution 113

6 XML Service Description 115

7 Test 125

Annex A (normative) srs XML Document 126

A.1 A_ARG_TYPE_RecordSchedule AVDT XML Document 126
A.2 A_ARG_TYPE_RecordTask AVDT XML Document 127
A.3 A_ARG_TYPE_RecordScheduleParts AVDT XML Document 127

Annex B (normative) AV Working Committee Extended Properties 129

B.1 Base Properties 129
B.1.1 @id 129
B.1.2 title 130
B.1.3 class 130
B.1.4 additionalStatusInfo 130
B.1.5 cdsReference 131
B.2 Priority Properties 132
B.2.1 priority 132
B.2.2 desiredPriority 133
B.3 Output Control Properties 135
B.3.1 recordDestination 135
B.3.2 desiredRecordQuality 137
B.4 Content Identification Related Properties 140
B.4.1 scheduledCDSObjectID 140
B.4.2 scheduledChannelID 141
B.4.3 scheduledStartDateTime 143
B.4.4 scheduledDuration 144
B.4.5 scheduledProgramCode 144
B.5 Matching Content Criteria Properties 145
B.5.1 matchingName 145
B.5.2 matchingID 146
B.6 Matching Qualifying Criteria Properties 147
B.6.1 matchingChannelID 148
B.6.2 matchingStartDateTimeRange 149
B.6.3 matchingDurationRange 149
B.6.4 matchingRatingLimit 150
B.6.5 matchingEpisodeType 152
B.7 Content Control Properties 153
B.7.1 totalDesiredRecordTasks 153
B.7.2 scheduledStartDateTimeAdjust 154
B.7.3 scheduledDurationAdjust 154
B.7.4 activePeriod 155
B.7.5 durationLimit 155
B.7.6 channelMigration 156
B.7.7 timeMigration 157

B.7.8 allowDuplicates ... 157
B.8 Storage Related Properties ... 157
B.8.1 persistedRecordings ... 158
B.9 Schedule State Properties ... 159
B.9.1 scheduleState ... 159
B.9.2 abnormalTasksExist ... 161
B.10 Statistics Properties ... 161
B.10.1 currentRecordTaskCount ... 161
B.10.2 totalCreatedRecordTasks ... 161
B.10.3 totalCompletedRecordTasks ... 162
B.11 Task General Properties ... 162
B.11.1 recordScheduleID ... 162
B.11.2 recordedCDSObjectID ... 162
B.12 Task Content Identification Properties ... 163
B.12.1 taskCDSObjectID ... 164
B.12.2 taskChannelID ... 164
B.12.3 taskStartDateTime ... 165
B.12.4 taskDuration ... 166
B.12.5 taskProgramCode ... 166
B.12.6 recordQuality ... 166
B.13 Task Matched Content Criteria Properties ... 169
B.13.1 matchedName ... 169
B.13.2 matchedID ... 169
B.14 Task Matched Qualifying Criteria Properties ... 170
B.14.1 matchedRating ... 170
B.14.1.1 matchedRating@type ... 170
B.14.1.2 matchedRating@equivalentAge ... 171
B.14.2 matchedEpisodeType ... 171
B.15 Task Matched Content Control Properties ... 171
B.15.1 taskStartDateTimeAdjust ... 171
B.15.2 taskDurationAdjust ... 172
B.15.3 taskDurationLimit ... 172
B.15.3.1 taskDurationLimit@effect ... 172
B.15.4 taskChannelMigration ... 173
B.15.5 taskTimeMigration ... 173
B.16 Task State Properties ... 173
B.16.1 taskState ... 174
B.17 ContentDirectory Service Imported Properties ... 182

Annex C (normative) AV Working Committee Class Definitions ... 186

C.1 Class Hierarchy ... 186
C.1.1 Relationships between Classes and Properties ... 188
C.1.2 recordScheduleParts Properties ... 189
C.1.3 recordSchedule Properties ... 193
C.1.4 recordTask Properties ... 197
C.2 Class Definitions ... 199
C.3 object Base Class ... 200
C.3.1 object.recordSchedule Class ... 201
C.3.2 object.recordTask Class ... 211

Annex D (normative) EBNF Syntax Definitions ... 213

D.1 Priority Syntax ... 213
D.2 Date&time Syntax ... 213
D.3 Class Name Syntax ... 214

Annex E (informative) ScheduledRecording Service Relationship to ContentDirectory Service ... 215

Annex F (informative) ScheduledRecording Service Relationship to EPG ... 216

Annex G (informative) AVDT Examples ... 217

G.1 A_ARG_TYPE_RecordSchedule AVDT Example 217
G.2 A_ARG_TYPE_RecordTask AVDT Example 234
G.3 A_ARG_TYPE_RecordScheduleParts AVDT Example 253

Annex H (informative) Bibliography 269

List of Tables

Table 1 — Properties in XML 8
Table 2 — EBNF Operators 13
Table 3 — CSV Examples 15
Table 4 — Namespace Definitions 16
Table 5 — Schema-related Information 18
Table 6 — Default Namespaces for the AV Specifications 20
Table 7 — State Variables 26
Table 8 — Allowed values for the *DataTypeID* argument 28
Table 9 — Allowed Elements in `<StateEvent>` Element 29
Table 10 — Eventing and Moderation 35
Table 11 — Actions 35
Table 12 — Arguments for *GetSortCapabilities()* 36
Table 13 — Error Codes for *GetSortCapabilities()* 37
Table 14 — Arguments for *GetPropertyList()* 37
Table 15 — Error Codes for *GetPropertyList()* 38
Table 16 — Arguments for *GetAllowedValues()* 38
Table 17 — Error Codes for *GetAllowedValues()* 39
Table 18 — Arguments for *GetStateUpdateID()* 40
Table 19 — Error Codes for *GetStateUpdateID()* 40
Table 20 — Arguments for *BrowseRecordSchedules()* 40
Table 21 — Error Codes for *BrowseRecordSchedules()* 45
Table 22 — Arguments for *BrowseRecordTasks()* 45
Table 23 — Error Codes for *BrowseRecordTasks()* 47
Table 24 — Arguments for *CreateRecordSchedule()* 47
Table 25 — Error Codes for *CreateRecordSchedule()* 49
Table 26 — Arguments for *DeleteRecordSchedule()* 50
Table 27 — Error Codes for *DeleteRecordSchedule()* 50
Table 28 — Arguments for *GetRecordSchedule()* 50
Table 29 — Error Codes for *GetRecordSchedule()* 51
Table 30 — Arguments for *EnableRecordSchedule()* 52
Table 31 — Error Codes for *EnableRecordSchedule()* 52
Table 32 — Arguments for *DisableRecordSchedule()* 53
Table 33 — Error Codes for *DisableRecordSchedule()* 53
Table 34 — Arguments for *DeleteRecordTask()* 54
Table 35 — Error Codes for *DeleteRecordTask()* 54
Table 36 — Arguments for *GetRecordTask()* 55
Table 37 — Error Codes for *GetRecordTask()* 55
Table 38 — Arguments for *EnableRecordTask()* 56
Table 39 — Error Codes for *EnableRecordTask()* 56

Table 40 — Arguments for *DisableRecordTask()* 57
Table 41 — Error Codes for *DisableRecordTask()* 58
Table 42 — Arguments for *ResetRecordTask()* 58
Table 43 — Error Codes for *ResetRecordTask()* 59
Table 44 — Arguments for *GetRecordScheduleConflicts()* 59
Table 45 — Error Codes for *GetRecordScheduleConflicts()* 60
Table 46 — Arguments for *GetRecordTaskConflicts()* 60
Table 47 — Error Codes for *GetRecordTaskConflicts()* 61
Table 48 — Common Error Codes 61
Table 49 — *recordTask* State Timeline 71
Table 50 — Example 1: Fewer *recordSchedule* instances than the Number of Supported Priority Levels. 72
Table 51 — Example 2: More *recordSchedule* instances than the Number of Supported Priority Levels. 73
Table 52 — Existing *recordSchedule* Priorities 74
Table 53 — *desiredPriority* Property Set to "*RS-C*" 74
Table 54 — *desiredPriority* Property Set to "*HIGHEST*", "*L1_HI*", or "*RS-A*" 75
Table 55 — *desiredPriority* Property Set to "*LOWEST*", "*L3_LOW*", or "*RS-B*" 75
Table 56 — *desiredPriority* Property Set to "*RS-C*" 75
Table B.1 — Base Properties Overview 129
Table B.2 — Allowed values for the *class* Property 130
Table B.3 — Priority Properties 132
Table B.4 — Allowed values for the *priority* Property 132
Table B.5 — Primary allowed values for the *desiredPriority* Property 133
Table B.6 — Additional allowed values for the *desiredPriority* Property 134
Table B.7 — Allowed values for the *desiredPriority@type* Property 135
Table B.8 — Output Control Properties 135
Table B.9 — *desiredRecordQuality* Example 138
Table B.10 — Allowed values for the *desiredRecordQuality* Property 139
Table B.11 — Allowed values for the *desiredRecordQuality@type* Property 140
Table B.12 — Content Identification Related Properties 140
Table B.13 — Allowed values for the *scheduledChannelID@type* Property 142
Table B.14 — Matching Content Criteria Properties 145
Table B.15 — Allowed values for the *matchingName@type* Property 146
Table B.16 — Allowed values for the *matchingID@type* Property 147
Table B.17 — Matching Qualifying Criteria Properties 147
Table B.18 — Allowed values for the *matchingRatingLimit* Property Using the MPAA Rating System (*matchingRatingLimit@type* = "*MPAA.ORG*") 150
Table B.19 — Allowed values for the *matchingRatingLimit* Property Using the RIAA Rating System (*matchingRatingLimit@type* = "*RIAA.ORG*") 150
Table B.20 — Allowed values for the *matchingRatingLimit* Property Using the ESRB Rating System (*matchingRatingLimit@type* = "*ESRB.ORG*") 151
Table B.21 — Allowed values for the *matchingRatingLimit* Property Using the TVGUIDELINES Rating System (*matchingRatingLimit@type* = "*TVGUIDELINES.ORG*") 151
Table B.22 — Allowed values for the *matchingRatingLimit@type* Property 152
Table B.23 — Allowed values for the *matchingEpisodeType* Property 153
Table B.24 — Content Control Properties 153

Table B.25 — Allowed values for the *durationLimit@effect* Property 156
Table B.26 — Storage Related Properties 157
Table B.27 — Schedule State Properties 159
Table B.28 — Allowed values for the *scheduleState* Property 160
Table B.29 — Allowed values for the *scheduleState@currentErrors* Property 160
Table B.30 — Statistics Properties 161
Table B.31 — Task General Properties 162
Table B.32 — Task Content Identification Properties 163
Table B.33 — *recordQuality* Example 167
Table B.34 — Allowed values for the *recordQuality* Property 168
Table B.35 — Task Matched Content Criteria Properties 169
Table B.36 — Task Matched Qualifying Criteria Properties 170
Table B.37 — Task Matched Content Control Properties 171
Table B.38 — State Related Properties 173
Table B.39 — Allowed values for the attributes of the *taskState* Property 174
Table B.40 — Allowed values for the *taskState* Property 175
Table B.41 — Allowed values for the *taskState@phase* Property 176
Table B.42 — Allowed values for the *taskState@xxx* Properties 179
Table C.1 — Class Properties Overview for *recordScheduleParts* usage 189
Table C.2 — Class Properties Overview for *recordSchedule* usage 193
Table C.3 — Class Properties Overview for *recordTask* usage 197
Table C.4 — *object* Base Class Properties 200
Table C.5 — *object.recordSchedule* Base Class Properties 201
Table C.6 — *object.recordSchedule.direct* Class Properties 202
Table C.7 — *object.recordSchedule.direct.manual* Class Properties 203
Table C.8 — *object.recordSchedule.direct.cdsEPG* Class Properties 204
Table C.9 — *object.recordSchedule.direct.cdsNonEPG* Class Properties 206
Table C.10 — *object.recordSchedule.direct.programCode* Class Properties 207
Table C.11 — *object.recordSchedule.query* Class Properties 208
Table C.12 — *object.recordSchedule.query.contentName* Class Properties 209
Table C.13 — *object.recordSchedule.query.contentID* Class Properties 210
Table C.14 — *object.recordTask* Base Class Properties 212

List of Figures

Figure 1 — Creating a new *recordSchedule* 24
Figure 2 — Capability check 25
Figure 3 — Browse *recordSchedule*. 25
Figure 4 — Delete a *recordSchedule* 25
Figure 5 — A Full-Featured State Diagram 63
Figure 6 — A Minimal-Implementation State Diagram 69
Figure C.1 — Class hierarchy for the ScheduledRecording service. 187