

ISO/IEC 29341-24-10:2017-09 (E)

Information technology - UPnP Device Architecture - Part 24-10: Internet gateway device control protocol - Level 2 - Wide area network internet protocol - Connection service

Contents		Page
1	Scope	1
2	Normative references	1
3	Terms, definitions, symbols and abbreviated terms	2
4	Notations and conventions	4
4.1	Notation	4
4.2	Data types	4
4.2.1	Primary data types	4
4.2.2	Secondary data types	5
4.3	Vendor-defined extensions	6
5	Service model	6
5.1	Service type	6
5.2	Changes from WANIPConnection:1	6
5.2.1	Backward compatibility	6
5.2.2	Generic requirements and other changes	6
5.2.3	New state variables	6
5.2.4	New actions	6
5.2.5	Changes in existing actions and procedures	7
5.3	Service Architecture	7
5.3.1	Introduction	7
5.3.2	Main feature sets	8
5.4	State variables	9
5.4.1	State variable overview	9
5.4.2	ConnectionType	11
5.4.3	PossibleConnectionTypes	11
5.4.4	ConnectionStatus	11
5.4.5	Uptime	12
5.4.6	LastConnectionError	12
5.4.7	AutoDisconnectTime	12
5.4.8	IdleDisconnectTime	13
5.4.9	WarnDisconnectDelay	13
5.4.10	RSIPAvailable	13
5.4.11	NATEnabled	13
5.4.12	ExternalIPAddress	13
5.4.13	PortMappingNumberOfEntries	13
5.4.14	PortMappingEnabled	14
5.4.15	PortMappingLeaseDuration	14
5.4.16	RemoteHost	14
5.4.17	ExternalPort	14
5.4.18	InternalPort	15
5.4.19	PortMappingProtocol	15
5.4.20	InternalClient	15
5.4.21	PortMappingDescription	15
5.4.22	SystemUpdateID	15
5.4.23	A_ARG_TYPE_Manage	16
5.4.24	A_ARG_TYPE_PortListing	16

5.5	Eventing and Moderation	17
5.5.1	Eventing of PossibleConnectionTypes	18
5.5.2	Eventing of ConnectionStatus	18
5.5.3	Eventing of ExternalIPAddress	18
5.5.4	Eventing of PortMappingNumberOfEntries	18
5.5.5	Eventing of SystemUpdateID	18
5.5.6	Relationships among State Variables	18
5.6	Actions	19
5.6.1	SetConnectionType()	20
5.6.2	GetConnectionTypeInfo()	21
5.6.3	RequestConnection()	22
5.6.4	RequestTermination()	23
5.6.5	ForceTermination()	24
5.6.6	SetAutoDisconnectTime()	25
5.6.7	SetIdleDisconnectTime()	26
5.6.8	SetWarnDisconnectDelay()	27
5.6.9	GetStatusInfo()	27
5.6.10	GetAutoDisconnectTime()	28
5.6.11	GetIdleDisconnectTime()	29
5.6.12	GetWarnDisconnectDelay()	30
5.6.13	GetNATRSIPStatus()	31
5.6.14	GetGenericPortMappingEntry()	31
5.6.15	GetSpecificPortMappingEntry()	33
5.6.16	AddPortMapping()	34
5.6.17	AddAnyPortMapping()	38
5.6.18	DeletePortMapping()	40
5.6.19	DeletePortMappingRange()	42
5.6.20	GetExternalIPAddress()	43
5.6.21	GetListOfPortMappings()	44
5.6.22	Relationships Between Actions	45
5.6.23	Error Code Summary	45
5.7	Service Behavioral Model	47
5.7.1	Connection Initiation	47
5.7.2	Connection Termination	48
6	XML Service Description	49
	Annex A (informative) Theory of Operation	61
	Annex B (informative) Bibliography	65
	Figure 1 -- UPnP IGD component relationships for NAT processing	10
	Figure 2 -- Example of relationship between AddPortMapping() action and port triggering	35
	Figure 3 -- Summary of AddPortMapping() results	37
	Figure 4 -- Summary of AddAnyPortMapping() results	40
	Figure 5 -- State diagram for IP connection	47
	Figure A.1 -- NAT is an IP address translator	63
	Figure A.2 -- NAT issue with bundled session applications	64
	Table 1 -- CSV examples	5
	Table 2 -- State Variables	9
	Table 3 -- allowedValueList for the ConnectionType state variable	11
	Table 4 -- allowedValueList for the ConnectionStatus state variable	11

Table 5 -- allowedValueList for the LastConnectionError state variable	12
Table 6 -- allowedValueRange for the PortMappingLeaseDuration state variable	14
Table 7 -- allowedValueRange for the InternalPort state variable	15
Table 8 -- allowedValueList for the PortMappingProtocol state variable	15
Table 9 -- Eventing and Moderation	17
Table 10 -- Actions	19
Table 11 -- Common parameters	19
Table 12 -- Arguments for SetConnectionType()	20
Table 13 -- Error Codes for SetConnectionType()	21
Table 14 -- Arguments for GetConnectionTypeInfo()	21
Table 15 -- Error Codes for GetConnectionTypeInfo()	22
Table 16 -- Error Codes for RequestConnection()	23
Table 17 -- Error Codes for RequestTermination()	24
Table 18 -- Error Codes for ForceTermination()	25
Table 19 -- Arguments for SetAutoDisconnectTime()	25
Table 20 -- Error Codes for SetAutoDisconnectTime()	26
Table 21 -- Arguments for SetIdleDisconnectTime()	26
Table 22 -- Error Codes for SetIdleDisconnectTime()	27
Table 23 -- Arguments for SetWarnDisconnectDelay()	27
Table 24 -- Error Codes for SetWarnDisconnectDelay()	27
Table 25 -- Arguments for GetStatusInfo()	28
Table 26 -- Error Codes for GetStatusInfo()	28
Table 27 -- Arguments for GetAutoDisconnectTime()	28
Table 28 -- Error Codes for GetAutoDisconnectTime()	29
Table 29 -- Arguments for GetIdleDisconnectTime()	29
Table 30 -- Error Codes for GetIdleDisconnectTime()	30
Table 31 -- Arguments for GetWarnDisconnectDelay()	30
Table 32 -- Error Codes for GetWarnDisconnectDelay()	30
Table 33 -- Arguments for GetNATRSIPStatus()	31
Table 34 -- Error Codes for GetNATRSIPStatus()	31
Table 35 -- Arguments for GetGenericPortMappingEntry()	32

Table 36 -- Error Codes for GetGenericPortMappingEntry()	33
Table 37 -- Arguments for GetSpecificPortMappingEntry()	33
Table 38 -- Error Codes for GetSpecificPortMappingEntry()	34
Table 39 -- Arguments for AddPortMapping()	35
Table 40 -- Error Codes for AddPortMapping()	37
Table 41 -- Arguments for AddAnyPortMapping()	38
Table 42 -- Error Codes for AddAnyPortMapping()	40
Table 43 -- Arguments for DeletePortMapping()	41
Table 44 -- Error Codes for DeletePortMapping()	41
Table 45 -- Arguments for DeletePortMappingRange()	42
Table 46 -- Error Codes for DeletePortMappingRange()	43
Table 47 -- Arguments for GetExternalIPAddress()	43
Table 48 -- Error Codes for GetExternalIPAddress()	44
Table 49 -- Arguments for GetListOfPortMappings()	44
Table 50 -- Error Codes for GetListOfPortMappings()	45
Table 51 -- Error Code Summary	46
Table A.1 -- Connection Procedures	61