# ISO/IEC 29341-26-10:2017-09 (E)

## Information technology - UPnP Device Architecture - Part 26-10: Telephony device control protocol - Level 2 - Call management service

## Contents

Page


1 Scope ..... 1

2 Normative References ..... 1

3 Terms, definitions, symbols and abbreviated terms ..... 2

4 Notations and conventions ..... 5
4.1 Text conventions ..... 5
4.2 Data Types ..... 5
4.3 Vendor-defined Extensions ..... 6

5 Service Modeling Definitions ..... 6
5.1 Service Type ..... 6
5.2 CallManagement Service Architecture ..... 6
5.2.1 Managing Call With Multiple Telephony Clients ..... 6
5.2.2 User Concept and Multi-User Control ..... 10
5.2.3 Call Monopolization ..... 11
5.2.4 Selective Information Delivery ..... 16
5.2.5 Handling of Media Streams ..... 16
5.2.6 Content Sharing ..... 17
5.3 State Variables ..... 18
5.3.1 State Variable Overview ..... 18
5.3.2 CallInfo ..... 19
5.3.3 TelCPNameList ..... 23
5.3.4 CallBackAvailability ..... 23
5.3.5 PushInfo ..... 23
5.3.6 VoiceMailInfo ..... 24
5.3.7 ParallelCallInfo ..... 25
5.3.8 A_ARG_TYPE_TelephonyServerIdentity ..... 26
5.3.9 A_ARG_TYPE_TelCPName ..... 26
5.3.10 A_ARG_TYPE_TelCPNameList ..... 26
5.3.11 A_ARG_TYPE_Expires ..... 26
5.3.12 A_ARG_TYPE_MediaCapabilityInfo ..... 26
5.3.13 A_ARG_TYPE_CalleeID ..... 28
5.3.14 A_ARG_TYPE_CallPriority ..... 28
5.3.15 A_ARG_TYPE_CallMode ..... 29
5.3.16 A_ARG_TYPE_CallID ..... 29
5.3.17 A_ARG_TYPE_SecretKey ..... 29
5.3.18 A_ARG_TYPE_RejectReason ..... 29
5.3.19 A_ARG_TYPE_TCList ..... 29
5.3.20 A_ARG_TYPE_CallInfoList ..... 30
5.3.21 A_ARG_TYPE_CallLogs ..... 31
5.3.22 A_ARG_TYPE_CallBackID ..... 32
5.3.23 A_ARG_TYPE_CallBackInfoList ..... 32
5.3.24 A_ARG_TYPE_PushInfoList ..... 33
5.3.25 A_ARG_TYPE_VoiceMailInfoList ..... 34
5.3.26 A_ARG_TYPE_VoiceMailID ..... 34
5.3.27 A_ARG_TYPE_CallType ..... 34
5.3.28 A_ARG_TYPE_CallerID ..... 35
5.3.29 A_ARG_TYPE_MaxWaitingTime ..... 36
5.4 Eventing and Moderation ..... 36

5.4.1 Eventing of CallInfo ..... 36
5.4.2 Eventing of TelCPNameList ..... 37
5.4.3 Eventing of CallBackAvailability ..... 37
5.4.4 Eventing of PushInfo ..... 37
5.4.5 Eventing of VoiceMailInfo ..... 37
5.4.6 Eventing of ParallelCallInfo ..... 37
5.5 Actions ..... 37
5.5.1 GetTelephonyIdentity() ..... 38
5.5.2 RegisterTelCPName() ..... 39
5.5.3 UnregisterTelCPName() ..... 41
5.5.4 ChangeTelCPName() ..... 41
5.5.5 GetTelCPNameList() ..... 42
5.5.6 GetMediaCapabilities() ..... 43
5.5.7 StartCall() ..... 44
5.5.8 StopCall() ..... 46
5.5.9 AcceptCall() ..... 48
5.5.10 RejectCall() ..... 50
5.5.11 ModifyCall() ..... 52
5.5.12 AcceptModifyCall() ..... 54
5.5.13 StartMediaTransfer() ..... 56
5.5.14 ChangeMonopolizer() ..... 57
5.5.15 InitiateCall() ..... 59
5.5.16 GetCallInfo() ..... 59
5.5.17 GetCallLogs() ..... 61
5.5.18 ClearCallLogs() ..... 61
5.5.19 RegisterCallBack() ..... 62
5.5.20 ClearCallBack() ..... 63
5.5.21 GetCallBackInfo() ..... 63
5.5.22 ChangeCallMode() ..... 64
5.5.23 GetPushInfo() ..... 65
5.5.24 IgnoreCall() ..... 66
5.5.25 GetVoiceMail() ..... 67
5.5.26 DeleteVoiceMail() ..... 68
5.5.27 EnhancedInitiateCall() ..... 69
5.5.28 WaitingForCall() ..... 70
5.5.29 InitiateParallelCall() ..... 71
5.5.30 AcceptParallelCall() ..... 72
5.5.31 Relationships Between Actions ..... 73
5.5.32 Error Code Summary ..... 73
5.6 Service Behavioral Model ..... 73
5.6.1 State Diagram ..... 73

6 XML Service Description ..... 77

Annex A (normative) XML complex type peerType ..... 93

Annex B (normative) XML Schema ..... 97

Annex C (informative) Theory of Operation ..... 102

Annex D (informative) Sequence Examples ..... 125

Annex E (informative) How to send DTMF ..... 295

Annex F (informative) Bibliography ..... 296

Figure 1 -- Relationship among Media Stream, Media Session and Media Session ID ..... 3

Figure 2 -- Architecture of the CallManagement Service ..... 6

Figure 3 -- Managing a Telephony Call with Multiple Telephony Clients ..... 7

Figure 4 -- Starting a Call with Multiple Telephony Clients Using Media Mixing Capability .....8
Figure 5 -- Modifying a Call with Multiple Telephony Clients Using Media Mixing Capability .....8
Figure 6 -- Starting a Call With Multiple Telephony Clients Using Media Sharing Capability .....9
Figure 7 -- Modifying a Call With Multiple Telephony Clients Using Media Sharing Capability .....10
Figure 8 -- Example for Multi-User Control Concept .....11
Figure 9 -- PHONE-based Call Monopolization .....13
Figure 10 -- Incoming Call Handling .....15
Figure 11 -- Call State Diagram for a Caller .....74
Figure 12 -- Call State Diagram for a Callee .....75
Figure 13 -- Call State Diagram to request the modification of a Call .....76
Figure 14 -- Call State Diagram to accept the modification of a Call .....77
Figure C.1 -- Flow basics for creating an outgoing Call (TC-Based Media Handling) .....103
Figure C.2 -- Flow basics for accepting an incoming Call (TC-Based Media Handling) .....105
Figure C.3 -- Flow basics for modifying an ongoing Call (TC-Based Media Handling) .....107
Figure C.4 -- Flow basics for creating an outgoing Call (TS-Based Media Handling) .....109
Figure C.5 -- Flow basics for accepting an incoming Call (TS-Based Media Handling) .....111
Figure C.6 -- Flow basics for modifying an ongoing Call (TS-Based Media Handling) .....113
Figure C.7 -- Flow basics for changing CallMode from Non-Monopolize to Monopolize .....114
Figure C.8 -- Flow basics for changing CallMode from Monopolize to Non-Monopolize .....115
Figure C.9 -- Flow basics for Early Media .....116
Figure C.10 -- Example flow of TS-Based Content Sharing by initiating a Call .....118
Figure C.11 -- Example flow of TS-Based Content Sharing in an existing Call .....119
Figure C.12 -- Example flow of TC-Based Content Sharing by Updating a Call .....120
Figure C.13 -- Example flow of TC-Based Content Sharing without Updating a Call .....121
Figure C.14 -- Example flow of TC-Based Content Sharing by initiating a Call .....122
Figure C.15 -- Architecture for Parallel Call .....123
Figure C.16 -- Flow basics for Establishing a Parallel Call .....124
Figure D.1 -- Register TelCPName .....125
Figure D.2 -- Register TelCPName (But the specified TelCPName is already in use.) .....126
Figure D.3 -- Keep using the same TelCPName .....127
Figure D.4 -- Keep using the same TelCPName (But the specified Secret Key is invalid.) .....128

**Figure D.5 -- Change TelCPName ..... 129**

**Figure D.6 -- Change TelCPName (But the specified Secret Key is invalid.) ..... 130**

**Figure D.7 -- Change TelCPName (But the specified TelCPName is already in use.) ..... 131**

**Figure D.8 -- Unregister TelCPName ..... 132**

**Figure D.9 -- Unregister TelCPName (But the specified TelCPName does not exist.) ..... 133**

**Figure D.10 -- Get existing TelCPNames ..... 134**

**Figure D.11 -- Get existing TelCPNames (But no TelCP exists) ..... 135**

**Figure D.12 -- Create a Call ..... 137**

**Figure D.13 -- Terminate a Call ..... 153**

**Figure D.14 -- Reject an incoming Call ..... 158**

**Figure D.15 -- Cancel an outgoing Call ..... 161**

**Figure D.16 -- Cancel an outgoing Call (But the specified CallID does not exist.) ..... 164**

**Figure D.17 -- Cancel an outgoing Call (But the StopCall() action is invoked at invalid timing.) ..... 165**

**Figure D.18 -- Get MediaSessionInfo and CallInfo during the Call ..... 166**

**Figure D.19 -- Create an outgoing Call using multiple TCs (Case 1) ..... 169**

**Figure D.20 -- Create an outgoing Call using multiple TCs (Case 2) ..... 183**

**Figure D.21 -- Accept an incoming Call using multiple TCs (Case 1) ..... 188**

**Figure D.22 -- Accept an incoming Call using multiple TCs (Case 2) ..... 201**

**Figure D.23 -- Add TC during a Call (Create a modification request) ..... 205**

**Figure D.24 -- Add TC during a Call (Accept a modification request) ..... 215**

**Figure D.25 -- Remove TC during a Call (Create a modification request) ..... 224**

**Figure D.26 -- Remove TC during a Call (Accept a modification request) ..... 230**

**Figure D.27 -- Change TC during a Call ..... 237**

**Figure D.28 -- Modify Media Session during a Call ..... 246**

**Figure D.29 -- Initiate a Call ..... 254**

**Figure D.30 -- Create an outgoing Call (Monopolization Mode Call(PHONE-TelCP)) ..... 257**

**Figure D.31 -- Terminate a Call (But the specified TelCP is not authorized.) ..... 272**

**Figure D.32 -- Cancel an outgoing Call (But the specified TelCP is not authorized.) ..... 273**

**Figure D.33 -- Change TelCP which Monopolize the Call ..... 274**

**Figure D.34 -- Create a Call with TC-Based and TS-Based Media Handlings ..... 277**

**Table 1 -- State Variables ..... 18**

**Table 2 -- Allowed values for type ..... 20**

**Table 3 -- Alllowed values for callStatus ..... 20**

**Table 4 -- Allowed values for reason and the corresponding values of the Call Status ..... 21**

**Table 5 -- Allowed values for priority ..... 22**

**Table 6 -- Allowed values for format ..... 22**

**Table 7 -- Alllowed values for priority ..... 24**

**Table 8 -- Alllowed values for informationType ..... 26**

**Table 9 -- allowedValueList for the A_ARG_TYPE_CallPriority state variable ..... 28**

**Table 10 -- allowedValueList for the A_ARG_TYPE_CallMode state variable ..... 29**

**Table 11 -- Alllowed values for videoQuality ..... 35**

**Table 12 -- Alllowed values for audioQuality ..... 35**

**Table 13 -- Event Moderation ..... 36**

**Table 14 -- Actions ..... 37**

**Table 15 -- Arguments for GetTelephonyIdentity() ..... 38**

**Table 16 -- Error Codes for GetTelephonyIdentity() ..... 39**

**Table 17 -- Arguments for RegisterTelCPName() ..... 39**

**Table 18 -- Error Codes for RegisterTelCPName() ..... 40**

**Table 19 -- Arguments for UnregisterTelCPName() ..... 41**

**Table 20 -- Error Codes for UnregisterTelCPName() ..... 41**

**Table 21 -- Arguments for ChangeTelCPName() ..... 41**

**Table 22 -- Error Codes for ChangeTelCPName() ..... 42**

**Table 23 -- Arguments for GetTelCPNameList() ..... 43**

**Table 24 -- Error Codes for GetTelCPNameList() ..... 43**

**Table 25 -- Arguments for GetMediaCapabilities() ..... 43**

**Table 26 -- Error Codes for GetMediaCapabilities() ..... 44**

**Table 27 -- Arguments for StartCall() ..... 44**

**Table 28 -- Error Codes for StartCall() ..... 46**

**Table 29 -- Arguments for StopCall() ..... 46**

**Table 30 -- Error Codes for StopCall() ..... 48**

**Table 31 -- Arguments for AcceptCall() ..... 48**

**Table 32 -- Error Codes for AcceptCall() ..... 50**

**Table 33 -- Arguments for RejectCall() ..... 50**

**Table 34 -- Error Codes for RejectCall() ..... 52**

**Table 35 -- Arguments for ModifyCall() ..... 52**

**Table 36 -- Error Codes for ModifyCall() ..... 53**

**Table 37 -- Arguments for AcceptModifyCall() ..... 54**

**Table 38 -- Error Codes for AcceptModifyCall() ..... 55**

**Table 39 -- Arguments for StartMediaTransfer() ..... 56**

**Table 40 -- Error Codes for StartMediaTransfer() ..... 57**

**Table 41 -- Arguments for ChangeMonopolizer() ..... 57**

**Table 42 -- Error Codes for ChangeMonopolizer() ..... 58**

**Table 43 -- Arguments for InitiateCall() ..... 59**

**Table 44 -- Error Codes for InitiateCall() ..... 59**

**Table 45 -- Arguments for GetCallInfo() ..... 59**

**Table 46 -- Error Codes for GetCallInfo() ..... 60**

**Table 47 -- Arguments for GetCallLogs() ..... 61**

**Table 48 -- Error Codes for GetCallLogs() ..... 61**

**Table 49 -- Error Codes for ClearCallLogs() ..... 62**

**Table 50 -- Arguments for RegisterCallBack() ..... 62**

**Table 51 -- Error Codes for RegisterCallBack() ..... 63**

**Table 52 -- Arguments for ClearCallBack() ..... 63**

**Table 53 -- Error Codes for ClearCallBack() ..... 63**

**Table 54 -- Arguments for GetCallBackInfo() ..... 63**

**Table 55 -- Error Codes for GetCallBackInfo() ..... 64**

**Table 56 -- Arguments for ChangeCallMode() ..... 64**

**Table 57 -- Error Codes for ChangeCallMode() ..... 65**

**Table 58 -- Arguments for GetPushInfo() ..... 65**

**Table 59 -- Error Codes for GetPushInfo() ..... 66**

**Table 60 -- Arguments for IgnoreCall() ..... 66**

**Table 61 -- Error Codes for IgnoreCall() ..... 67**

**Table 62 -- Arguments for GetVoiceMail() ..... 67**

**Table 63 -- Error Codes for GetVoiceMail() ..... 68**

**Table 64 -- Arguments for DeleteVoiceMail() ..... 68**

**Table 65 -- Error Codes for DeleteVoiceMail() ..... 69**

**Table 66 -- Arguments for EnhancedInitiateCall() ..... 69**

**Table 67 -- Error Codes for EnhacedInitiateCall() ..... 70**

**Table 68 -- Arguments for WaitingForCall() ..... 70**

**Table 69 -- Error Codes for WaitingForCall() ..... 71**

**Table 70 -- Arguments for InitiateParallelCall() ..... 71**

**Table 71 -- Error Codes for IntiateParallelcall() ..... 72**

**Table 72 -- Arguments for AcceptParallelCall() ..... 72**

**Table 73 -- Error Codes for AcceptParallelCall() ..... 72**

**Table 74 -- Error Code Summary ..... 73**