

ISO/IEC 29341-26-10:2017-09 (E)

Information technology - UPnP Device Architecture - Part 26-10: Telephony device control protocol - Level 2 - Call management service

Contents		Page
1	Scope	1
2	Normative References	1
3	Terms, definitions, symbols and abbreviated terms	2
4	Notations and conventions	5
4.1	Text conventions	5
4.2	Data Types	5
4.3	Vendor-defined Extensions	6
5	Service Modeling Definitions	6
5.1	Service Type	6
5.2	CallManagement Service Architecture	6
5.2.1	Managing Call With Multiple Telephony Clients	6
5.2.2	User Concept and Multi-User Control	10
5.2.3	Call Monopolization	11
5.2.4	Selective Information Delivery	16
5.2.5	Handling of Media Streams	16
5.2.6	Content Sharing	17
5.3	State Variables	18
5.3.1	State Variable Overview	18
5.3.2	CallInfo	19
5.3.3	TelCPNameList	23
5.3.4	CallBackAvailability	23
5.3.5	PushInfo	23
5.3.6	VoiceMailInfo	24
5.3.7	ParallelCallInfo	25
5.3.8	A_ARG_TYPE_TelephonyServerIdentity	26
5.3.9	A_ARG_TYPE_TelCPName	26
5.3.10	A_ARG_TYPE_TelCPNameList	26
5.3.11	A_ARG_TYPE_Expires	26
5.3.12	A_ARG_TYPE_MediaCapabilityInfo	26
5.3.13	A_ARG_TYPE_CalleeID	28
5.3.14	A_ARG_TYPE_CallPriority	28
5.3.15	A_ARG_TYPE_CallMode	29
5.3.16	A_ARG_TYPE_CallID	29
5.3.17	A_ARG_TYPE_SecretKey	29
5.3.18	A_ARG_TYPE_RejectReason	29
5.3.19	A_ARG_TYPE_TCList	29
5.3.20	A_ARG_TYPE_CallInfoList	30
5.3.21	A_ARG_TYPE_CallLogs	31
5.3.22	A_ARG_TYPE_CallBackID	32
5.3.23	A_ARG_TYPE_CallBackInfoList	32
5.3.24	A_ARG_TYPE_PushInfoList	33
5.3.25	A_ARG_TYPE_VoiceMailInfoList	34
5.3.26	A_ARG_TYPE_VoiceMailID	34
5.3.27	A_ARG_TYPE_CallType	34
5.3.28	A_ARG_TYPE_CallerID	35
5.3.29	A_ARG_TYPE_MaxWaitingTime	36
5.4	Eventing and Moderation	36

5.4.1	Eventing of CallInfo	36
5.4.2	Eventing of TelCPNameList	37
5.4.3	Eventing of CallBackAvailability	37
5.4.4	Eventing of PushInfo	37
5.4.5	Eventing of VoiceMailInfo	37
5.4.6	Eventing of ParallelCallInfo	37
5.5	Actions	37
5.5.1	GetTelephonyIdentity()	38
5.5.2	RegisterTelCPName()	39
5.5.3	UnregisterTelCPName()	41
5.5.4	ChangeTelCPName()	41
5.5.5	GetTelCPNameList()	42
5.5.6	GetMediaCapabilities()	43
5.5.7	StartCall()	44
5.5.8	StopCall()	46
5.5.9	AcceptCall()	48
5.5.10	RejectCall()	50
5.5.11	ModifyCall()	52
5.5.12	AcceptModifyCall()	54
5.5.13	StartMediaTransfer()	56
5.5.14	ChangeMonopolizer()	57
5.5.15	InitiateCall()	59
5.5.16	GetCallInfo()	59
5.5.17	GetCallLogs()	61
5.5.18	ClearCallLogs()	61
5.5.19	RegisterCallBack()	62
5.5.20	ClearCallBack()	63
5.5.21	GetCallBackInfo()	63
5.5.22	ChangeCallMode()	64
5.5.23	GetPushInfo()	65
5.5.24	IgnoreCall()	66
5.5.25	GetVoiceMail()	67
5.5.26	DeleteVoiceMail()	68
5.5.27	EnhancedInitiateCall()	69
5.5.28	WaitingForCall()	70
5.5.29	InitiateParallelCall()	71
5.5.30	AcceptParallelCall()	72
5.5.31	Relationships Between Actions	73
5.5.32	Error Code Summary	73
5.6	Service Behavioral Model	73
5.6.1	State Diagram	73
6	XML Service Description	77
	Annex A (normative) XML complex type peerType	93
	Annex B (normative) XML Schema	97
	Annex C (informative) Theory of Operation	102
	Annex D (informative) Sequence Examples	125
	Annex E (informative) How to send DTMF	295
	Annex F (informative) Bibliography	296
	Figure 1 -- Relationship among Media Stream, Media Session and Media Session ID	3
	Figure 2 -- Architecture of the CallManagement Service	6
	Figure 3 -- Managing a Telephony Call with Multiple Telephony Clients	7

Figure 4 -- Starting a Call with Multiple Telephony Clients Using Media Mixing Capability	8
Figure 5 -- Modifying a Call with Multiple Telephony Clients Using Media Mixing Capability	8
Figure 6 -- Starting a Call With Multiple Telephony Clients Using Media Sharing Capability	9
Figure 7 -- Modifying a Call With Multiple Telephony Clients Using Media Sharing Capability	10
Figure 8 -- Example for Multi-User Control Concept	11
Figure 9 -- PHONE-based Call Monopolization	13
Figure 10 -- Incoming Call Handling	15
Figure 11 -- Call State Diagram for a Caller	74
Figure 12 -- Call State Diagram for a Callee	75
Figure 13 -- Call State Diagram to request the modification of a Call	76
Figure 14 -- Call State Diagram to accept the modification of a Call	77
Figure C.1 -- Flow basics for creating an outgoing Call (TC-Based Media Handling)	103
Figure C.2 -- Flow basics for accepting an incoming Call (TC-Based Media Handling)	105
Figure C.3 -- Flow basics for modifying an ongoing Call (TC-Based Media Handling)	107
Figure C.4 -- Flow basics for creating an outgoing Call (TS-Based Media Handling)	109
Figure C.5 -- Flow basics for accepting an incoming Call (TS-Based Media Handling)	111
Figure C.6 -- Flow basics for modifying an ongoing Call (TS-Based Media Handling)	113
Figure C.7 -- Flow basics for changing CallMode from Non-Monopolize to Monopolize	114
Figure C.8 -- Flow basics for changing CallMode from Monopolize to Non-Monopolize	115
Figure C.9 -- Flow basics for Early Media	116
Figure C.10 -- Example flow of TS-Based Content Sharing by initiating a Call	118
Figure C.11 -- Example flow of TS-Based Content Sharing in an existing Call	119
Figure C.12 -- Example flow of TC-Based Content Sharing by Updating a Call	120
Figure C.13 -- Example flow of TC-Based Content Sharing without Updating a Call	121
Figure C.14 -- Example flow of TC-Based Content Sharing by initiating a Call	122
Figure C.15 -- Architecture for Parallel Call	123
Figure C.16 -- Flow basics for Establishing a Parallel Call	124
Figure D.1 -- Register TelCPName	125
Figure D.2 -- Register TelCPName (But the specified TelCPName is already in use.)	126
Figure D.3 -- Keep using the same TelCPName	127
Figure D.4 -- Keep using the same TelCPName (But the specified Secret Key is invalid.)	128

Figure D.5 -- Change TelCPName	129
Figure D.6 -- Change TelCPName (But the specified Secret Key is invalid.)	130
Figure D.7 -- Change TelCPName (But the specified TelCPName is already in use.)	131
Figure D.8 -- Unregister TelCPName	132
Figure D.9 -- Unregister TelCPName (But the specified TelCPName does not exist.)	133
Figure D.10 -- Get existing TelCPNames	134
Figure D.11 -- Get existing TelCPNames (But no TelCP exists)	135
Figure D.12 -- Create a Call	137
Figure D.13 -- Terminate a Call	153
Figure D.14 -- Reject an incoming Call	158
Figure D.15 -- Cancel an outgoing Call	161
Figure D.16 -- Cancel an outgoing Call (But the specified CallID does not exist.)	164
Figure D.17 -- Cancel an outgoing Call (But the StopCall() action is invoked at invalid timing.)	165
Figure D.18 -- Get MediaSessionInfo and CallInfo during the Call	166
Figure D.19 -- Create an outgoing Call using multiple TCs (Case 1)	169
Figure D.20 -- Create an outgoing Call using multiple TCs (Case 2)	183
Figure D.21 -- Accept an incoming Call using multiple TCs (Case 1)	188
Figure D.22 -- Accept an incoming Call using multiple TCs (Case 2)	201
Figure D.23 -- Add TC during a Call (Create a modification request)	205
Figure D.24 -- Add TC during a Call (Accept a modification request)	215
Figure D.25 -- Remove TC during a Call (Create a modification request)	224
Figure D.26 -- Remove TC during a Call (Accept a modification request)	230
Figure D.27 -- Change TC during a Call	237
Figure D.28 -- Modify Media Session during a Call	246
Figure D.29 -- Initiate a Call	254
Figure D.30 -- Create an outgoing Call (Monopolization Mode Call(PHONE-TelCP))	257
Figure D.31 -- Terminate a Call (But the specified TelCP is not authorized.)	272
Figure D.32 -- Cancel an outgoing Call (But the specified TelCP is not authorized.)	273
Figure D.33 -- Change TelCP which Monopolize the Call	274
Figure D.34 -- Create a Call with TC-Based and TS-Based Media Handlings	277
Table 1 -- State Variables	18

Table 2 -- Allowed values for type	20
Table 3 -- Allowed values for callStatus	20
Table 4 -- Allowed values for reason and the corresponding values of the Call Status	21
Table 5 -- Allowed values for priority	22
Table 6 -- Allowed values for format	22
Table 7 -- Allowed values for priority	24
Table 8 -- Allowed values for informationType	26
Table 9 -- allowedValueList for the A_ARG_TYPE_CallPriority state variable	28
Table 10 -- allowedValueList for the A_ARG_TYPE_CallMode state variable	29
Table 11 -- Allowed values for videoQuality	35
Table 12 -- Allowed values for audioQuality	35
Table 13 -- Event Moderation	36
Table 14 -- Actions	37
Table 15 -- Arguments for GetTelephonyIdentity()	38
Table 16 -- Error Codes for GetTelephonyIdentity()	39
Table 17 -- Arguments for RegisterTelCPName()	39
Table 18 -- Error Codes for RegisterTelCPName()	40
Table 19 -- Arguments for UnregisterTelCPName()	41
Table 20 -- Error Codes for UnregisterTelCPName()	41
Table 21 -- Arguments for ChangeTelCPName()	41
Table 22 -- Error Codes for ChangeTelCPName()	42
Table 23 -- Arguments for GetTelCPNameList()	43
Table 24 -- Error Codes for GetTelCPNameList()	43
Table 25 -- Arguments for GetMediaCapabilities()	43
Table 26 -- Error Codes for GetMediaCapabilities()	44
Table 27 -- Arguments for StartCall()	44
Table 28 -- Error Codes for StartCall()	46
Table 29 -- Arguments for StopCall()	46
Table 30 -- Error Codes for StopCall()	48
Table 31 -- Arguments for AcceptCall()	48
Table 32 -- Error Codes for AcceptCall()	50

Table 33 -- Arguments for RejectCall()	50
Table 34 -- Error Codes for RejectCall()	52
Table 35 -- Arguments for ModifyCall()	52
Table 36 -- Error Codes for ModifyCall()	53
Table 37 -- Arguments for AcceptModifyCall()	54
Table 38 -- Error Codes for AcceptModifyCall()	55
Table 39 -- Arguments for StartMediaTransfer()	56
Table 40 -- Error Codes for StartMediaTransfer()	57
Table 41 -- Arguments for ChangeMonopolizer()	57
Table 42 -- Error Codes for ChangeMonopolizer()	58
Table 43 -- Arguments for InitiateCall()	59
Table 44 -- Error Codes for InitiateCall()	59
Table 45 -- Arguments for GetCallInfo()	59
Table 46 -- Error Codes for GetCallInfo()	60
Table 47 -- Arguments for GetCallLogs()	61
Table 48 -- Error Codes for GetCallLogs()	61
Table 49 -- Error Codes for ClearCallLogs()	62
Table 50 -- Arguments for RegisterCallBack()	62
Table 51 -- Error Codes for RegisterCallBack()	63
Table 52 -- Arguments for ClearCallBack()	63
Table 53 -- Error Codes for ClearCallBack()	63
Table 54 -- Arguments for GetCallBackInfo()	63
Table 55 -- Error Codes for GetCallBackInfo()	64
Table 56 -- Arguments for ChangeCallMode()	64
Table 57 -- Error Codes for ChangeCallMode()	65
Table 58 -- Arguments for GetPushInfo()	65
Table 59 -- Error Codes for GetPushInfo()	66
Table 60 -- Arguments for IgnoreCall()	66
Table 61 -- Error Codes for IgnoreCall()	67
Table 62 -- Arguments for GetVoiceMail()	67
Table 63 -- Error Codes for GetVoiceMail()	68

Table 64 -- Arguments for DeleteVoiceMail()	68
Table 65 -- Error Codes for DeleteVoiceMail()	69
Table 66 -- Arguments for EnhancedInitiateCall()	69
Table 67 -- Error Codes for EnhancedInitiateCall()	70
Table 68 -- Arguments for WaitingForCall()	70
Table 69 -- Error Codes for WaitingForCall()	71
Table 70 -- Arguments for InitiateParallelCall()	71
Table 71 -- Error Codes for IntiateParallelcall()	72
Table 72 -- Arguments for AcceptParallelCall()	72
Table 73 -- Error Codes for AcceptParallelCall()	72
Table 74 -- Error Code Summary	73