

# ISO/IEC 29341-26-11:2017-09 (E)

## Information technology - UPnP Device Architecture - Part 26-11: Telephony device control protocol - Level 2 - Media management service

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope .....</b>	<b>v</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions, symbols and abbreviated terms .....</b>	<b>2</b>
<b>4</b>	<b>Notations and conventions .....</b>	<b>4</b>
<b>4.1</b>	<b>Text conventions .....</b>	<b>4</b>
<b>4.2</b>	<b>Data Types .....</b>	<b>4</b>
<b>4.3</b>	<b>Vendor-defined Extensions .....</b>	<b>4</b>
<b>5</b>	<b>Service Modeling Definitions .....</b>	<b>4</b>
<b>5.1</b>	<b>Service Type .....</b>	<b>4</b>
<b>5.2</b>	<b>MediaManagement Service Architecture .....</b>	<b>4</b>
<b>5.3</b>	<b>State Variables .....</b>	<b>5</b>
<b>5.3.1</b>	<b>State Variable Overview .....</b>	<b>5</b>
<b>5.3.2</b>	<b>MediaSessionInfo .....</b>	<b>5</b>
<b>5.3.3</b>	<b>A_ARG_TYPE_MediaSessionID .....</b>	<b>7</b>
<b>5.3.4</b>	<b>A_ARG_TYPE_MediaCapabilityInfo .....</b>	<b>7</b>
<b>5.3.5</b>	<b>A_ARG_TYPE_MediaSessionInfoList .....</b>	<b>8</b>
<b>5.4</b>	<b>Eventing and Moderation .....</b>	<b>9</b>
<b>5.4.1</b>	<b>Eventing of MediaSessionInfo .....</b>	<b>9</b>
<b>5.5</b>	<b>Actions .....</b>	<b>9</b>
<b>5.5.1</b>	<b>GetMediaCapabilities() .....</b>	<b>9</b>
<b>5.5.2</b>	<b>StartMediaSession() .....</b>	<b>11</b>
<b>5.5.3</b>	<b>StopMediaSession() .....</b>	<b>12</b>
<b>5.5.4</b>	<b>ModifyMediaSession() .....</b>	<b>13</b>
<b>5.5.5</b>	<b>GetMediaSessionInfo() .....</b>	<b>15</b>
<b>5.5.6</b>	<b>Error Code Summary .....</b>	<b>16</b>
<b>5.6</b>	<b>Service Behavioral Model .....</b>	<b>16</b>
<b>5.6.1</b>	<b>State Diagrams .....</b>	<b>16</b>
<b>6</b>	<b>XML Service Description .....</b>	<b>17</b>
	<b>Annex A (normative) XML Schema .....</b>	<b>20</b>
	<b>Annex B (informative) Theory of Operation .....</b>	<b>22</b>
	<b>Annex C (informative) Sequence Examples .....</b>	<b>28</b>
	<b>Annex D (informative) Bibliography .....</b>	<b>185</b>
	<b>Figure 1 -- Relationship among Media Stream, Media Session and Media Session ID .....</b>	<b>3</b>
	<b>Figure 2 -- Architecture of the MediaManagement Service .....</b>	<b>5</b>
	<b>Figure 3 -- State diagrams of the MediaManagement service .....</b>	<b>17</b>
	<b>Figure B.1 -- Flow basics for creating an outgoing Call .....</b>	<b>23</b>
	<b>Figure B.2 -- Flow basics for accpeting an incoming Call .....</b>	<b>25</b>

Figure B.3 -- Flow basics for modifying an ongoing Call .....	27
Figure C.4 -- Create a Call .....	29
Figure C.5 -- Terminate a Call .....	44
Figure C.6 -- Reject an incoming Call .....	49
Figure C.7 -- Cancel an outgoing Call .....	52
Figure C.8 -- Cancel an outgoing Call (But the specified CallID does not exist.) .....	55
Figure C.9 -- Cancel an outgoing Call (But the StopCall() action is invoked at invalid timing.) .....	56
Figure C.10 -- Get MediaSessionInfo and CallInfo during the Call .....	57
Figure C.11 -- Create an outgoing Call using multiple TCs (Case 1) .....	61
Figure C.12 -- Create an outgoing Call using multiple TCs (Case 2) .....	75
Figure C.13 -- Accept an incoming Call using multiple TCs (Case 1) .....	80
Figure C.14 -- Accept an incoming Call using multiple TCs (Case 2) .....	92
Figure C.15 -- Add TC during a Call (Create a modification request) .....	97
Figure C.16 -- Add TC during a Call (Accept a modification request) .....	106
Figure C.17 -- Remove TC during a Call (Create a modification request) .....	114
Figure C.18 -- Remove TC during a Call (Accept a modification request) .....	120
Figure C.19 -- Change TC during a Call .....	127
Figure C.20 -- Modify Media Session during a Call .....	136
Figure C.21 -- Initiate a Call .....	144
Figure C.22 -- Create an outgoing Call (Monopolization Mode Call(PHONE-TelCP)) .....	147
Figure C.23 -- Terminate a Call (But the specified TelCP is not authorized.) .....	162
Figure C.24 -- Cancel an outgoing Call (But the specified TelCP is not authorized.) .....	164
Figure C.25 -- Change TelCP which Monopolize the Call .....	165
Figure C.26 -- Create a Call with TC-Based and TS-Based Media Handlings .....	168
Table 1 -- State Variables .....	5
Table 2 -- Allowed values for mediaSessionStatus .....	6
Table 3 -- Allowed values for reason and the corresponding status of Media Session .....	6
Table 4 -- Allowed values for format .....	7
Table 5 -- Event Moderation .....	9
Table 6 -- Actions .....	9
Table 7 -- Arguments for GetMediaCapabilities() .....	9

<b>Table 8 -- Error Codes for GetMediaCapabilities()</b> .....	<b>10</b>
<b>Table 9 -- Arguments for StartMediaSession()</b> .....	<b>11</b>
<b>Table 10 -- Error Codes for StartMediaSession()</b> .....	<b>12</b>
<b>Table 11 -- Arguments for StopMediaSession()</b> .....	<b>12</b>
<b>Table 12 -- Error Codes for StopMediaSession()</b> .....	<b>13</b>
<b>Table 13 -- Arguments for ModifyMediaSession()</b> .....	<b>13</b>
<b>Table 14 -- Error Codes for ModifyMediaSession()</b> .....	<b>14</b>
<b>Table 15 -- Arguments for GetMediaSessionInfo()</b> .....	<b>15</b>
<b>Table 16 -- Error Codes for GetMediaSessionInfo()</b> .....	<b>15</b>
<b>Table 17 -- Error Code Summary</b> .....	<b>16</b>