

# ISO/IEC 29341-26-12:2017-09 (E)

## Information technology - UPnP Device Architecture - Part 26-12: Telephony device control protocol - Level 2 - Messaging service

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope .....</b>	<b>vi</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions, symbols and abbreviated terms .....</b>	<b>2</b>
<b>4</b>	<b>Notations and conventions .....</b>	<b>4</b>
<b>4.1</b>	<b>Text conventions .....</b>	<b>4</b>
<b>4.2</b>	<b>Data Types .....</b>	<b>4</b>
<b>4.3</b>	<b>Vendor-defined Extensions .....</b>	<b>5</b>
<b>5</b>	<b>Service Modeling Definitions .....</b>	<b>5</b>
<b>5.1</b>	<b>Service Type .....</b>	<b>5</b>
<b>5.2</b>	<b>Messaging Service Architecture .....</b>	<b>5</b>
<b>5.3</b>	<b>State Variables .....</b>	<b>6</b>
<b>5.3.1</b>	<b>State Variable Overview .....</b>	<b>6</b>
<b>5.3.2</b>	<b>A_ARG_TYPE_MessagingCapabilities .....</b>	<b>7</b>
<b>5.3.3</b>	<b>NewMessages .....</b>	<b>8</b>
<b>5.3.4</b>	<b>SessionUpdates .....</b>	<b>9</b>
<b>5.3.5</b>	<b>A_ARG_TYPE_TelephonyServerIdentity .....</b>	<b>10</b>
<b>5.3.6</b>	<b>A_ARG_TYPE_MessageID .....</b>	<b>10</b>
<b>5.3.7</b>	<b>A_ARG_TYPE_MessageClass .....</b>	<b>11</b>
<b>5.3.8</b>	<b>A_ARG_TYPE_MessageFolder .....</b>	<b>11</b>
<b>5.3.9</b>	<b>A_ARG_TYPE_MessageStatus .....</b>	<b>12</b>
<b>5.3.10</b>	<b>A_ARG_TYPE_Message .....</b>	<b>12</b>
<b>5.3.11</b>	<b>A_ARG_TYPE_MessageList .....</b>	<b>15</b>
<b>5.3.12</b>	<b>A_ARG_TYPE_SessionID .....</b>	<b>16</b>
<b>5.3.13</b>	<b>A_ARG_TYPE_SessionClass .....</b>	<b>16</b>
<b>5.3.14</b>	<b>A_ARG_TYPE_RecipientsList .....</b>	<b>17</b>
<b>5.3.15</b>	<b>A_ARG_TYPE_SessionInfo .....</b>	<b>18</b>
<b>5.3.16</b>	<b>A_ARG_TYPE_SessionsList .....</b>	<b>20</b>
<b>5.3.17</b>	<b>A_ARG_TYPE_SupportedContentType .....</b>	<b>21</b>
<b>5.3.18</b>	<b>A_ARG_TYPE_Subject .....</b>	<b>22</b>
<b>5.3.19</b>	<b>A_ARG_TYPE_SessionStatus .....</b>	<b>22</b>
<b>5.3.20</b>	<b>A_ARG_TYPE_FileInfoList .....</b>	<b>22</b>
<b>5.4</b>	<b>Eventing and Moderation .....</b>	<b>24</b>
<b>5.4.1</b>	<b>Eventing of NewMessages .....</b>	<b>24</b>
<b>5.4.2</b>	<b>Eventing of SessionUpdates .....</b>	<b>24</b>
<b>5.5</b>	<b>Actions .....</b>	<b>25</b>
<b>5.5.1</b>	<b>GetTelephonyIdentity() .....</b>	<b>26</b>
<b>5.5.2</b>	<b>GetMessagingCapabilities() .....</b>	<b>27</b>
<b>5.5.3</b>	<b>GetNewMessages() .....</b>	<b>28</b>
<b>5.5.4</b>	<b>SearchMessages() .....</b>	<b>29</b>
<b>5.5.5</b>	<b>ReadMessage() .....</b>	<b>30</b>
<b>5.5.6</b>	<b>SendMessage() .....</b>	<b>31</b>
<b>5.5.7</b>	<b>DeleteMessage() .....</b>	<b>33</b>
<b>5.5.8</b>	<b>CreateSession() .....</b>	<b>34</b>
<b>5.5.9</b>	<b>ModifySession() .....</b>	<b>35</b>
<b>5.5.10</b>	<b>AcceptSession() .....</b>	<b>36</b>
<b>5.5.11</b>	<b>GetSessionUpdates() .....</b>	<b>37</b>
<b>5.5.12</b>	<b>GetSessions() .....</b>	<b>38</b>

5.5.13	JoinSession()	39
5.5.14	LeaveSession()	40
5.5.15	CloseSession()	41
5.5.16	StartFileTransfer()	42
5.5.17	CancelFileTransfer()	43
5.5.18	GetFileTransferSession()	44
5.5.19	Error Code Summary	45
5.6	Service Behavioral Model	46
5.6.1	State Diagrams	46
6	XML Service Description	47
	Annex A (normative) XML complex type peerType	56
	Annex B (normative) XML Schema	60
	Annex C (informative) Theory of Operation	64
	Annex D (informative) Bibliography	69
	Figure 1 -- Architecture of the Messaging Service	5
	Figure 2 -- Lifecycle of Messages	46
	Figure 3 -- Lifecycle of Sessions	47
	Figure C.1 -- Message handling	64
	Figure C.2 -- Session handling in the Session Mode Messaging	66
	Figure C.3 -- Incoming Session handling in the Session Mode Messaging	66
	Figure C.4 -- File Transfer Session handling	67
	Figure C.5 -- File Transfer Session handling	68
	Table 1 -- State Variables	6
	Table 2 -- Allowed values for sessionEvent and the corresponding values of the sessionStatus	9
	Table 3 -- allowedValueList for the A_ARG_TYPE_MessageClass state variable	11
	Table 4 -- allowedValueList for the A_ARG_TYPE_MessageFolder state variable	12
	Table 5 -- allowedValueList for the A_ARG_TYPE_MessageStatus state variable	12
	Table 6 -- allowedValueList for the A_ARG_TYPE_SessionClass state variable	16
	Table 7 -- allowedValueList for the A_ARG_TYPE_SessionStatus state variable	22
	Table 8 -- Event Moderation	24
	Table 9 -- Actions	25
	Table 10 -- Arguments for GetTelephonyIdentity()	26
	Table 11 -- Error Codes for GetTelephonyIdentity()	27
	Table 12 -- Arguments for GetMessagingCapabilities()	27
	Table 13 -- Error Codes for GetMessagingCapabilities()	28

<b>Table 14 -- Arguments for GetNewMessages()</b> .....	<b>28</b>
<b>Table 15 -- Error Codes for GetNewMessages</b> .....	<b>29</b>
<b>Table 16 -- Arguments for SearchMessages()</b> .....	<b>29</b>
<b>Table 17 -- Error Codes for SearchMessages()</b> .....	<b>30</b>
<b>Table 18 -- Arguments for ReadMessage()</b> .....	<b>31</b>
<b>Table 19 -- Error Codes for ReadMessage()</b> .....	<b>31</b>
<b>Table 20 -- Arguments for SendMessage()</b> .....	<b>32</b>
<b>Table 21 -- Error Codes for SendMessage()</b> .....	<b>33</b>
<b>Table 22 -- Arguments for DeleteMessage()</b> .....	<b>33</b>
<b>Table 23 -- Error Codes for DeleteMessage()</b> .....	<b>34</b>
<b>Table 24 -- Arguments for CreateSession()</b> .....	<b>34</b>
<b>Table 25 -- Error Codes for CreateSession()</b> .....	<b>35</b>
<b>Table 26 -- Arguments for ModifySession()</b> .....	<b>35</b>
<b>Table 27 -- Error Codes for ModifySession()</b> .....	<b>36</b>
<b>Table 28 -- Arguments for AcceptSession()</b> .....	<b>36</b>
<b>Table 29 -- Error Codes for AcceptSession()</b> .....	<b>37</b>
<b>Table 30 -- Arguments for GetSessionUpdates()</b> .....	<b>37</b>
<b>Table 31 -- Error Codes for GetSessionUpdates()</b> .....	<b>38</b>
<b>Table 32 -- Arguments for GetSessions()</b> .....	<b>38</b>
<b>Table 33 -- Error Codes for GetSessions()</b> .....	<b>39</b>
<b>Table 34 -- Arguments for JoinSession()</b> .....	<b>39</b>
<b>Table 35 -- Error Codes for JoinSession()</b> .....	<b>40</b>
<b>Table 36 -- Arguments for LeaveSession()</b> .....	<b>40</b>
<b>Table 37 -- Error Codes for LeaveSession()</b> .....	<b>41</b>
<b>Table 38 -- Arguments for CloseSession()</b> .....	<b>41</b>
<b>Table 39 -- Error Codes for CloseSession()</b> .....	<b>42</b>
<b>Table 40 -- Arguments for StartFileTransfer()</b> .....	<b>42</b>
<b>Table 41 -- Error Codes for StartFileTransfer()</b> .....	<b>43</b>
<b>Table 42 -- Arguments for CancelFileTransfer()</b> .....	<b>43</b>
<b>Table 43 -- Error Codes for CancelFileTransfer()</b> .....	<b>44</b>
<b>Table 44 -- Arguments for GetFileTransferSession()</b> .....	<b>44</b>

<b>Table 45 -- Error Codes for GetFileTransferSession() .....</b>	<b>45</b>
<b>Table 46 -- Error Code Summary .....</b>	<b>45</b>