

# ISO/IEC 29341-26-16:2017-09 (E)

## Information technology - UPnP Device Architecture - Part 26-16: Telephony device control protocol - Level 2 - Presence service

---

<b>Contents</b>		<b>Page</b>
<b>1</b>	<b>Scope .....</b>	<b>v</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions, symbols and abbreviated terms .....</b>	<b>2</b>
<b>4</b>	<b>Notations and conventions .....</b>	<b>3</b>
<b>4.1</b>	<b>Text conventions .....</b>	<b>3</b>
<b>4.1.1</b>	<b>Data Types .....</b>	<b>4</b>
<b>4.2</b>	<b>Vendor-defined Extensions .....</b>	<b>4</b>
<b>5</b>	<b>Service Modeling Definitions .....</b>	<b>4</b>
<b>5.1</b>	<b>Service Type .....</b>	<b>4</b>
<b>5.2</b>	<b>Presence Service Architecture .....</b>	<b>4</b>
<b>5.3</b>	<b>State Variables .....</b>	<b>5</b>
<b>5.3.1</b>	<b>State Variable Overview .....</b>	<b>5</b>
<b>5.3.2</b>	<b>UserPresenceInfo .....</b>	<b>5</b>
<b>5.3.3</b>	<b>PresenceOfContactsUpdate .....</b>	<b>7</b>
<b>5.3.4</b>	<b>A_ARG_TYPE_UserPresenceInfo .....</b>	<b>8</b>
<b>5.3.5</b>	<b>A_ARG_TYPE_PresenceOfContactsList .....</b>	<b>10</b>
<b>5.3.6</b>	<b>A_ARG_TYPE_ContactId .....</b>	<b>11</b>
<b>5.3.7</b>	<b>A_ARG_TYPE_RegistrationResult .....</b>	<b>12</b>
<b>5.3.8</b>	<b>A_ARG_TYPE_Expires .....</b>	<b>12</b>
<b>5.3.9</b>	<b>Watcher .....</b>	<b>12</b>
<b>5.3.10</b>	<b>A_ARG_TYPE_WatcherList .....</b>	<b>13</b>
<b>5.4</b>	<b>Eventing and Moderation .....</b>	<b>14</b>
<b>5.4.1</b>	<b>Eventing of UserPresenceInfo .....</b>	<b>14</b>
<b>5.4.2</b>	<b>Eventing of PresenceOfContactsUpdate .....</b>	<b>15</b>
<b>5.4.3</b>	<b>Eventing of Watcher .....</b>	<b>15</b>
<b>5.5</b>	<b>Actions .....</b>	<b>15</b>
<b>5.5.1</b>	<b>GetPresence() .....</b>	<b>15</b>
<b>5.5.2</b>	<b>UpdatePresence() .....</b>	<b>16</b>
<b>5.5.3</b>	<b>GetContactPresence() .....</b>	<b>17</b>
<b>5.5.4</b>	<b>GetPresenceOfContactsUpdate() .....</b>	<b>18</b>
<b>5.5.5</b>	<b>RegisterForContactPresence() .....</b>	<b>19</b>
<b>5.5.6</b>	<b>AuthorizePresenceReactive() .....</b>	<b>20</b>
<b>5.5.7</b>	<b>AuthorizePresenceProactive() .....</b>	<b>21</b>
<b>5.5.8</b>	<b>Error Code Summary .....</b>	<b>22</b>
<b>5.6</b>	<b>Service Behavioral Model .....</b>	<b>22</b>
<b>6</b>	<b>XML Service Description .....</b>	<b>22</b>
	<b>Annex A (normative) XML complex type peerType .....</b>	<b>26</b>
	<b>Annex B (normative) XML Schema .....</b>	<b>30</b>
	<b>Annex C (informative) Theory of Operation .....</b>	<b>32</b>
	<b>Annex D (informative) Bibliography .....</b>	<b>34</b>
	<b>Figure 1 -- Presence Service Architecture .....</b>	<b>5</b>

<b>Figure C.1 -- Presence registration and notification .....</b>	<b>32</b>
<b>Figure C.2 -- Reactive Authorization of a request for Presence information .....</b>	<b>33</b>
<b>Figure C.3 -- Proactive Authorization for Presence information .....</b>	<b>33</b>
<b>Table 1 -- State Variables .....</b>	<b>5</b>
<b>Table 2 -- Event Moderation .....</b>	<b>14</b>
<b>Table 3 -- Actions .....</b>	<b>15</b>
<b>Table 4 -- Arguments for GetPresence() .....</b>	<b>15</b>
<b>Table 5 -- Error Codes for GetPresence() .....</b>	<b>16</b>
<b>Table 6 -- Arguments for UpdatePresence() .....</b>	<b>16</b>
<b>Table 7 -- Error Codes for UpdatePresence() .....</b>	<b>17</b>
<b>Table 8 -- Arguments for GetContactPresence() .....</b>	<b>17</b>
<b>Table 9 -- Error Codes for GetContactPresence() .....</b>	<b>18</b>
<b>Table 10 -- Arguments for GetPresenceOfContactsUpdate() .....</b>	<b>18</b>
<b>Table 11 -- Error Codes for GetPresenceOfContactsUpdate() .....</b>	<b>18</b>
<b>Table 12 -- Arguments for RegisterForContactPresence() .....</b>	<b>19</b>
<b>Table 13 -- Error Codes for RegisterForContactPresence() .....</b>	<b>19</b>
<b>Table 14 -- Arguments for AuthorizePresenceReactive() .....</b>	<b>20</b>
<b>Table 15 -- Error Codes for AuthorizePresenceReactive() .....</b>	<b>21</b>
<b>Table 16 -- Arguments for AuthorizePresenceProactive() .....</b>	<b>21</b>
<b>Table 17 -- Error Codes for AuthorizePresenceProactive() .....</b>	<b>22</b>
<b>Table 18 -- Error Code Summary .....</b>	<b>22</b>