

# ISO/IEC 29341-28-10:2017-09 (E)

## Information technology - UPnP Device Architecture - Part 28-10: Multiscreen device control protocol - Application management service

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
1	Scope .....	1
2	Normative references .....	1
3	Terms, definitions, symbols and abbreviations .....	2
3.1.1	SECURITY feature .....	2
3.1.2	AM Roles .....	2
3.1.3	Application .....	2
3.1.4	Native Application .....	2
3.1.5	Web Application .....	2
4	Notations and Conventions .....	2
5	Service Modelling Definitions .....	2
5.1	Service Type .....	2
5.2	Key Concepts .....	2
5.2.1	SECURITY feature .....	2
5.3	State Variables .....	4
5.3.1	A_ARG_TYPE_AppIDs .....	4
5.3.2	AppInfoList .....	5
5.3.3	A_ARG_TYPE_AppInfo .....	7
5.3.4	SupportedTargetFields .....	8
5.3.5	A_ARG_TYPE_Target .....	8
5.3.6	A_ARG_TYPE_TargetFields .....	8
5.3.7	RunningAppList .....	8
5.3.8	A_ARG_TYPE_URI .....	8
5.3.9	A_ARG_TYPE_Parameters .....	8
5.4	Eventing and Moderation .....	9
5.5	Actions .....	9
5.5.1	GetAppInfoByIDs() .....	10
5.5.2	GetSupportedTargetFields() .....	10
5.5.3	GetAppIDList() .....	11
5.5.4	GetRunningAppList() .....	12
5.5.5	GetRunningStatus() .....	12
5.5.6	StartAppByID() .....	13
5.5.7	StartAppbyURI() .....	14
5.5.8	StopApp() .....	15
5.5.9	GetAppConnectionInfo() .....	16
5.5.10	Non-Standard Actions Implemented by a UPnP Vendor .....	17
5.5.11	Common Error Codes .....	17
6	XML Service Description .....	17
7	Test .....	21
Table 1	-- Error Codes for Action Level Access .....	3
Table 2	-- ApplicationManagement Roles .....	3

<b>Table 3 -- Action to Role Permission Mapping .....</b>	<b>4</b>
<b>Table 4 --State variables .....</b>	<b>4</b>
<b>Table 5 -- Allowed values for function element .....</b>	<b>6</b>
<b>Table 6 -- Allowed values for connectionAddress element .....</b>	<b>6</b>
<b>Table 7 -- Required fields for SupportedTargetFields .....</b>	<b>8</b>
<b>Table 8 -- Event moderation .....</b>	<b>9</b>
<b>Table 9 -- Actions .....</b>	<b>9</b>
<b>Table 10 -- Arguments for GetAppInfoByIDs() .....</b>	<b>10</b>
<b>Table 11 -- Error Codes for GetAppInfoByIDs() .....</b>	<b>10</b>
<b>Table 12 -- Arguments for GetSupportedTargetFields() .....</b>	<b>11</b>
<b>Table 13 -- Error Codes for GetSupportedTargetFields() .....</b>	<b>11</b>
<b>Table 14 -- Arguments for GetAppIDList() .....</b>	<b>11</b>
<b>Table 15 -- Error Codes for GetAppIDList() .....</b>	<b>11</b>
<b>Table 16 -- Arguments for GetRunningAppList() .....</b>	<b>12</b>
<b>Table 17 -- Error Codes for GetRunningAppList() .....</b>	<b>12</b>
<b>Table 18 -- Arguments for GetRunningStatus() .....</b>	<b>12</b>
<b>Table 19 -- Error Codes for GetRunningStatus() .....</b>	<b>13</b>
<b>Table 20 -- Arguments for StartAppByID() .....</b>	<b>13</b>
<b>Table 21 -- Error Codes for StartAppByID() .....</b>	<b>13</b>
<b>Table 22 -- Arguments for StartAppByURI() .....</b>	<b>14</b>
<b>Table 23 -- Error Codes for StartAppByURI() .....</b>	<b>15</b>
<b>Table 24 -- Arguments for StopApp() .....</b>	<b>15</b>
<b>Table 25 -- Error Codes for StopApp() .....</b>	<b>16</b>
<b>Table 26 -- Arguments for GetAppConnectionInfo() .....</b>	<b>16</b>
<b>Table 27 -- Error Codes for GetAppConnectionInfo() .....</b>	<b>16</b>
<b>Table 28 -- Common Error Codes .....</b>	<b>17</b>