

# ISO/IEC 11801-6:2017-11 (E)

## Information technology - Generic cabling for customer premises - Part 6: Distributed building services

---

### CONTENTS

- FOREWORD.....5
- INTRODUCTION.....6
- 1 Scope.....9
- 2 Normative references .....9
- 3 Terms, definitions and abbreviated terms .....10
  - 3.1 Terms and definitions.....10
  - 3.2 Abbreviated terms.....11
- 4 Conformance.....11
- 5 Structure of the generic cabling system .....12
  - 5.1 General.....12
  - 5.2 Functional elements.....12
    - 5.2.1 Stand-alone structure .....12
    - 5.2.2 Overlay structure .....13
  - 5.3 General structure and hierarchy .....13
    - 5.3.1 Type A generic cabling .....13
    - 5.3.2 Type B generic cabling .....14
  - 5.4 Cabling subsystems .....15
    - 5.4.1 Campus and building backbone cabling subsystem.....15
    - 5.4.2 Service distribution cabling subsystem (Type A generic cabling).....15
    - 5.4.3 Service distribution cabling subsystem (Type B generic cabling).....15
    - 5.4.4 Design objectives .....16
  - 5.5 Accommodation of functional elements .....16
    - 5.5.1 General .....16
    - 5.5.2 Accommodation of service outlets.....16
    - 5.5.3 Accommodation of service concentration points.....17
  - 5.6 Interfaces.....17
    - 5.6.1 Equipment interfaces and test interfaces .....17
    - 5.6.2 Channels and links .....18
  - 5.7 Dimensioning and configuring .....19
    - 5.7.1 General .....19
    - 5.7.2 Type A generic cabling .....21
    - 5.7.3 Type B generic cabling .....22
    - 5.7.4 Service concentration point.....23
    - 5.7.5 Connecting hardware.....23
    - 5.7.6 Telecommunications rooms and equipment rooms .....23
  - 5.8 Relevant building services .....23

6	Channel performance requirements .....	23
6.1	General.....	23
6.2	Environmental performance .....	25
6.3	Transmission performance .....	25
6.3.1	General .....	25
6.3.2	Balanced cabling .....	25
6.3.3	Optical fibre cabling.....	26
7	Link performance requirements .....	26
7.1	General.....	26
7.2	Balanced cabling .....	27
7.3	Optical fibre cabling .....	27
8	Reference implementations .....	27
8.1	General.....	27
8.2	Balanced cabling .....	27
8.2.1	General .....	27
8.2.2	Service distribution cabling (Type A generic cabling) .....	28
8.2.3	Service distribution cabling (Type B generic cabling).....	31
8.2.4	Campus and building backbone cabling .....	31
8.3	Optical fibre cabling .....	31
8.3.1	Service distribution cabling (Type A generic cabling) .....	31
8.3.2	Service distribution cabling (Type B generic cabling) .....	32
8.3.3	Campus and building backbone cabling .....	32
9	Cable requirements .....	32
9.1	General.....	32
9.2	Balanced cables .....	32
9.3	Optical fibre cables .....	32
10	Connecting hardware requirements .....	32
10.1	General requirements .....	32
10.2	Connecting hardware for balanced cabling.....	32
10.2.1	General requirements .....	32
10.2.2	Electrical, mechanical and environmental performance.....	32
10.3	Connecting hardware for optical fibre cabling.....	33
11	Cords .....	33
11.1	Jumpers.....	33
11.2	Balanced cords .....	33
11.3	Optical fibre cords.....	33
Annex A	(informative) Services and applications.....	34
A.1	Overview.....	34
A.2	Service sectors and services.....	34
A.2.1	Access control .....	34
A.2.2	Burglar alarms .....	35
A.2.3	Asset management .....	35
A.2.4	Audio-visual.....	35
A.2.5	Building information systems .....	35
A.2.6	Building well-being and structural sensor systems .....	35
A.2.7	Energy management.....	35
A.2.8	Environmental control.....	36
A.2.9	Fixed information technology services .....	36
A.2.10	Personal well-being .....	36
A.2.11	Shared information technology services.....	36
A.3	Service concentration point grid density.....	38
A.4	Cabling provision to service concentration points .....	39

Annex B (informative) Overlay .....	40
B.1 General.....	40
B.2 Functional elements.....	40
B.2.1 Type A generic cabling .....	40
B.2.2 Type B generic cabling .....	40
B.3 General structure and hierarchy.....	40
B.3.1 Type A generic cabling .....	40
B.3.2 Type B generic cabling .....	40
Annex C (informative) Optical fibre within the Type B service distribution cabling subsystem .....	41
C.1 Overview.....	41
C.2 Implementation recommendations.....	41
C.2.1 Channel performance .....	41
C.2.2 Reference implementation .....	41
C.2.3 Cables.....	42
C.2.4 Connecting hardware.....	42
C.2.5 Cords .....	42
Bibliography.....	43

Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25 .....	7
Figure 2 – Structure of Type A generic cabling.....	13
Figure 3 – Hierarchical structure of Type A generic cabling.....	14
Figure 4 – Structure of Type B generic cabling.....	14
Figure 5 – Hierarchical structure of Type B generic cabling.....	15
Figure 6 – Accommodation of functional elements .....	16
Figure 7 – Cabling without the use of an SO .....	17
Figure 8 – Accommodation of TEs (Type B generic cabling).....	17
Figure 9 – Test and equipment interfaces (Type A generic cabling) .....	18
Figure 10 – Test and equipment interfaces (Type B generic cabling).....	18
Figure 11 – Example of a Type A generic cabling system with combined BD and SD .....	20
Figure 12 – Connection of functional elements providing redundancy for Type A generic cabling .....	20
Figure 13 –Transmission performance of a service distribution channel .....	24
Figure 14 – Example of a system showing the location of cabling interfaces .....	25
Figure 15 – Link options.....	27
Figure 16 – Service distribution cabling models .....	29
Figure A.1 – Wireless application coverage area grid.....	38
Figure C.1 – Combined optical fibre backbone and service distribution channels .....	42
Table 1 – Maximum channel lengths for Type A reference implementations .....	21
Table 2 – Maximum channel lengths for Type B reference implementations .....	22
Table 3 – Service distribution channel length formulae in metres .....	30
Table A.1 – Supported wireless applications .....	37
Table A.2 – Recommended SCP grid dimensions .....	39
Table A.3 – Estimated SOs per SCP .....	39