

ISO 18095:2018-02 (E)

Condition monitoring and diagnostics of power transformers

Contents		Page
Foreword		vi
Introduction		vii
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Abbreviated terms	1
5	Approach to selecting appropriate condition monitoring techniques	2
5.1	Implementing condition monitoring of transformers	2
5.2	Components, failure modes and detection techniques	2
6	Power transformer types	3
6.1	Oil-filled transformers	3
6.2	Dry-type transformers	4
6.3	Gas-insulated transformers (GITs)	6
7	Power transformer failure mode analysis	6
7.1	Components	6
7.2	Categories of failure mode	7
7.2.1	General	7
7.2.2	Dielectric failures	7
7.2.3	Thermal	7
7.2.4	Mechanical	7
7.2.5	External	8
7.3	Failure modes	8
7.4	Influences on rate of failure mode progression	9
7.4.1	General	9
7.4.2	Loading	9
7.4.3	Environment	9
7.4.4	Design	10
7.4.5	Maintenance	10
7.4.6	Protection	10
8	Range of techniques	10
9	Overview of techniques for condition monitoring power transformers	12
9.1	Mains current/voltage/load	12
9.1.1	Fault mechanism	12
9.1.2	Technique	12
9.1.3	Faults detected/components covered	12
9.2	Visual	12
9.2.1	Fault mechanism	12
9.2.2	Technique	13
9.2.3	Faults detected/components covered	13
9.3	Oil condition	13
9.3.1	Fault mechanism	13
9.3.2	Technique	15

9.3.3	Faults detected/components covered	15
9.4	Temperature including thermography	17
9.4.1	Fault mechanism	17
9.4.2	Technique	17
9.4.3	Faults detected/components covered	17
9.5	Partial discharge (PD)	17
9.5.1	Fault mechanism	17
9.5.2	Techniques	18
9.5.3	Faults detected/components covered	19
9.6	Dissolved gas analysis (DGA)	19
9.6.1	Fault mechanism	19
9.6.2	Technique	19
9.6.3	Faults detected/components covered	20
9.7	Noise	20
9.7.1	Fault mechanism	20
9.7.2	Technique	21
9.7.3	Faults detected/components covered	21
9.8	Ultrasound	21
9.8.1	Fault mechanism	21
9.8.2	Technique	21
9.8.3	Faults detected/components covered	21
9.9	Vibration	22
9.9.1	Fault mechanism	22
9.9.2	Technique	22
9.9.3	Faults detected/components covered	22
9.10	Power factor/tan-delta and capacitance	22
9.10.1	Fault mechanism	22
9.10.2	Technique	23
9.10.3	Faults detected/components covered	24
9.11	Resistance	25
9.11.1	Fault mechanism	25
9.11.2	Technique	25
9.11.3	Faults detected/components covered	25
9.12	Dielectric frequency response (DFR), polarization/depolarisation current (PDC), recovery voltage method (RVM)	25
9.12.1	Fault mechanism	25
9.12.2	Technique	26
9.12.3	Faults detected	26
9.13	Frequency response analysis (FRA)	26
9.13.1	Fault mechanism	26
9.13.2	Technique	27
9.13.3	Faults detected	27
9.14	Ten (10) kV single-phase excitation current	28
9.14.1	Fault mechanism	28
9.14.2	Technique	28
9.14.3	Faults detected/components covered	28
9.15	Leakage reactance flux	28
9.15.1	Fault mechanism	28
9.15.2	Technique	29
9.15.3	Faults detected/components covered	29
9.16	Bushing capacitance measurement	29
9.16.1	Fault mechanism	29
9.16.2	Technique	29
9.16.3	Faults detected/components covered	31
9.17	Novel techniques	31
9.17.1	Winding clamping force estimation (WCE) method	31
9.17.2	Online model-based voltage and current waveform analysis	32
10	Establishing the programme	32
10.1	Selection of techniques -- Individually and in combination	32
10.2	Selection of frequency of each monitoring technique	33

Annex A (informative) Factors influencing the life of paper-based insulation and the role of transformer oil analysis/dissolved gas analysis 34

Annex B (informative) Example of typical condition monitoring programme -- Output as a result of use of this document 38

Annex C (informative) Failure mode and symptoms analysis (FMSA) 39

Bibliography 44