ISO/IEC 14776-224:2019-10 (E)

Information technology - Small computer sys tem interface (SCSI) - Part 224: Fibre Channel Protocol for SCSI, fourth version (FCP-4)

Contents

FOREWORD . . . 8
INTRODUCTION . . . 10

1 Scope . . . 11

2 Normative references . . . 11

3 Terms, definitions, abbreviations and conventions . . . 12
3.1 Terms and definitions . . . 12
3.2 Abbreviations . . . 18
3.3 Keywords . . . 20
3.4 Editorial conventions . . . 21

4 General . . . 23
4.1 Structure and concepts . . . 23
4.2 FCP I/O operations . . . 24
4.3 Bidirectional and unidirectional commands and FCP_RSP IU format . . . 26
4.4 Precise delivery of commands . . . 26
4.5 Confirmed completion of FCP I/O operations . . . 27
4.6 Retransmission of unsuccessfully transmitted IUs . . . 28
4.7 Task retry identification . . . 28
4.8 Discovery of FCP capabilities . . . 29
4.9 Task management functions . . . 29
4.9.1 Task management functions overview . . . 29
4.9.2 ABORT TASK task management function . . . 31
4.9.3 QUERY TASK task management function . . . 31
4.10 Clearing effects of task management, FCP, FC-FS-3, FC-LS-2, and FC-AL-2 actions . . . 32
4.11 I_T nexus loss notification events . . . 34
4.12 Transport Reset notification events . . . 34
4.13 Port Login/Logout . . . 34
4.14 Process Login and Process Logout . . . 35
4.15 Link management . . . 35
4.16 FCP addressing and Exchange identification . . . 35
4.17 Use of Worldwide_Names . . . 35

5 FC-FS-3 frame header . . . 37
5.1 FC-FS-3 frame header overview . . . 37
5.2 FC-FS-3 frame header fields . . . 37
5.2.1 R_CTL field . . . 37
5.2.2 D_ID field . . . 37
5.2.3 CS_CTL field . . . 37
5.2.4 S_ID field . . . 37
5.2.5 TYPE field . . . 37
5.2.6 F_CTL field . . . 37
5.2.7 SEQ_ID field . . . 38
5.2.8 DF_CTL field . . . 38
5.2.9 SEQ_CNT field . . . 38
5.2.10 OX_ID field . . . 38
5.2.11 RX_ID field . . . 38
5.2.12 PARAMETER field . . . 38

6 FCP link service definitions 39
6.1 Overview of link service requirements 39
6.2 Overview of Process Login and Process Logout 39
6.3 PRLI ELS 40
6.3.1 Use of PRLI ELS by the Fibre Channel Protocol 40
6.3.2 New or repeated Process Login 40
6.3.3 PRLI ELS request FCP Service Parameter page format 41
6.3.4 PRLI ELS accept FCP Service Parameter page format 44
6.4 PRLO ELS 45
6.5 Read Exchange Concise (REC) ELS 45

7 FC-4 specific Name Server registration and objects 47
7.1 Overview of FC-4 specific objects for the Fibre Channel Protocol 47
7.2 FC-4 TYPEs object 47
7.3 FC-4 Features object 47

8 FCP FC-4 Link Service (FCP_LS) definitions 49
8.1 FCP_LS overview 49
8.2 Sequence Retransmission Request (SRR) FCP_LS request 49
8.3 FCP_LS Accept (FCP_ACC) 50
8.4 FCP_LS Reject (FCP_RJT) 51

9 FCP Information Unit (IU) usage and formats 53
9.1 FCP Information Unit (IU) usage 53
9.2 FCP_CMND IU 54
9.2.1 Overview and format of FCP_CMND IU 54
9.2.2 FCP_CMND IU field descriptions 55
9.2.2.1 FCP_LUN field 55
9.2.2.2 COMMAND REFERENCE NUMBER field 55
9.2.2.3 COMMAND PRIORITY field 56
9.2.2.4 TASK ATTRIBUTE field 56
9.2.2.5 TASK MANAGEMENT FLAGS FIELD 56
9.2.2.6 ADDITIONAL FCP_CDB LENGTH field 58
9.2.2.7 RDDATA bit and WRDATA bit 58
9.2.2.8 FCP_CDB field 59
9.2.2.9 ADDITIONAL_FCP_CDB field 59
9.2.2.10 FCP_DL field 59
9.2.2.11 FCP_BIDIRECTIONAL_READ_DL field 59
9.3 FCP_XFER_RDY IU 59
9.3.1 Overview and format of FCP_XFER_RDY IU 59
9.3.2 FCP_DATA_RO field 60
9.3.3 FCP_BURST_LEN field 60
9.4 FCP_DATA IU 60
9.4.1 FCP_DATA IU overview 60
9.4.2 FCP_DATA IUs for read and write operations 61
9.4.3 FCP_DATA IUs for bidirectional commands 62
9.4.4 FCP_DATA IU use of fill bytes 62
9.5 FCP_RSP IU 63
9.5.1 Overview and format of FCP_RSP IU 63
9.5.2 STATUS QUALIFIER field 64
9.5.3 FCP_BIDI_RSP bit 64
9.5.4 FCP_BIDI_READ_RESID_UNDER bit 64
9.5.5 FCP_BIDI_READ_RESID_OVER bit 65
9.5.6 FCP_CONF_REQ bit 65
9.5.7 FCP_RESID_UNDER bit 65
9.5.8 FCP_RESID_OVER bit 65
9.5.9 FCP_SNS_LEN_VALID bit 65
9.5.10 FCP_RSP_LEN_VALID bit 65

9.5.11 SCSI STATUS CODE field . . . 65
9.5.12 FCP_RESID field . . . 65
9.5.13 FCP_BIDIRECTIONAL_READ_RESID field . . . 66
9.5.14 FCP_SNS_LEN field . . . 67
9.5.15 FCP_RSP_LEN field . . . 67
9.5.16 FCP_RSP_INFO field . . . 67
9.5.17 FCP_SNS_INFO field . . . 68
9.6 FCP_CONF IU . . . 68

10 SCSI mode parameters for the Fibre Channel Protocol . . . 69
10.1 Overview of mode pages for the Fibre Channel Protocol . . . 69
10.2 Disconnect-Reconnect mode page . . . 69
10.2.1 Overview and format of Disconnect-Reconnect mode page for FCP . . . 69
10.2.2 BUFFER FULL RATIO field . . . 70
10.2.3 BUFFER EMPTY RATIO field . . . 70
10.2.4 BUS INACTIVITY LIMIT field . . . 70
10.2.5 DISCONNECT TIME LIMIT field . . . 71
10.2.6 CONNECT TIME LIMIT field . . . 71
10.2.7 MAXIMUM BURST SIZE field . . . 71
10.2.8 EMDP bit . . . 71
10.2.9 FAA BIT, FAB BIT, AND FAC bit . . . 72
10.2.10 FIRST BURST SIZE field . . . 72
10.3 Fibre Channel Logical Unit Control mode page . . . 73
10.4 Fibre Channel Port Control mode page . . . 73
10.4.1 Overview and format of Fibre Channel Port Control mode page . . . 73
10.4.2 DISABLE TARGET ORIGINATED LOOP INITIALIZATION (DTOLI) bit . . . 74
10.4.3 DISABLE TARGET INITIATED PORT ENABLE (DTIPE) bit . . . 74
10.4.4 ALLOW LOGIN WITHOUT LOOP INITIALIZATION (ALWLI) bit . . . 74
10.4.5 REQUIRE HARD ADDRESS (RHA) bit . . . 74
10.4.6 DISABLE LOOP MASTER (DLM) bit . . . 75
10.4.7 DISABLE DISCOVERY (DDIS) bit . . . 75
10.4.8 PREVENT LOOP PORT BYPASS (PLPB) bit . . . 75
10.4.9 DISABLE TARGET FABRIC DISCOVERY (DTFD) bit . . . 75
10.4.10 RR_TOV UNITS field . . . 75
10.4.11 SEQUENCE INITIATIVE RESOURCE RECOVERY TIMEOUT VALUE (RR_TOVSEQ_INIT) field 76

11 Timers for FCP operation and recovery . . . 77
11.1 Summary of timers for the Fibre Channel Protocol . . . 77
11.2 Error_Detect Timeout (E_D_TOV) . . . 78
11.3 Resource Allocation Timeout (R_A_TOV) . . . 78
11.4 Resource Recovery Timeout (RR_TOV) . . . 78
11.5 Read Exchange Concise Timeout Value (REC_TOV) . . . 78
11.6 Upper Level Protocol Timeout (ULP_TOV) . . . 79

12 Link error detection and error recovery procedures . . . 80
12.1 Error detection and error recovery overview . . . 80
12.1.1 Exchange level . . . 80
12.1.2 Sequence level . . . 80
12.2 FCP error detection . . . 80
12.2.1 Overview of FCP-4 error detection . . . 80
12.2.2 FCP-4 error detection using protocol errors for all classes of service . . . 80
12.2.3 Error detection mechanisms for acknowledged classes of service . . . 81
12.3 Exchange level recovery using ABTS-LS . . . 81
12.3.1 ABTS-LS overview . . . 81
12.3.2 Initiator FCP_Port Exchange termination . . . 82
12.3.3 Target FCP_Port response to Exchange termination . . . 82
12.3.4 Additional error recovery by initiator FCP_Port . . . 83
12.3.5 Additional error recovery by target FCP_Port . . . 83

12.4 Sequence level error detection and recovery . . . 83
12.4.1 Using information from REC ELS to perform Sequence retransmission . . . 83
12.4.1.1 Polling Exchange state with REC ELS . . . 83
12.4.1.2 Detection of errors while polling with REC ELS . . . 83
12.4.1.3 FCP_CMND IU recovery . . . 84
12.4.1.4 FCP_XFER_RDY IU recovery . . . 84
12.4.1.5 FCP_RSP IU recovery . . . 84
12.4.1.6 FCP_DATA IU recovery - write operations . . . 85
12.4.1.7 FCP_DATA IU recovery - read operations . . . 86
12.4.1.8 FCP_CONF IU recovery . . . 86
12.4.2 Additional error recovery requirements . . . 87
12.4.2.1 Error indicated in ACK . . . 87
12.4.2.2 Missing ACK . . . 87
12.4.2.3 Distinguishing Exchange to be aborted . . . 87
12.5 Second-level error recovery . . . 87
12.5.1 ABTS error recovery . . . 87
12.5.2 REC ELS request error recovery . . . 87
12.5.3 SRR FCP_LS request error recovery . . . 88
12.6 Responses to FCP type frames before port login or process login . . . 88

Annex A (normative) SAM-5 mapping to FCP-4 . . . 89

Annex B (informative) FCP examples . . . 91
B.1 Examples of the use of FCP Information Units (IUs) . . . 91
B.1.1 Overview of examples . . . 91
B.1.2 Read command . . . 91
B.1.3 Write command . . . 92
B.1.4 Command with no data transfer or with check condition . . . 92
B.1.5 Read command with multiple FCP_DATA IUs . . . 93
B.1.6 Write command with FCP_XFER_RDY disabled . . . 93
B.1.7 Bidirectional command with write before read . . . 94
B.1.8 Bidirectional command with read before write . . . 94
B.1.9 Bidirectional command with write first and write FCP_XFER_RDY disabled . . . 95
B.1.10 Bidirectional command with intermixed writes and reads . . . 96
B.1.11 Write command with confirmed completion . . . 96
B.1.12 Task management function . . . 97
B.1.13 Class 2 write command example, frame level . . . 98
B.1.14 Class 2 read command example, frame level . . . 100

Annex C (informative) Error detection and recovery examples . . . 102

Annex D (informative) FCP device discovery procedure . . . 136
D.1 FCP Device Discovery Procedure . . . 136
D.1.1 Initiator discovery of Fabric-attached target FCP_Ports . . . 136
D.1.2 Initiator discovery of loop-attached target FCP_Ports . . . 136
D.2 Fabric and device verification . . . 137
D.3 Logical unit verification . . . 137

Annex E (informative) FCP-4 examples of link service usage . . . 138
E.1 Formats for recovery link services . . . 138
E.2 Abort Sequence (ABTS) request . . . 138
E.2.1 Abort Sequence (ABTS) request fields . . . 138
E.2.2 Basic Accept (BA_ACC) frame to ABTS . . . 139
E.2.3 Basic Reject (BA_RJT) frame to ABTS . . . 139
E.3 Reinstate Recovery Qualifier (RRQ) ELS . . . 140

Tables

Table 1 - Numbering conventions . . . 21
Table 2 - SCSI and Fibre Channel Protocol functions . . . 24
Table 3 - Discovery of FCP-4 capabilities . . . 29
Table 4 - Task management functions, SAM-5 to FCP-4 . . . 30
Table 5 - SCSI Service Response mapping for FCP_CMND delivered task management functions 31
Table 6 - SCSI Service Response mapping for ABORT TASK . . . 31
Table 7 - SCSI Service Response mapping for QUERY TASK . . . 32
Table 8 - Clearing effects of link related actions . . . 33
Table 9 - Clearing effects of initiator FCP_Port actions . . . 34
Table 10 - FCP frame header . . . 37
Table 11 - PRLI ELS request FCP Service Parameter page . . . 41
Table 12 - PRLI ELS accept FCP Service Parameter page . . . 44
Table 13 - FCP TYPE 08h definition of FC-4 Feature bits . . . 47
Table 14 - Additional FCP Features TYPE 0Ah definition of FC-4 Feature bits . . . 47
Table 15 - FCP_LS requests and responses . . . 49
Table 16 - SRR FCP_LS request payload . . . 50
Table 17 - FCP_ACC payload . . . 51
Table 18 - FCP_RJT payload . . . 51
Table 19 - FCP_RJT Reason Codes . . . 52
Table 20 - FCP_RJT Reason Code Explanations . . . 52
Table 21 - FCP Information Units (IUs) sent to target FCP_Ports . . . 53
Table 22 - FCP Information Units (IUs) sent to initiator FCP_Ports . . . 54
Table 23 - FCP_CMND IU payload . . . 55
Table 24 - TASK ATTRIBUTE field . . . 56
Table 25 - TASK MANAGEMENT FLAGS field . . . 57
Table 26 - FCP_XFER_RDY IU payload . . . 60
Table 27 - FCP_RSP IU payload . . . 64
Table 28 - FCP_RSP_INFO field format . . . 67
Table 29 - RSP_CODE field . . . 68
Table 30 - Mode pages for FCP . . . 69
Table 31 - Disconnect-Reconnect mode page (02h) . . . 70
Table 32 - Fibre Channel Logical Unit Control mode page (18h) . . . 73
Table 33 - Fibre Channel Port Control mode page (19h) . . . 74
Table 34 - Values for RR_TOV UNITS . . . 75
Table 35 - Timer summary . . . 77
Table 36 - Initiator FCP_Port REC_TOV usage . . . 79
Table 37 - Target FCP_Port REC_TOV usage . . . 79

Table A.1 - Mapping of SAM-5 terms to FCP-4 objects and identifiers . . . 89
Table A.2 - Procedure terms . . . 89

Table B.1 - Read command example . . . 91
Table B.2 - Write command example . . . 92
Table B.3 - Command without data transfer example . . . 92
Table B.4 - Read command with multiple FCP_DATA IUs example . . . 93
Table B.5 - Write command with FCP_XFER_RDY disabled example . . . 93
Table B.6 - Bidirectional command with write before read example . . . 94
Table B.7 - Bidirectional command with read before write example . . . 94
Table B.8 - Bidirectional command with write first and write FCP_XFER_RDY disabled example . 95
Table B.9 - Bidirectional command with intermixed writes and reads example . . . 96
Table B.10 - Write command with confirmed completion example . . . 96
Table B.11 - Task management function example . . . 97

Table E.1 - ABTS frame . . . 138
Table E.2 - BA_ACC frame to ABTS . . . 139
Table E.3 - BA_RJT frame to ABTS . . . 139
Table E.4 - RRQ ELS request format . . . 140

Figures

Figure B.1 - Class 2 write command example 98
Figure B.2 - Class 2 write data example 99
Figure B.3 - Class 2 read command example 100
Figure B.4 - Class 2 read data example 101

Figure C.1 - Lengthy FCP_CMND or lost ACK 103
Figure C.2 - FCP_CMND lost, unacknowledged classes 104
Figure C.3 - FCP_CMND lost, acknowledged classes 105
Figure C.4 - FCP_CMND ACK lost, acknowledged classes 106
Figure C.5 - FCP_XFER_RDY lost, unacknowledged classes 107
Figure C.6 - FCP_XFER_RDY lost, acknowledged classes 108
Figure C.7 - FCP_XFER_RDY received, ACK lost, acknowledged classes 109
Figure C.8 - FCP_RSP lost, FCP_CONF not requested, unacknowledged classes 110
Figure C.9 - FCP_RSP lost, FCP_CONF not requested, acknowledged classes 111
Figure C.10 - FCP_RSP lost read command, no FCP_CONF, acknowledged classes 112
Figure C.11 - FCP_RSP received, ACK lost, acknowledged classes, example 1 113
Figure C.12 - FCP_RSP received, ACK lost, acknowledged classes, example 2 114
Figure C.13 - Lost write data, last frame of Sequence, unacknowledged classes. 115
Figure C.14 - Lost write data, last frame of Sequence, acknowledged classes. 116
Figure C.15 - Lost write data, not last frame of Sequence, unacknowledged classes. 117
Figure C.16 - Lost write data, not last frame of Sequence, acknowledged classes. 118
Figure C.17 - Lost read data, last frame of Sequence, unacknowledged classes 119
Figure C.18 - Lost read data, last frame of Sequence, acknowledged classes 120
Figure C.19 - Lost read data, not last frame of Sequence, unacknowledged classes 121
Figure C.20 - Lost read data, not last frame of Sequence, acknowledged classes 122
Figure C.21 - ACK lost on read, acknowledged classes 123
Figure C.22 - ACK lost on write, acknowledged classes 124
Figure C.23 - FCP_CONF lost, unacknowledged classes 125
Figure C.24 - FCP_CONF lost, acknowledged classes 126
Figure C.25 - ACK lost on FCP_CONF, acknowledged classes 127
Figure C.26 - REC ELS request or REC ELS response lost, unacknowledged classes 128
Figure C.27 - REC ELS lost, acknowledged classes 129
Figure C.28 - REC ELS response lost, acknowledged classes 130
Figure C.29 - Two REC ELSs lost, unacknowledged classes, abort the original Exchange 131
Figure C.30 - SRR FCP_LS request lost, unacknowledged classes, abort original Exchange 132
Figure C.31 - SRR FCP_LS response lost, unacknowledged classes 133
Figure C.32 - SRR FCP_LS request lost, acknowledged classes 134
Figure C.33 - SRR FCP_LS response lost, acknowledged classes 135