

# ISO/IEC 14763-2:2019-12 (E)

## Information technology - Implementation and operation of customer premises cabling - Part 2: Planning and installation

---

Contents	Page
FOREWORD.....	9
INTRODUCTION.....	11
1 Scope.....	13
2 Normative references .....	14
3 Terms, definitions and abbreviated terms .....	15
3.1 Terms and definitions.....	15
3.2 Abbreviated terms.....	20
3.3 Conventions.....	21
4 Conformance.....	21
5 Specification of installations .....	21
5.1 General.....	21
5.2 Installation specification.....	22
5.2.1 Requirements .....	22
5.2.2 Recommendations.....	23
5.3 Technical specification.....	24
5.3.1 General .....	24
5.3.2 Notification of hazards .....	24
5.3.3 Security requirements.....	25
5.3.4 Performance and configuration – Requirements.....	25
5.3.5 Environmental conditions.....	27
5.4 Scope of work .....	28
5.4.1 Pre-installation .....	28
5.4.2 Installation.....	29
5.4.3 Post-installation.....	30
5.5 Quality assurance .....	30
6 Quality planning.....	30
6.1 Quality plan .....	30
6.2 Specification of cabling components .....	31
6.3 Sampling.....	32
6.3.1 Balanced cabling .....	32
6.3.2 Optical fibre cabling.....	34
6.4 Treatment of marginal results.....	36
6.4.1 Balanced cabling .....	36
6.4.2 Optical fibre cabling.....	36
6.5 Treatment of non-compliant results .....	36
6.6 Change control .....	36

7	Installation planning.....	36
7.1	General.....	36
7.2	Safety .....	37
7.2.1	General .....	37
7.2.2	Low voltage power supply cabling.....	37
7.2.3	Telecommunications cables fire performance .....	37
7.2.4	Optical fibre cabling.....	37
7.2.5	Transmission and terminal equipment.....	37
7.3	Environment.....	37
7.4	Points of electrical contact .....	38
7.5	External service provision .....	38
7.5.1	Requirements .....	38
7.5.2	Recommendations .....	38
7.6	Pathways and pathway systems.....	38
7.6.1	General .....	38
7.6.2	Inside buildings .....	42
7.6.3	Outside buildings.....	49
7.7	Spaces .....	61
7.7.1	Requirements .....	61
7.7.2	Recommendations .....	66
7.8	Functional elements.....	68
7.8.1	Requirements .....	68
7.8.2	Recommendations .....	70
7.9	Segregation of telecommunications cabling and power supply cabling inside buildings .....	70
7.9.1	General .....	70
7.9.2	Requirements .....	72
7.9.3	Recommendations .....	78
7.10	Segregation of underground telecommunications cabling and power supply cabling outside buildings.....	78
7.10.1	General .....	78
7.10.2	Power supply cabling $\leq$ AC 1 000 V RMS or DC 1 500 V.....	78
7.10.3	Power supply cabling $>$ AC 1 000 V RMS or DC 1 500 V.....	79
7.10.4	Earthing systems .....	80
7.10.5	Other infrastructures.....	81
7.11	Segregation of aerial telecommunications cabling.....	82
7.11.1	General .....	82
7.11.2	Overhead power supply infrastructures .....	82
7.11.3	Sharing of infrastructures carrying $\leq$ 1 000 V AC (1 500 V DC) .....	84
7.11.4	Sharing of infrastructures carrying $>$ 1 000 V AC (1 500 V DC) .....	86
7.12	Planning for repair .....	86
7.13	Cabling – Requirements.....	87
7.13.1	General .....	87
7.13.2	Unscreened cabling .....	87
7.13.3	Screened cabling.....	87
7.13.4	Optical fibre cabling.....	87
7.14	Planning and assessment of cabling in support of remote powering objectives .....	88
7.14.1	General .....	88
7.14.2	Remote powering installations of Category RP3.....	88
7.14.3	Connecting hardware.....	92

8	Installation practices.....	93
8.1	General.....	93
8.2	Safety.....	93
8.2.1	General.....	93
8.2.2	Power supply cabling.....	93
8.2.3	Telecommunications cables fire performance.....	93
8.2.4	Optical fibre cabling.....	93
8.2.5	Guards and signs.....	94
8.2.6	Enclosed spaces.....	94
8.2.7	Maintenance holes.....	94
8.2.8	Closures.....	94
8.3	Environment.....	94
8.3.1	Storage.....	94
8.3.2	Installation – Requirements.....	94
8.4	Component inspection and testing – Requirements.....	94
8.5	Pathways.....	95
8.5.1	Requirements.....	95
8.5.2	Recommendations.....	96
8.6	Spaces.....	96
8.6.1	Requirements.....	96
8.6.2	Recommendations.....	97
8.7	Pathway system installation.....	97
8.7.1	General.....	97
8.7.2	Inside buildings.....	98
8.7.3	Outside buildings.....	98
8.8	Closure installation.....	98
8.9	Cable installation.....	99
8.9.1	Cable installation within pathway systems.....	99
8.9.2	Inside buildings.....	100
8.9.3	Cable installation in maintenance holes.....	101
8.9.4	Cable installation within closures – Requirements.....	102
8.10	Jointing and terminating of cables.....	102
8.10.1	Requirements.....	102
8.10.2	Balanced cabling.....	103
8.10.3	Screened balanced cabling.....	103
8.10.4	Optical fibre cabling.....	103
8.11	Cords and jumpers.....	103
8.12	Surge protective devices.....	103
8.13	Acceptance.....	104
8.13.1	Inspection.....	104
8.13.2	Testing.....	104
9	Documentation and administration.....	104
9.1	Symbols and preparation of documents.....	104
9.1.1	Requirements.....	104
9.1.2	Recommendations.....	104
9.2	Administration.....	104
9.2.1	General.....	104
9.2.2	Administration system.....	105
9.2.3	Identifiers – Requirements.....	109

9.2.4	Component labelling .....	109
9.2.5	Records .....	112
9.2.6	Cable administration system .....	116
9.2.7	Reports .....	119
10	Testing .....	119
10.1	General .....	119
10.1.1	Links and permanent links .....	119
10.1.2	Channels .....	120
10.1.3	Cabling interface adapters .....	121
10.1.4	Calibration .....	121
10.1.5	Equipment protection .....	121
10.1.6	Measurement conditions .....	122
10.2	Test procedures for balanced cabling .....	122
10.2.1	General .....	122
10.2.2	Measurement of length-related parameters .....	122
10.2.3	Treatment of marginal test results .....	122
10.2.4	Treatment of unacceptable test results .....	122
10.2.5	Test result format .....	122
10.2.6	Test result documentation .....	123
10.3	Test procedures for optical fibre cabling .....	123
10.3.1	General .....	123
10.3.2	Treatment of unacceptable test results .....	123
10.3.3	Test result documentation .....	124
11	Inspection .....	124
11.1	General .....	124
11.2	Inspection Level 1 .....	124
11.3	Inspection Level 2 .....	125
11.4	Inspection Level 3 .....	125
11.5	Inspection documentation – Requirements .....	125
12	Operation .....	126
12.1	Connection of equipment .....	126
12.2	Standard operating procedure .....	126
12.2.1	Requirements .....	126
12.2.2	Recommendations .....	126
12.3	Cords and jumpers .....	126
12.4	Optical fibre adapters .....	126
13	Maintenance .....	127
13.1	Approaches to maintenance .....	127
13.1.1	General .....	127
13.1.2	Requirements .....	127
13.2	Maintenance procedures .....	127
13.2.1	Requirements .....	127
13.2.2	Recommendations .....	127
14	Repair .....	128
	Annex A (normative) Optical fibre polarity maintenance: connecting hardware for multiple optical fibres .....	129
	Annex B (normative) Common infrastructures within multi-tenant premises .....	143
	Annex C (normative) Cabling in accordance with ISO/IEC 11801-2 .....	151

Annex D (normative) Cabling in accordance with ISO/IEC 11801-3 .....	153
Annex E (normative) Cabling in accordance with ISO/IEC 11801-4 .....	156
Annex F (normative) Cabling in accordance with ISO/IEC 11801-5 .....	162
Annex G (normative) Cabling in accordance with ISO/IEC 11801-6 .....	166
Annex H (informative) Equipment accommodation environments.....	168
Annex I (normative) Information for remote powering .....	169
Bibliography.....	173
Figure 1 – Schematic relationship between ISO/IEC 14763-2 and other relevant International Standards and Technical Reports .....	12
Figure 2 – Quality assurance schematic.....	22
Figure 3 – Conductor current for IEEE 802.3 remote powering applications .....	26
Figure 4 – Examples of conformant and non-conformant bend radius management .....	44
Figure 5 – Example of use of curved corners in pathway systems .....	46
Figure 6 – Example of layered cable trays with smaller width upper trays .....	48
Figure 7 – Example of uncovered (accessible) row of floor tiles to provide access to lower tray.....	48
Figure 8 – Example of cabling installations outside buildings .....	49
Figure 9 – Example of wind vibration damper.....	61
Figure 10 – Dimensions of rooms intended to contain distributors .....	63
Figure 11 – Process of determining cable separation .....	72
Figure 12 – Flowchart for cable separation calculation.....	75
Figure 13 – Separation of power supply and telecommunications cables without dividers.....	76
Figure 14 – Assumed minimum separation of power supply and telecommunications cables with dividers .....	77
Figure 15 – Example of cable separation distance .....	77
Figure 16 – Example showing the protection of underground information technology cables when located next to power supply cables .....	79
Figure 17 – Separation of adjacent infrastructures .....	83
Figure 18 – Separation distances on supporting structures .....	85
Figure 19 – Separation distance on supporting structures with lighting devices.....	85
Figure 20 – Separation of cable bundles to minimize heating.....	101
Figure 21 – Examples of labels indicating RP Category of remote powering installation .....	108
Figure 22 – Examples of cord and jumper labelling .....	111
Figure 23 – Cable administration database and possible linkages.....	117
Figure 24 – Basic cabling administration .....	117
Figure 25 – Examples of cabling permanent links.....	120
Figure 26 – Reference planes for link and channels (point-to-point).....	120
Figure 27 – Example of a cabling channel.....	121
Figure A.1 – Duplex connecting hardware plug .....	130
Figure A.2 – Duplex connecting hardware adapter .....	130
Figure A.3 – Duplex patch cord.....	130
Figure A.4 – Views of crossover patch cords.....	131
Figure A.5 – Optical fibre sequences and adapter orientation in patch panel for the symmetrical position method.....	132

Figure A.6 – Optical fibre sequences and adapter orientation in patch panel for the reverse-pair position method.....	133
Figure A.7 – Array connector cable or patch cord (key-up to key-up) .....	134
Figure A.8 – Array adapter with aligned keyways .....	135
Figure A.9 – Transition assembly .....	136
Figure A.10 – Connectivity method for duplex signals .....	137
Figure A.11 – Connectivity method for parallel optics channels .....	138
Figure A.12 – Array connector cable or patch cord (key-up to key-up).....	139
Figure A.13 – Array adapter with aligned keyways .....	139
Figure A.14 – Transition assembly .....	140
Figure A.15 – Connectivity method for duplex cabling .....	141
Figure A.16 – Connectivity method for array cabling .....	142
Figure B.1 – Example of common pathways and spaces in a multi-tenant building .....	144
Figure B.2 – Example of a campus entrance facility .....	146
Figure B.3 – Example 1: Common equipment room.....	148
Figure B.4 – Example 1: Common telecommunications room .....	149
Figure B.5 – Example 2: Common telecommunications room .....	149
Figure C.1 – Connection of functional elements providing redundancy .....	152
Figure F.1 – Connection of functional elements providing redundancy .....	163
Figure I.1 – Illustration of installation environments .....	172
Table 1 – Remote powering cabling installation Categories and controls.....	26
Table 2 – Installed balanced cabling test parameters .....	33
Table 3 – Minimum sample sizes for alien (exogenous) crosstalk testing .....	34
Table 4 – Installed optical fibre cabling test parameters .....	35
Table 5 – Examples of pathway systems.....	39
Table 6 – Stacking height for non-continuous and interval support pathway systems .....	45
Table 7 – Design and planning of pathways outside buildings .....	50
Table 8 – Requirements and recommendations for pathway depths below finished surface .....	52
Table 9 – Minimum installed clearances above ground for aerial cables.....	54
Table 10 – Separation recommendations between metallic telecommunications cabling and specific EMI sources .....	71
Table 11 – Classification of telecommunications cables .....	73
Table 12 – Minimum separation, $S$ .....	74
Table 13 – Power cabling factor, $P$ .....	74
Table 14 – Minimum distance between telecommunications cables and earthed electrodes of power systems in rural and urban environments .....	81
Table 15 – Minimum distance between telecommunications cables and earthed electrodes of power systems in accordance with ITU-T K.8.....	81
Table 16 – Minimum clearances and protective measures at crossings between telecommunications cables and various underground services.....	82
Table 17 – Minimum clearances between aerial telecommunications and overhead power supply cabling .....	83

Table 18 – Technology-independent channel length vs. temperature .....	89
Table 19 – Temperature changes for various cable bundle sizes.....	90
Table 20 – Reduction factors for rectangular cable groups .....	91
Table 21 – Level of installation complexity .....	105
Table 22 – Level of operational complexity .....	106
Table 23 – Minimum requirements of administration systems.....	106
Table 24 – Minimum requirements of operational administration systems.....	108
Table 25 – Labelling requirements .....	110
Table 26 – Labelling recommendations (additional).....	111
Table 27 – Infrastructure records for spaces, cabinets, racks, frames and closures .....	113
Table 28 – Infrastructure records for cables and termination points.....	114
Table 29 – Infrastructure records .....	115
Table 30 – Infrastructure records for pathways and premises.....	116
Table 31 – Recommendations of installation administration systems.....	118
Table 32 – Recommendations of operational administration systems .....	118
Table A.1 – Optical fibre colour code scheme used in Annex A.....	129
Table B.1 – Summary of common spaces used to service a multi-tenant building.....	144
Table D.1 – Risk elements in determining a maintenance approach .....	154
Table E.1 – Minimum requirements for dimensions of primary distribution spaces.....	159
Table E.2 – Requirements for dimensions of secondary distribution spaces .....	159
Table E.3 – Minimum dimensions of spaces allocated to junction boxes .....	160
Table E.4 – Recommendations for dimensions of primary distribution spaces .....	161
Table E.5 – Recommendations for dimensions of secondary distribution spaces .....	161
Table H.1 – Equipment environmental specifications .....	168
Table I.1 – Temperature changes for remote power installations of Category RP2 .....	170