ISO 11665-3:2020-01 (E)

Measurement of radioactivity in the environment - Air: radon-222 - Part 3: Spot measurement method of the potential alpha energy concentration of its short-lived decay products

Contents

Page

Foreword ... **iv**

Introduction ... **v**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms, definitions and symbols ... **1**
3.1 Terms and definitions ... 1
3.2 Symbols ... 2

4 Principle of the measurement method ... **3**

5 Equipment ... **3**

6 Sampling ... **4**
6.1 General ... 4
6.2 Sampling objective ... 4
6.3 Sampling characteristics ... 4
6.4 Sampling conditions ... 5
6.4.1 General ... 5
6.4.2 Installation of sampling system ... 5
6.4.3 Sampling duration ... 5
6.4.4 Volume of air sampled ... 5

7 Detection method ... **5**

8 Measurement ... **5**
8.1 Procedure ... 5
8.2 Influence quantities ... 6
8.3 Calibration ... 6

9 Expression of results ... **7**
9.1 General ... 7
9.2 Potential alpha energy concentration ... 7
9.3 Standard uncertainty ... 7
9.4 Decision threshold ... 8
9.5 Detection limit ... 9
9.6 Limits of the confidence interval ... 9

10 Test report ... **9**

Annex A (informative) **Examples of gross alpha counting protocols** ... **11**

Annex B (informative) **Calculation of the coefficients $k_{218_{Po},j}$, $k_{214_{Pb},j}$ and $k_{214_{Bi},j}$** ... **12**

Annex C (informative) **Measurement method using gross alpha counting according to the Thomas protocol** ... **16**

Bibliography ... **19**