ISO/IEC 14543-5-102:2020-02 (E)

Information technology - Home electronic system (HES) architecture - Part 5-102: Intelligent grouping and resource sharin g - Remote universal management profile

Contents

Page

FOREWORD 4
INTRODUCTION 5
1 Scope 7
2 Normative references 7
3 Terms, definitions and abbreviated terms 8
3.1 Terms and definitions 8
3.2 Abbreviated terms 10
4 Conformance 10
5 IGRS RUMP overview 10
6 IGRS RA and RUMP system architecture and message exchange model overview 11
6.1 IGRS RA system structure 11
6.2 RUMP protocol layer hierarchy 12
6.3 Server types 13
6.3.1 IGRS RA message exchange model in the IRSP 13
6.3.2 Account server 14
6.3.3 Message server 14
6.3.4 Application server 15
6.3.5 IRSP external application server 15
6.4 Message exchange between user or controlled device and message server 15
6.4.1 Device registration management 15
6.4.2 User/controller ↔ controlled device message exchange that needs response (control message) 16
6.4.3 Controlled device ↔ user/controller message exchange that does not need response (status update) 17
6.4.4 Controlled device ↔ user/controller message exchange that does not need response (alarm message) 18
6.4.5 Controlled device ↔ user/controller message exchange that that needs response (firmware version query) 18
6.5 Workflow 19
6.5.1 LAN control 19
6.5.2 WAN control 20
7 RUMP 21
7.1 Protocol overview 21
7.2 Applications 21
7.3 Logical components 21
7.4 Device ID 21
7.5 RUMP message format 22
7.6 RUMP response and status message format 23
7.7 RUMP water heater 23
7.7.1 Water heater control message format 23
7.7.2 Water heater response and status message format 24
7.7.3 Water heater alarm message format 25

7.8 RUMP air conditioner 26
7.8.1 Air conditioner control message format 26
7.8.2 Air conditioner response and status message format 27
7.8.3 Air conditioner alarm message format 27
7.9 RUMP refrigerator 28
7.9.1 Refrigerator control message format 28
7.9.2 Refrigerator response and status message format 29
7.9.3 Refrigerator alarm message format 29
7.10 RUMP microwave oven 30
7.10.1 Microwave oven control message format 30
7.10.2 Microwave oven response and status message format 31
7.10.3 Microwave oven alarm message format 31
7.11 Device status query message 32
7.12 Device version query message 32
Bibliography 34

Figure 1 – IGRS RA system structure 11
Figure 2 – RUMP protocol layer 12
Figure 3 – RUMP message interaction flow 13
Figure 4 – Message exchange models in IGRS RA system 14
Figure 5 – Flow of message exchange between user/controller and controlled device that needs response 16
Figure 6 – Flow of message exchange between controlled device and user/controller that does not need response 17
Figure 7 – LAN control flow diagram 20
Figure 8 – Controller–IRSP–device WAN interaction process 21

Table 1 – Device ID definitions 22
Table 2 – RUMP message format 22
Table 3 – RUMP message identifier 23
Table 4 – Control message body 23
Table 5 – Water heater control message format 24
Table 6 – Water heater response and status message format 25
Table 7 – Water heater alarm message format 26
Table 8 – Air conditioner control message format 26
Table 9 – Air conditioner response and status message format 27
Table 10 – Air conditioner alarm message format 28
Table 11 – Refrigerator control message format 28
Table 12 – Refrigerator response and status information format 29
Table 13 – Refrigerator alarm message format 30
Table 14 – Microwave oven control message format 30
Table 15 – Microwave oven response and status message format 31
Table 16 – Microwave oven alarm message format 32
Table 17 – Device status query request message format 32
Table 18 – Device version query request message format 32
Table 19 – Device version query response message format 33