

# ISO/IEC 14543-5-102:2020-02 (E)

## Information technology - Home electronic system (HES) architecture - Part 5-102: Intelligent grouping and resource sharing - Remote universal management profile

---

Contents	Page
FOREWORD.....	4
INTRODUCTION.....	5
1 Scope.....	7
2 Normative references .....	7
3 Terms, definitions and abbreviated terms .....	8
3.1 Terms and definitions.....	8
3.2 Abbreviated terms.....	10
4 Conformance.....	10
5 IGRS RUMP overview.....	10
6 IGRS RA and RUMP system architecture and message exchange model overview.....	11
6.1 IGRS RA system structure .....	11
6.2 RUMP protocol layer hierarchy.....	12
6.3 Server types .....	13
6.3.1 IGRS RA message exchange model in the IRSP.....	13
6.3.2 Account server .....	14
6.3.3 Message server .....	14
6.3.4 Application server.....	15
6.3.5 IRSP external application server.....	15
6.4 Message exchange between user or controlled device and message server.....	15
6.4.1 Device registration management.....	15
6.4.2 User/controller ↔ controlled device message exchange that needs response (control message).....	16
6.4.3 Controlled device ↔ user/controller message exchange that does not need response (status update) .....	17
6.4.4 Controlled device ↔ user/controller message exchange that does not need response (alarm message).....	18
6.4.5 Controlled device ↔ user/controller message exchange that that needs response (firmware version query).....	18
6.5 Workflow.....	19
6.5.1 LAN control .....	19
6.5.2 WAN control .....	20
7 RUMP.....	21
7.1 Protocol overview .....	21
7.2 Applications .....	21
7.3 Logical components .....	21
7.4 Device ID.....	21
7.5 RUMP message format .....	22
7.6 RUMP response and status message format.....	23
7.7 RUMP water heater.....	23
7.7.1 Water heater control message format .....	23
7.7.2 Water heater response and status message format .....	24
7.7.3 Water heater alarm message format .....	25

7.8	RUMP air conditioner .....	26
7.8.1	Air conditioner control message format .....	26
7.8.2	Air conditioner response and status message format .....	27
7.8.3	Air conditioner alarm message format .....	27
7.9	RUMP refrigerator .....	28
7.9.1	Refrigerator control message format .....	28
7.9.2	Refrigerator response and status message format .....	29
7.9.3	Refrigerator alarm message format .....	29
7.10	RUMP microwave oven .....	30
7.10.1	Microwave oven control message format .....	30
7.10.2	Microwave oven response and status message format .....	31
7.10.3	Microwave oven alarm message format .....	31
7.11	Device status query message .....	32
7.12	Device version query message .....	32
	Bibliography .....	34
	Figure 1 – IGRS RA system structure .....	11
	Figure 2 – RUMP protocol layer .....	12
	Figure 3 – RUMP message interaction flow .....	13
	Figure 4 – Message exchange models in IGRS RA system .....	14
	Figure 5 – Flow of message exchange between user/controller and controlled device that needs response .....	16
	Figure 6 – Flow of message exchange between controlled device and user/controller that does not need response .....	17
	Figure 7 – LAN control flow diagram .....	20
	Figure 8 – Controller–IRSP–device WAN interaction process .....	21
	Table 1 – Device ID definitions .....	22
	Table 2 – RUMP message format .....	22
	Table 3 – RUMP message identifier .....	23
	Table 4 – Control message body .....	23
	Table 5 – Water heater control message format .....	24
	Table 6 – Water heater response and status message format .....	25
	Table 7 – Water heater alarm message format .....	26
	Table 8 – Air conditioner control message format .....	26
	Table 9 – Air conditioner response and status message format .....	27
	Table 10 – Air conditioner alarm message format .....	28
	Table 11 – Refrigerator control message format .....	28
	Table 12 – Refrigerator response and status information format .....	29
	Table 13 – Refrigerator alarm message format .....	30
	Table 14 – Microwave oven control message format .....	30
	Table 15 – Microwave oven response and status message format .....	31
	Table 16 – Microwave oven alarm message format .....	32
	Table 17 – Device status query request message format .....	32
	Table 18 – Device version query request message format .....	32
	Table 19 – Device version query response message format .....	33