

# ISO 21388:2020-03 (E)

## Acoustics - Hearing aid fitting management (HAFM)

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>4</b>	<b>Service preconditions .....</b>	<b>4</b>
4.1	General .....	4
4.2	Educational requirements .....	4
4.2.1	General .....	4
4.2.2	Requirements for hearing aid professionals .....	4
4.2.3	Maintenance of competencies and skills of hearing aid professionals .....	5
4.3	Facility requirements .....	5
4.3.1	General .....	5
4.3.2	Room requirements .....	5
4.4	Equipment requirements .....	5
4.4.1	General .....	5
4.4.2	Audiometric equipment .....	6
4.4.3	Equipment for otoscopy and earmould impressions .....	6
4.4.4	Hearing aid programming equipment .....	6
4.4.5	Electroacoustic measurement equipment .....	6
4.4.6	Maintenance tools .....	6
4.4.7	Demonstration samples .....	7
4.5	Ethical requirements .....	7
4.5.1	General .....	7
4.5.2	Professional competence .....	7
4.5.3	Relationship with clients .....	7
4.5.4	Conflict of interest .....	7
4.5.5	Relationship with medical and other health practitioners .....	7
4.5.6	Relationship with colleagues .....	8
4.5.7	Advertising .....	8
<b>5</b>	<b>General stages of HAFM .....</b>	<b>8</b>
5.1	General .....	8
5.2	Client profile .....	9
5.2.1	General .....	9
5.2.2	General assessment .....	9
5.2.3	Audiological assessment .....	10
5.2.4	Medical referral .....	11
5.3	Counselling .....	11
5.3.1	General .....	11
5.3.2	Selection of hearing aid system .....	11
5.4	Hearing aid fitting .....	11
5.4.1	Ear coupling elements .....	11
5.4.2	Pre-setting of hearing aids .....	12
5.4.3	Setting and fine-tuning of hearing aids .....	12
5.5	Verification and validation .....	12
5.6	Post-fitting counselling .....	13

5.7	Follow-up .....	13
6	Quality of service .....	14
6.1	General .....	14
6.2	Documentation .....	14
6.3	Client evaluation of services .....	15
6.4	Customer complaint handling .....	15
6.5	Corrective actions .....	15
Annex A (informative) Minimum competencies of the hearing aid professional (HAP) .....		16
Annex B (informative) Recommendation for organisation of education and training for hearing aid professionals (ISCED level 5) .....		19
Annex C (informative) Fitting room example .....		21
Annex D (informative) Recommendation on the referral of clients for medical or other specialist examination and treatment .....		23
Annex E (informative) Informational counselling to support hearing aid fitting management .....		24
Annex F (informative) Terminology .....		27
Bibliography .....		41