ISO/IEC 15067-3-31:2024-03 (E)

Information technology - Home Electronic System (HES) application model - Part 3-31: Protocol of energy management agents for demand-response energy management and interactions among these agents

Contents

Page

FOREWORD 5
INTRODUCTION 7
1 Scope 8
2 Normative references 8
3 Terms, definitions and abbreviated terms 9
3.1 Terms and definitions 9
3.2 Abbreviated terms 9
4 Conformance 10
5 Energy management agent architecture for home or residential community 10
5.1 Overview 10
5.2 EMA protocol 11
6 EMAP service procedure and message format 13
6.1 Overview 13
6.2 RegisterParty 14
6.2.1 Overview 14
6.2.2 Query registration 15
6.2.3 Create registration 15
6.2.4 Cancel registration 15
6.2.5 Request reregistration 16
6.2.6 Message formats for RegisterParty 16
6.3 Event 20
6.3.1 Overview 20
6.3.2 Push 20
6.3.3 Pull 21
6.3.4 Message formats for event 21
6.4 Report 23
6.4.1 Overview 23
6.4.2 Register report 23
6.4.3 Request report 24
6.4.4 Send report 24
6.4.5 Cancel report 25
6.4.6 Message formats for report 25
6.5 Opt 29
6.5.1 Overview 29
6.5.2 Create opt 29
6.5.3 Cancel opt 29
6.5.4 Message formats for opt 30
6.6 Poll 32

7 Transport protocol 36
7.1 CoAP 36
7.1.1 General 36
7.1.2 Push and pull implementation 36
7.1.3 Service endpoint URIs 36
7.1.4 CoAP methods 37
7.1.5 Failure conditions 37
7.1.6 CoAP response codes 37
8 Security 38
Annex A (informative) EMAP opt-change 39
A.1 Opt-change example message 39
A.2 Items for opt-change mode 41
Annex B (informative) JSON schema 43
B.1 JSON 43
B.2 JSON schema 43
Bibliography 45

Figure 1 – Example of an energy management system in a residential area 10
Figure 2 – A hierarchical EMAP application model in a residential area 11
Figure 3 – A point-to-point EMAP application model in a residential area 12
Figure 4 – A hybrid EMAP application model in a residential area 12
Figure 5 – Two-step service procedures of EMAP 14
Figure 6 – Interaction diagram: Query registration 15
Figure 7 – Interaction diagram: Create registration 15
Figure 8 – Interaction diagram: Cancel registration 16
Figure 9 – Interaction diagram: Request reregistration – Push operation 16
Figure 10 – emapQueryRegistration simplified message format 16
Figure 11 – emapCreatedPartyRegistration simplified message format 17
Figure 12 – emapCreatePartyRegistration simplified message format 18
Figure 13 – emapCancelPartyRegistration simplified message format 18
Figure 14 – emapCanceledPartyRegistration simplified message format 18
Figure 15 – emapRequestReregistration simplified message format 19
Figure 16 – emapResponse message format 19
Figure 17 – Event interaction diagram – Push operation 20
Figure 18 – Event interaction diagram – Pull operation 21
Figure 19 – emapRequestEvent simplified message format 21
Figure 20 – emapPoll simplified message format 22
Figure 21 – emapDistributeEvent simplified message format 22
Figure 22 – emapCreatedEvent simplified message format 23
Figure 23 – Interaction diagram: Register report – Push operation 24
Figure 24 – Interaction diagram: Request report – Push operation 24
Figure 25 – Interaction diagram: Send report – Push operation 25
Figure 26 – Interaction diagram: Cancel report – Push operation 25
Figure 27 – emapRegisterReport simplified message format 26
Figure 28 – emapRegisteredReport simplified message format 26
Figure 29 – emapCreateReport simplified message format 27
Figure 30 – emapCreatedReport simplified message format 27
Figure 31 – emapUpdateReport simplified message format 27

Figure 32 – emapUpdatedReport simplified message format 28
Figure 33 – emapCancelReport simplified message format 28
Figure 34 – emapCanceledReport simplified message format 29
Figure 35 – Interaction diagram: Create opt 29
Figure 36 – Interaction diagram: Cancel opt 30
Figure 37 – emapCreateOpt simplified message format 30
Figure 38 – emapCreatedOpt simplified message format 31
Figure 39 – emapCancelOpt simplified message format 31
Figure 40 – emapCanceledOpt simplified message format 32
Figure 41 – Interaction diagram: Poll (nothing in queue) 33
Figure 42 – Interaction diagram: Poll (emapCancelPartyRegistration reply) 33
Figure 43 – Interaction diagram: Poll (emapRequestReregistration reply) 33
Figure 44 – Interaction diagram: Poll (emapDistributeEvent reply) 34
Figure 45 – Interaction diagram: Poll (emapRegisterReport reply) 34
Figure 46 – Interaction diagram: Poll (emapCreateReport reply) 34
Figure 47 – Interaction diagram: Poll (emapUpdateReport reply) 35
Figure 48 – Interaction diagram: Poll (emapCancelReport reply) 35
Figure A.1 – Example of opt-change in CreatePartyRegistration message 39
Figure A.2 – Example of opt-change in CreateOpt message 40
Figure A.3 – Example of opt-change in DistributeEvent message 41

Table A.1 – Elements for opt-change mode 42