ISO/IEC 14776-346:2024-09 (E)

Information technology - Small computer system interface (SCSI) - Part 346: Zoned Block Commands - 2 (ZBC-2)

Contents

Page

FOREWORD xii
INTRODUCTION xiii
General xiii
SCSI standards family xiii

1 Scope 1

2 Normative references 1

3 Definitions, symbols, abbreviations, and conventions 2
3.1 Definitions 2
3.2 Symbols and abbreviations 8
3.2.1 Abbreviations 8
3.2.2 Mathematical operators 8
3.3 Keywords 8
3.4 Editorial conventions 10
3.5 Numeric and character conventions 10
3.5.1 Numeric conventions 10
3.5.2 Units of measure 11
3.6 Bit and byte ordering 12
3.7 Notation for state diagrams 14

4 Zoned Block Device Model 15
4.1 Zoned Block Device model overview 15
4.1.1 Established SCSI concepts 15
4.1.2 Peripheral device type and supported commands 16
4.2 Zoned Block Device models 17
4.2.1 Zoned Block Device models introduction 17
4.2.2 Host aware zoned block device model 19
4.2.3 Host managed zoned block device model 19
4.2.4 Domains and realms zoned block device model 21
4.2.4.1 Domains and realms zoned block device model overview 21
4.2.4.2 Zone domains 22
4.2.4.3 Zone domain 0 23
4.2.4.4 Zone domains other than zone domain 0 24
4.2.4.5 Zone activation 24
4.2.4.6 Realms 25
4.2.4.7 Realm boundary considerations 26
4.3 Zone attributes 27
4.3.1 Zone attributes summary 27
4.3.2 Zone Type zone attribute 28
4.3.3 Zone Condition zone attribute 29
4.3.4 WPointer zone attribute 29
4.3.5 RWP Recommended zone attribute 29
4.3.6 Non-Sequential Write Resources Active zone attribute 30
4.3.7 Predicted Unrecovered Errors Present zone attribute 30
4.4 Realm attributes 31
4.4.1 Realm attributes overview 31
4.4.2 Restrict Write Pointer Reset realm attribute 31
4.4.3 Restrict Zone Activate realm attribute 31
4.5 Zone type models 32
4.5.1 Zone type models overview 32
4.5.2 Conventional zone model 32
4.5.2.1 Conventional zone model overview 32

4.5.2.2 Write access pattern requirements for conventional zones 32
4.5.2.3 Read access pattern requirements for conventional zones 32
4.5.3 Write pointer zone models 32
4.5.3.1 Features common to all write pointer zones 32
4.5.3.1.1 Write pointer features 32
4.5.3.1.2 Resetting the write pointer 35
4.5.3.1.3 Open zone resources 35
4.5.3.1.4 Initialization pattern 35
4.5.3.1.5 Write access pattern requirements common to all write pointer zones 35
4.5.3.1.6 Read access pattern requirements common to all write pointer zones 36
4.5.3.2 Write pointer zone operations 37
4.5.3.2.1 Write pointer zone operations overview 37
4.5.3.2.2 Open zone operation 37
4.5.3.2.3 Close zone operation 38
4.5.3.2.4 Finish zone operation 38
4.5.3.2.5 Reset write pointer operation 38
4.5.3.2.6 Sequentialize zone operation 39
4.5.3.2.7 Zone activation operation 39
4.5.3.2.7.1 Zone activation operation overview 39
4.5.3.2.7.2 Verify activations operation 39
4.5.3.2.7.3 Change activations operation 40
4.5.3.2.8 Manage open zone resources operation 41
4.5.3.2.8.1 Manage open zone resources operation overview 41
4.5.3.2.8.2 Select a sequential write preferred zone 42
4.5.3.2.8.3 Select a sequential write required zone 42
4.5.3.2.9 Read operations, verify operations, and write operations 43
4.5.3.3 Sequential write preferred zone model 44
4.5.3.3.1 Sequential write preferred zone model overview 44
4.5.3.3.2 Write access pattern requirements for sequential write preferred zones 44
4.5.3.3.3 Read access pattern requirements for sequential write preferred zones 46
4.5.3.4 Sequential write required zone model 46
4.5.3.4.1 Sequential write required zone model overview 46
4.5.3.4.2 Write access pattern requirements for sequential write required zones 46
4.5.3.4.3 Read access pattern requirements for sequential write required zones 47
4.5.3.4.4 Opening Sequential Write Required zones 48
4.5.3.5 Sequential or before required zone model 48
4.5.3.5.1 Sequential or before required zone model overview 48
4.5.3.5.2 Write access pattern requirements for sequential or before required zones 48
4.5.3.5.3 Read access pattern requirements for sequential or before required zones 49
4.5.3.6 Zone condition state machine 50
4.5.3.6.1 Zone condition state machine overview 50
4.5.3.6.2 ZC1:Empty state 53
4.5.3.6.2.1 ZC1:Empty state overview 53
4.5.3.6.2.2 Transition ZC1:Empty to ZC2:Implicit_Open 53
4.5.3.6.2.3 Transition ZC1:Empty to ZC3:Explicit_Open 53
4.5.3.6.2.4 Transition ZC1:Empty to ZC6:Read_Only 53
4.5.3.6.2.5 Transition ZC1:Empty to ZC7:Offline 53
4.5.3.6.2.6 Transition ZC1:Empty to ZC8:Inactive 54
4.5.3.6.3 ZC2:Implicit_Open state 54
4.5.3.6.3.1 ZC2:Implicit_Open state overview 54
4.5.3.6.3.2 Transition ZC2:Implicit_Open to ZC1:Empty 54
4.5.3.6.3.3 Transition ZC2:Implicit_Open to ZC3:Explicit_Open 54
4.5.3.6.3.4 Transition ZC2:Implicit_Open to ZC4:Closed 54
4.5.3.6.3.5 Transition ZC2:Implicit_Open to ZC5:Full 55
4.5.3.6.3.6 Transition ZC2:Implicit_Open to ZC6:Read_Only 55
4.5.3.6.3.7 Transition ZC2:Implicit_Open to ZC7:Offline 55
4.5.3.6.4 ZC3:Explicit_Open state 55
4.5.3.6.4.1 ZC3:Explicit_Open state overview 55

4.5.3.6.4.2 Transition ZC3:Explicit_Open to ZC1:Empty 55
4.5.3.6.4.3 Transition ZC3:Explicit_Open to ZC4:Closed 56
4.5.3.6.4.4 Transition ZC3:Explicit_Open to ZC5:Full 56
4.5.3.6.4.5 Transition ZC3:Explicit_Open to ZC6:Read_Only 56
4.5.3.6.4.6 Transition ZC3:Explicit_Open to ZC7:Offline 56
4.5.3.6.5 ZC4:Closed state 56
4.5.3.6.5.1 ZC4:Closed state overview 56
4.5.3.6.5.2 Transition ZC4:Closed to ZC1:Empty 57
4.5.3.6.5.3 Transition ZC4:Closed to ZC2:Implicit_Open 57
4.5.3.6.5.4 Transition ZC4:Closed to ZC3:Explicit_Open 57
4.5.3.6.5.5 Transition ZC4:Closed to ZC6:Read_Only 57
4.5.3.6.5.6 Transition ZC4:Closed to ZC7:Offline 57
4.5.3.6.6 ZC5:Full state 57
4.5.3.6.6.1 ZC5:Full state overview 57
4.5.3.6.6.2 Transition ZC5:Full to ZC1:Empty 58
4.5.3.6.6.3 Transition ZC5:Full to ZC6:Read_Only 58
4.5.3.6.6.4 Transition ZC5:Full to ZC7:Offline 58
4.5.3.6.7 ZC6:Read_Only state 58
4.5.3.6.7.1 ZC6:Read_Only state overview 58
4.5.3.6.7.2 Transition ZC6:Read_Only to ZC7:Offline 58
4.5.3.6.8 ZC7:Offline state 59
4.5.3.6.9 ZC8:Inactive state 59
4.5.3.6.9.1 ZC8:Inactive state overview 59
4.5.3.6.9.2 Transition ZC8:Inactive to ZC1:Empty state 59
4.5.4 Gap zone model 59
4.6 Zoned block device extensions to block device model 60
4.6.1 Overview 60
4.6.2 Zoned block device internal resource management 60
4.6.3 Unexpected power removal 60
4.6.4 Media failure 61
4.7 Interactions involving mode parameter block descriptors 61
4.8 Capacity reporting and LBAs out of range 62
4.9 Constant zone starting LBA offsets 62
4.10 Format operations 63
4.11 Sanitize operations 64
4.12 Reservations 64
4.13 Caches 65
4.13.1 Caches overview 65
4.13.2 Write caching 66
4.13.3 Command interactions with caches 66
4.13.4 Write operation and write medium operation interactions with caches 66
4.13.5 Close zone and finish zone operation interactions with cache 66
4.14 Interactions with WRITE LONG commands 66
4.15 Interactions with storage element depopulation and restoration 67
4.15.1 Interactions with storage element depopulation and restoration operations that modify data 67
4.15.2 Storage element depopulation with zone modifications 67
4.15.2.1 Depopulation with zone modifications overview 67
4.15.2.2 Depopulation with zone modifications processing 67
4.15.2.3 Handling unrecoverable errors 68
4.15.2.3.1 Handling unrecoverable errors overview 68
4.15.2.3.2 Predicted unrecovered read errors in Conventional zones 69
4.15.2.3.3 Predicted unrecovered write errors in Conventional zones 69
4.15.2.4 Allowed commands during depopulation with zone modifications processing 70
4.15.2.5 Event handling actions 70

5 Commands for zoned block devices 71
5.1 Commands for zoned block devices overview 71

5.1.1 Summary of commands for zoned block devices 71
5.1.2 Zoned block device 16-byte CDB format with no data transfer 71
5.2 CLOSE ZONE command 74
5.3 FINISH ZONE command 76
5.4 OPEN ZONE command 78
5.5 REMOVE ELEMENT AND MODIFY ZONES command 79
5.6 REPORT REALMS command 81
5.6.1 REPORT REALMS command overview 81
5.6.2 REPORT REALMS parameter data 83
5.6.2.1 REPORT REALMS parameter data overview 83
5.6.2.2 Realm descriptor 85
5.6.2.2.1 Realm descriptor overview 85
5.6.2.2.2 Realm Start/End descriptor 86
5.7 REPORT ZONE DOMAINS command 87
5.7.1 REPORT ZONE DOMAINS command overview 87
5.7.2 REPORT ZONE DOMAINS parameter data 89
5.8 REPORT ZONES command 92
5.8.1 REPORT ZONES command overview 92
5.8.2 REPORT ZONES parameter data 94
5.9 RESET WRITE POINTER command 98
5.10 SEQUENTIALIZE ZONE command 100
5.11 ZONE ACTIVATE command 102
5.11.1 ZONE ACTIVATE command overview 102
5.11.2 Identifying the candidate zones to activate and the candidate zones to deactivate 103
5.11.3 ZONE ACTIVATE parameter data and ZONE QUERY parameter data 105
5.11.3.1 ZONE ACTIVATE parameter data and ZONE QUERY parameter data overview 105
5.11.3.2 Zone activation descriptors 107
5.12 ZONE QUERY command 109

6 Parameters for zoned block devices 110
6.1 Parameters for zoned block devices overview 110
6.2 Diagnostic parameters 110
6.3 Log parameters 111
6.3.1 Log parameters overview 111
6.3.2 Zoned Block Device Statistics log page 112
6.3.2.1 Zoned Block Device Statistics log page overview 112
6.3.2.2 Maximum Open Zones 114
6.3.2.3 Maximum Explicitly Open Zones 115
6.3.2.4 Maximum Implicitly Open Zones 116
6.3.2.5 Minimum Empty Zones 117
6.3.2.6 Maximum Non-sequential Zones 118
6.3.2.7 Zones Emptied 119
6.3.2.8 Suboptimal Write Commands 120
6.3.2.9 Commands Exceeding Optimal Limit 121
6.3.2.10 Failed Explicit Opens 122
6.3.2.11 Read Rule Violations 123
6.3.2.12 Write Rule Violations 124
6.3.2.13 Maximum Implicitly Open Sequential Or Before Required Zones 125
6.4 Mode parameters 126
6.4.1 Mode parameters overview 126
6.4.2 Zoned Block Device Control mode page 127
6.5 Vital product data (VPD) parameters 128
6.5.1 VPD parameters overview 128
6.5.2 Zoned Block Device Characteristics VPD page 129

Annex A (normative) ZBC Feature Sets 132
A.1 ZBC feature sets overview 132

A.2 Host Aware 2020 feature set 132
A.3 Host Managed 2020 feature set 134
A.4 Domains and Realms 2020 feature set 135

Annex B (informative) Application Client Considerations for Zoned Block Devices 137
B.1 Application client considerations for zoned block devices overview 137
B.2 Writing to write pointer zones 137
B.3 Open zone considerations 137
B.3.1 Open zone considerations overview 137
B.3.2 Explicitly opened zones and implicitly opened zones 138
B.3.3 Opening and closing zones 138
B.3.4 Finish zone operation considerations 139
B.4 Open zone resources considerations based on zone type 139
B.4.1 Sequential write preferred zones 139
B.4.2 Sequential write required zones 140
B.5 Partial failures 140
B.5.1 Partial failures overview 140
B.5.2 Sanitize considerations 140

Annex C (Informative) Bibliography 141

Tables

Page
Table 1 – Numbering conventions 11
Table 2 – Comparison of decimal prefixes and binary prefixes 12
Table 3 – Example of ordering of bits and bytes within a data dword 13
Table 4 – Example of ordering of bits and bytes within an element dword 13
Table 5 – Zoned block device model concepts 15
Table 6 – Requirements of zoned block devices 18
Table 7 – Commands for host managed zoned block devices 20
Table 8 – Zone domain ID values 23
Table 9 – Summary of zone attributes 27
Table 10 – Zone Type zone attribute 28
Table 11 – Relationships between zone attributes 28
Table 12 – Zone Condition zone attribute 29
Table 13 – Summary of realm attributes 31
Table 14 – Summary of write pointer zone operations 37
Table 15 – Characteristics associated with zone state 51
Table 16 – READ CAPACITY (16) parameter data as modified for zoned block devices 62
Table 17 – RC BASIS field 62
Table 18 – ZBC-2 commands that are allowed in the presence of various reservations 65
Table 19 – Summary of commands that are unique to zoned block devices 71
Table 20 – Typical 16-byte zoned block device CDB format with no data transfer 72
Table 21 – CLOSE ZONE command 74
Table 22 – CLOSE ZONE command processing 75
Table 23 – FINISH ZONE command 76
Table 24 – FINISH ZONE command processing 77
Table 25 – OPEN ZONE command 78
Table 26 – OPEN ZONE command processing 79
Table 27 – REMOVE ELEMENT AND MODIFY ZONES command 79
Table 28 – REPORT REALMS command 81
Table 29 – REPORT REALMS REPORTING OPTIONS field 82
Table 30 – REPORT REALMS parameter data 83
Table 31 – Realm descriptor 85
Table 32 – REALM RESTRICTIONS field 86

Table 33 – Realm Start/End descriptor 86
Table 34 – REPORT ZONE DOMAINS command 87
Table 35 – REPORT ZONE DOMAINS REPORTING OPTIONS field 88
Table 36 – REPORT ZONE DOMAINS parameter data 89
Table 37 – Zone domain descriptor 90
Table 38 – REPORT ZONES command 92
Table 39 – REPORT ZONES REPORTING OPTIONS field 93
Table 40 – REPORT ZONES parameter data 94
Table 41 – SAME field description 95
Table 42 – Zone descriptor format 96
Table 43 – Zone descriptor ZONE TYPE field 96
Table 44 – Zone descriptor ZONE CONDITION field 97
Table 45 – RESET WRITE POINTER command 98
Table 46 – RESET WRITE POINTER command processing 99
Table 47 – SEQUENTIALIZE ZONE command 100
Table 48 – SEQUENTIALIZE ZONE command processing 101
Table 49 – ZONE ACTIVATE command 102
Table 50 – Selecting candidate zones to activate and deactivate with ALL bit set to zero 104
Table 51 – ZONE ACTIVATE parameter data and ZONE QUERY parameter data 105
Table 52 – Zone activation descriptor 108
Table 53 – ZONE QUERY command 109
Table 54 – Parameters for zoned block devices 110
Table 55 – Diagnostic page codes for host managed zoned block devices 110
Table 56 – Log page codes and subpage codes for host managed zoned block devices 111
Table 57 – Zoned Block Device Statistics log page parameter codes 112
Table 58 – Zoned Block Device Statistics log page 113
Table 59 – Maximum Open Zones log parameter 114
Table 60 – Maximum Explicitly Open Zones log parameter 115
Table 61 – Maximum Implicitly Open Zones log parameter 116
Table 62 – Minimum Empty Zones log parameter 117
Table 63 – Maximum Non-sequential Zones log parameter 118
Table 64 – Zones Emptied log parameter 119
Table 65 – Suboptimal Write Commands log parameter 120
Table 66 – Commands Exceeding Optimal Limit log parameter 121
Table 67 – Failed Explicit Opens log parameter 122
Table 68 – Read Rule Violations log parameter 123
Table 69 – Write Rule Violations log parameter 124
Table 70 – Maximum Implicitly Open Sequential Or Before Required Zones log parameter 125
Table 71 – Mode page codes and subpage codes for host managed zoned block devices 126
Table 72 – Zoned Block Device Control mode page 127
Table 73 – VPD page codes for zoned block devices 128
Table 74 – Zoned Block Device Characteristics VPD page 129
Table 75 – ZONED BLOCK DEVICE EXTENSION field 130
Table 76 – ZONE ALIGNMENT METHOD field 130
Table A.1 – Feature sets 132
Table A.2 – Commands mandatory for the Host Aware 2020 feature set 132
Table A.3 – Mode pages mandatory for the Host Aware 2020 feature set 133
Table A.4 – VPD pages mandatory for the Host Aware 2020 feature set 133
Table A.5 – Commands mandatory for the Host Managed 2020 feature set 134
Table A.6 – Mode pages mandatory for the Host Managed 2020 feature set 134
Table A.7 – VPD pages mandatory for the Host Managed 2020 feature set 134
Table A.8 – Commands mandatory for the Domains and Realms 2020 feature set 135
Table A.9 – Mode pages mandatory for the Domains And Realms 2020 feature set 135
Table A.10 – VPD pages mandatory for the Domains And Realms 2020 feature set 136

Figures

Page

Figure 0 – SCSI document structure xiv
Figure 1 – Example state diagram 14
Figure 2 – Zones in a zoned block device 17
Figure 3 – Zone domain 22
Figure 4 – Example of two zone domains 23
Figure 5 – Example of zone activation with the AAORB bit set to zero 24
Figure 6 – Realms model 25
Figure 7 – Example of conventional and shingled recording technologies using two zone domains 25
Figure 8 – Example of zone activation with the AAORB bit set to one 26
Figure 9 – Write pointer zone and write pointer after reset write pointer operation with no subsequent writes 33
Figure 10 – Write pointer zone and write pointer 33
Figure 11 – Write pointer zone example operations 34
Figure 12 – Example write command that starts at the write pointer 44
Figure 13 – Examples of write commands that do not start at the write pointer 45
Figure 14 – Zone condition state machine 52
Figure 15 – Example of paired sequential write required zones and gap zones 63