

# ISO/IEC 17760-302:2025-10 (E)

## Information technology - AT Attachment - Part 302: Zoned Device ATA Command Set-2-(ZAC-2)

---

Contents	Page
Contents.....	iv
Tables .....	xiii
Figures .....	xv
1 Scope .....	1
2 Normative references.....	2
3 Definitions, abbreviations, and conventions.....	3
3.1 Definitions.....	3
3.2 Symbols and abbreviations.....	8
3.2.1 Abbreviations .....	8
3.2.2 Units .....	9
3.2.3 Symbols .....	9
3.2.4 Mathematical operators.....	9
3.3 Keywords.....	9
3.4 Conventions.....	10
3.4.1 Overview .....	10
3.4.2 Precedence .....	11
3.4.3 Lists.....	11
3.4.3.1 Lists overview .....	11
3.4.3.2 Unordered lists.....	11
3.4.3.3 Ordered lists .....	11
3.4.4 Numbering.....	12
3.4.5 Bit conventions.....	12
3.4.6 Number range convention.....	12
3.4.7 State diagram convention .....	13
3.4.8 Offset convention .....	13
4 Features.....	14
4.1 Feature set introduction.....	14
4.2 Basic zoned device model.....	15
4.3 Host Aware Zones feature set.....	16
4.4 Host Managed Zones feature set .....	17
4.5 Zone Domains feature set .....	18
4.5.1 Overview .....	18
4.5.2 Zone Domains.....	19
4.5.3 Zone domain 0 .....	20
4.5.4 Zone domains other than zone domain 0.....	20
4.5.5 Zone activation in the Zone Domains feature set.....	21
4.6 Zone Realms feature set .....	22
4.6.1 Overview .....	22
4.6.2 Realm boundary considerations.....	24
4.6.3 Zone activation in the Zone Realms feature set.....	25
4.6.4 Realm attributes .....	25
4.6.4.1 Introduction.....	25
4.6.4.2 Restrict Write Pointer Reset .....	25
4.6.4.3 Restrict Zone Activate.....	26

4.7 Zone attributes.....	27
4.7.1 Summary.....	27
4.7.2 Zone Type zone attribute.....	27
4.7.3 Zone Condition zone attribute.....	29
4.7.4 WPointer zone attribute.....	29
4.7.5 RWP Recommended zone attribute.....	29
4.7.6 Non-Sequential Write Resources Active zone attribute.....	30
4.7.7 Predicted Unrecovered Errors Present zone attribute.....	30
4.8 Zone types.....	31
4.8.1 Overview.....	31
4.8.2 Conventional zones.....	31
4.8.2.1 Overview.....	31
4.8.2.2 Access Pattern Requirements.....	31
4.8.2.3 Conventional Zone state machine.....	32
4.8.2.3.1 Overview.....	32
4.8.2.3.2 CMR1: Not Write Pointer state.....	33
4.8.2.3.3 CMR2: Read Only state.....	33
4.8.2.3.4 CMR3: Offline state.....	34
4.8.3 Write pointer zones.....	34
4.8.3.1 Features common to all write pointer zones.....	34
4.8.3.1.1 General.....	34
4.8.3.1.2 Resetting the write pointer.....	35
4.8.3.1.3 Open zone resources.....	36
4.8.3.1.4 Errors common to access pattern requirements for all write pointer zones.....	36
4.8.3.2 Sequential Write Preferred zones.....	37
4.8.3.2.1 Overview.....	37
4.8.3.2.2 Access Pattern Requirements.....	37
4.8.3.2.2.1 Writing in Sequential Write Preferred zones.....	37
4.8.3.2.2.2 Reading in Sequential Write Preferred zones.....	39
4.8.3.2.2.3 Substitute data pattern for Sequential Write Preferred zones.....	39
4.8.3.3 Sequential Write Required zones.....	39
4.8.3.3.1 Overview.....	39
4.8.3.3.2 Access Pattern Requirements.....	39
4.8.3.3.2.1 Writing in Sequential Write Required zones.....	39
4.8.3.3.2.2 Reading in Sequential Write Required zones.....	40
4.8.3.3.2.3 Substitute data pattern for Sequential Write Required zones.....	41
4.8.3.3.2.4 Opening Sequential Write Required zones.....	41
4.8.3.4 Sequential Or Before Required zones.....	41
4.8.3.4.1 Overview.....	41
4.8.3.4.2 Access pattern requirements.....	41
4.8.3.4.2.1 Writing in Sequential Or Before Required zones.....	41
4.8.3.4.2.2 Reading in Sequential Or Before Required zones.....	42
4.8.3.4.2.3 Substitute data pattern for Sequential Or Before Required zones.....	42
4.8.3.5 Zone Condition state machine.....	42
4.8.3.5.1 Overview.....	42
4.8.3.5.2 ZC1: Empty state.....	45
4.8.3.5.3 ZC2: Implicit_Open state.....	46
4.8.3.5.4 ZC3: Explicit_Open state.....	47
4.8.3.5.5 ZC4: Closed state.....	48
4.8.3.5.6 ZC5: Full state.....	49
4.8.3.5.7 ZC6: Read_Only state.....	50
4.8.3.5.8 ZC7: Offline state.....	51
4.8.3.5.9 ZC8: Inactive state.....	51
4.8.3.5.10 Manage Open Zone Resources function.....	51
4.8.3.5.10.1 Overview.....	51
4.8.3.5.10.2 Processing a sequential write preferred zone.....	52
4.8.3.5.10.3 Processing a sequential write required zone.....	52
4.8.3.5.11 Explicitly Open Zone function.....	53
4.8.3.5.12 Close Zone function.....	53
4.8.3.5.13 Finish Zone function.....	53
4.8.3.5.14 Reset Write Pointer function.....	54

4.8.3.5.15 Sequentialize function .....	54
4.8.4 Gap zones .....	54
4.9 Additional feature set interactions.....	56
4.9.1 Introduction .....	56
4.9.2 Capacity reporting .....	56
4.9.3 Zoned device internal resource management.....	56
4.9.4 Unexpected power removal .....	56
4.9.5 Media failure.....	57
4.9.6 Interactions with volatile caches.....	57
4.9.7 Interactions with the Sanitize Device feature set .....	58
4.9.8 Interactions with the Power Management feature set .....	59
4.9.9 Interactions with the Security feature set .....	59
4.9.9.1 Interactions with the SECURITY ERASE UNIT command .....	59
4.9.9.2 Interactions with the SEC4: Security Enabled/Locked/Not Frozen state .....	60
4.9.10 Interactions with the SCT Write Same command .....	60
4.9.10.1 Overview.....	60
4.9.10.2 WRITE AND SET SUBSTITUTE DATA PATTERN bit.....	61
4.9.10.3 ZONE POST PROCESSING field .....	61
4.9.11 Interactions with the WRITE UNCORRECTABLE EXT command.....	61
4.9.12 Interactions with the SET SECTOR CONFIGURATION EXT command and MUTATE EXT command .....	62
4.9.13 Interactions with the Storage Element Depopulation feature set .....	62
4.9.13.1 Depopulation operations and depopulation restoration operations .....	62
4.9.13.2 Depopulation with zone modifications .....	63
4.9.13.2.1 Depopulation with zone modifications overview.....	63
4.9.13.2.2 Depopulation with zone modifications processing .....	63
4.9.13.2.2.1 Processing overview.....	63
4.9.13.2.2.2 Predicted unrecovered errors processing .....	64
4.9.13.2.3 Allowed commands during depopulation with zone modifications processing .....	64
4.9.13.2.4 Power-on reset handling .....	64
4.9.13.2.5 Progress checking during depopulation with zone modifications .....	65
4.9.13.2.6 Depopulation with zone modifications interactions with logs.....	65
4.9.13.2.7 Depopulation with zone modifications interactions with caches.....	65
5 Command descriptions .....	66
5.1 Command description introduction .....	66
5.2 Zone management commands .....	69
5.2.1 Overview .....	69
5.2.2 ZAC Management In command template, 4Ah, DMA .....	70
5.2.2.1 Feature Set .....	70
5.2.2.2 Description.....	70
5.2.2.3 Inputs .....	70
5.2.2.3.1 Overview .....	70
5.2.2.3.2 Action specific fields.....	70
5.2.2.3.3 ZM_ACTION field.....	71
5.2.2.3.4 RETURN PAGE COUNT field .....	71
5.2.2.4 Normal Outputs and Error Outputs .....	71
5.2.2.5 NCQ encapsulation for a DMA ZAC Management In command .....	71
5.2.3 ZAC Management Out command template, 9Fh, DMA .....	72
5.2.3.1 Feature Set .....	72
5.2.3.2 Description.....	72
5.2.3.3 Inputs .....	72
5.2.3.3.1 Overview .....	72
5.2.3.3.2 PAGES TO SEND field.....	72
5.2.3.4 Normal Outputs and Error Outputs .....	72
5.2.3.5 NCQ encapsulation for a DMA ZAC Management Out command.....	73
5.2.4 ZAC Management Out command template, 9Fh, Non-Data .....	74

5.2.4.1 Feature Set.....	74
5.2.4.2 Description.....	74
5.2.4.3 Inputs.....	74
5.2.4.3.1 Overview.....	74
5.2.4.3.2 ALL bit.....	74
5.2.4.3.3 Zone range specification fields.....	75
5.2.4.3.3.1 Overview.....	75
5.2.4.3.3.2 ZONE COUNT field.....	75
5.2.4.3.3.3 ZONE ID field.....	75
5.2.4.3.3.4 Zone range specification errors.....	75
5.2.4.4 Normal Outputs.....	75
5.2.4.5 Error Outputs.....	76
5.2.4.6 Non-Data NCQ encapsulation.....	76
5.2.5 CLOSE ZONE EXT command – 9Fh/01h, Non-Data.....	77
5.2.5.1 Feature Set.....	77
5.2.5.2 Description.....	77
5.2.5.3 Inputs.....	77
5.2.5.3.1 Overview.....	77
5.2.5.3.2 Zone range specification fields for the CLOSE ZONE EXT command.....	77
5.2.5.3.3 CLOSE ZONE EXT command processing.....	77
5.2.5.4 Normal Outputs.....	78
5.2.5.5 Error Outputs.....	78
5.2.6 FINISH ZONE EXT command – 9Fh/02h, Non-Data.....	79
5.2.6.1 Feature Set.....	79
5.2.6.2 Description.....	79
5.2.6.3 Inputs.....	79
5.2.6.3.1 Overview.....	79
5.2.6.3.2 Zone range specification fields for the FINISH ZONE EXT command.....	79
5.2.6.3.3 FINISH ZONE EXT command processing.....	80
5.2.6.4 Normal Outputs.....	80
5.2.6.5 Error Outputs.....	80
5.2.7 OPEN ZONE EXT command – 9Fh/03h, Non-Data.....	81
5.2.7.1 Feature Set.....	81
5.2.7.2 Description.....	81
5.2.7.3 Inputs.....	81
5.2.7.3.1 Overview.....	81
5.2.7.3.2 Zone range specification fields for the OPEN ZONE EXT command.....	81
5.2.7.3.3 OPEN ZONE EXT command processing.....	82
5.2.7.4 Normal Outputs.....	82
5.2.7.5 Error Outputs.....	82
5.2.8 REPORT REALMS EXT command – 4Ah/06h, DMA.....	83
5.2.8.1 Feature Set.....	83
5.2.8.2 Description.....	83
5.2.8.3 Inputs.....	83
5.2.8.3.1 Overview.....	83
5.2.8.3.2 REPORTING OPTIONS field.....	83
5.2.8.3.3 REALM LOCATOR field.....	84
5.2.8.4 Normal Outputs.....	84
5.2.8.5 Error Outputs.....	84
5.2.8.6 Input From the Device to the Host Data Structure.....	84
5.2.8.6.1 Overview.....	84
5.2.8.6.2 Report realms header.....	85
5.2.8.6.2.1 Overview.....	85
5.2.8.6.2.2 REALMS COUNT field.....	85
5.2.8.6.2.3 REALMS DESCRIPTOR LENGTH field.....	85
5.2.8.6.2.4 NEXT REALM LOCATOR field.....	85
5.2.8.6.3 Realm descriptor.....	85

5.2.8.6.3.1 Overview .....	85
5.2.8.6.3.2 REALM ID field .....	86
5.2.8.6.3.3 REALM RESTRICTIONS field .....	86
5.2.8.6.3.4 ACTIVE ZONE DOMAIN ID field .....	86
5.2.8.6.3.5 Realm start/end descriptor .....	86
5.2.8.6.4 Padding .....	87
5.2.9 REPORT ZONE DOMAINS EXT command – 4Ah/07h, DMA .....	88
5.2.9.1 Feature Set .....	88
5.2.9.2 Description .....	88
5.2.9.3 Inputs .....	88
5.2.9.3.1 Overview .....	88
5.2.9.3.2 REPORTING OPTIONS field .....	89
5.2.9.3.3 ZONE DOMAIN LOCATOR field .....	89
5.2.9.4 Normal Outputs .....	89
5.2.9.5 Error Outputs .....	89
5.2.9.6 Input From the Device to the Host Data Structure .....	89
5.2.9.6.1 Overview .....	89
5.2.9.6.2 Report zone domains header .....	90
5.2.9.6.2.1 Overview .....	90
5.2.9.6.2.2 LENGTH AVAILABLE field .....	90
5.2.9.6.2.3 LENGTH RETURNED field .....	90
5.2.9.6.2.4 NUMBER OF SUPPORTED DOMAINS field .....	90
5.2.9.6.2.5 ZONE DOMAINS REPORTED field .....	90
5.2.9.6.2.6 REPORTING OPTIONS field .....	90
5.2.9.6.2.7 ZONE DOMAIN LOCATOR field .....	90
5.2.9.6.3 Zone domain descriptor .....	91
5.2.9.6.3.1 Overview .....	91
5.2.9.6.3.2 ZONE DOMAIN ID field .....	91
5.2.9.6.3.3 ZONE COUNT field .....	91
5.2.9.6.3.4 START LBA field .....	91
5.2.9.6.3.5 END LBA field .....	91
5.2.9.6.3.6 ZONE DOMAIN ZONE TYPE field .....	91
5.2.9.6.3.7 VALID ZONE DOMAIN ZONE TYPE bit .....	91
5.2.9.6.3.8 SHIFTING REALM BOUNDARIES bit .....	92
5.2.10 REPORT ZONES EXT command – 4Ah/00h, DMA .....	93
5.2.10.1 Feature Set .....	93
5.2.10.2 Description .....	93
5.2.10.3 Inputs .....	93
5.2.10.3.1 Overview .....	93
5.2.10.3.2 PARTIAL bit .....	93
5.2.10.3.3 REPORTING OPTIONS field .....	94
5.2.10.3.4 ZONE LOCATOR field .....	94
5.2.10.4 Normal Outputs .....	94
5.2.10.5 Error Outputs .....	94
5.2.10.6 Input From the Device to the Host Data Structure .....	95
5.2.10.6.1 Overview .....	95
5.2.10.6.2 ZONE LIST LENGTH field .....	95
5.2.10.6.3 SAME field .....	96
5.2.10.6.4 MAXIMUM LBA field .....	96
5.2.10.6.5 Zone descriptor format .....	96
5.2.10.6.5.1 Overview .....	96
5.2.10.6.5.2 ZONE TYPE field .....	97
5.2.10.6.5.3 ZONE CONDITION field .....	98
5.2.10.6.5.4 PREDICTED UNRECOVERED ERRORS bit .....	98
5.2.10.6.5.5 NON_SEQ bit .....	98
5.2.10.6.5.6 RESET bit .....	98
5.2.10.6.5.7 ZONE LENGTH field .....	98

5.2.10.6.5.8 ZONE START LBA field .....	98
5.2.10.6.5.9 WRITE POINTER LBA field.....	98
5.2.11 RESET WRITE POINTER EXT command – 9Fh/04h, Non-Data .....	99
5.2.11.1 Feature Set.....	99
5.2.11.2 Description.....	99
5.2.11.3 Inputs.....	99
5.2.11.3.1 Overview .....	99
5.2.11.3.2 Zone range specification for the RESET WRITE POINTER EXT command.....	99
5.2.11.3.3 RESET WRITE POINTER EXT command processing.....	99
5.2.11.4 Normal Outputs.....	100
5.2.11.5 Error Outputs .....	100
5.2.12 SEQUENTIALIZE ZONE EXT command – 9Fh/05h, Non-Data .....	101
5.2.12.1 Feature Set.....	101
5.2.12.2 Description.....	101
5.2.12.3 Inputs.....	101
5.2.12.3.1 Overview .....	101
5.2.12.3.2 Zone range specification for the SEQUENTIALIZE ZONE EXT command.....	101
5.2.12.3.3 SEQUENTIALIZE ZONE EXT command processing.....	101
5.2.12.4 Normal Outputs.....	102
5.2.12.5 Error Outputs .....	102
5.2.13 ZONE ACTIVATE EXT command – 4Ah/08h, DMA .....	103
5.2.13.1 Feature Set.....	103
5.2.13.2 Description.....	103
5.2.13.2.1 Overview .....	103
5.2.13.2.2 Selecting the candidate zones to activate and deactivate .....	103
5.2.13.2.3 Prerequisites reported by sense codes.....	106
5.2.13.2.4 Prerequisites reported in the Zone Activation Results Header.....	106
5.2.13.2.5 Zone Activation processing .....	107
5.2.13.3 Inputs.....	109
5.2.13.3.1 Overview .....	109
5.2.13.3.2 OTHER ZONE DOMAIN ID field .....	109
5.2.13.3.3 ALL bit .....	109
5.2.13.3.4 NOZSRC field.....	109
5.2.13.3.5 RETURN PAGE COUNT field .....	110
5.2.13.3.6 ZONE ID field.....	110
5.2.13.3.7 AUXNOZ field.....	110
5.2.13.4 Normal Outputs.....	110
5.2.13.5 Error Outputs .....	110
5.2.13.6 Input From the Device to the Host Data Structure.....	110
5.2.13.6.1 Overview .....	110
5.2.13.6.2 Zone Activation Results Header.....	111
5.2.13.6.2.1 Overview.....	111
5.2.13.6.2.2 ZONE ACTIVATION RESULTS LENGTH field .....	112
5.2.13.6.2.3 ZONE ACTIVATION RESULTS RETURNED field.....	112
5.2.13.6.2.4 NZP_VALIDITY bit .....	112
5.2.13.6.2.5 ZIWUP_VALIDITY bit.....	112
5.2.13.6.2.6 ACTIVATED bit.....	112
5.2.13.6.2.7 SECURITY PREREQ bit .....	112
5.2.13.6.2.8 MULTIPLE DOMAINS bit .....	112
5.2.13.6.2.9 REALM RESTRICTIONS bit.....	112
5.2.13.6.2.10 MULTIPLE ZONE TYPES bit .....	113
5.2.13.6.2.11 REALM ALIGNMENT bit .....	113
5.2.13.6.2.12 NOT EMPTY bit.....	113
5.2.13.6.2.13 NOT INACTIVE bit.....	113
5.2.13.6.2.14 OTHER ZONE DOMAIN ID field.....	113
5.2.13.6.2.15 NOZSRC field .....	113
5.2.13.6.2.16 ALL bit.....	113

5.2.13.6.2.17 NUMBER OF ZONES TO PROCESS field.....	114
5.2.13.6.2.18 ZONE ID WITH UNMET PREREQUISITE field .....	114
5.2.13.6.3 Zone Activation Descriptor .....	114
5.2.13.6.3.1 Overview .....	114
5.2.13.6.3.2 ZONE TYPE field.....	115
5.2.13.6.3.3 ZONE CONDITION field .....	115
5.2.13.6.3.4 ZONE DOMAIN ID field .....	115
5.2.13.6.3.5 ZONE RANGE SIZE field.....	115
5.2.13.6.3.6 STARTING ZONE LOCATOR field .....	115
5.2.14 ZONE QUERY EXT command – 4Ah/09h, DMA .....	116
5.2.14.1 Feature Set.....	116
5.2.14.2 Description.....	116
5.2.14.3 Inputs .....	116
5.2.14.4 Normal Outputs.....	116
5.2.14.5 Error Outputs .....	116
5.2.14.6 Input From the Device to the Host Data Structure .....	116
5.3 REMOVE ELEMENT AND MODIFY ZONES – 7Eh, Non-Data .....	117
5.3.3.1 Overview .....	117
5.3.3.2 ELEMENT IDENTIFIER field.....	117
5.3.3.3 Normal Outputs.....	117
5.3.3.4 Error Outputs .....	117
5.4 SET FEATURES subcommand additions.....	119
5.4.1 Update urswrz .....	119
5.4.2 Zone Activation Control.....	119
6 Log definitions .....	120
6.1 Introduction.....	120
6.2 IDENTIFY DEVICE data log (Log Address 30h).....	120
6.2.1 Overview .....	120
6.2.2 Zoned Device Information (page 09h).....	120
6.2.2.1 Overview .....	120
6.2.2.2 REMOVE ELEMENT AND MODIFY ZONES SUPPORTED bit .....	122
6.2.2.3 URSWRZ bit .....	122
6.2.2.4 OPTIMAL NUMBER OF OPEN SEQUENTIAL WRITE PREFERRED ZONES field.....	122
6.2.2.5 OPTIMAL NUMBER OF NON-SEQUENTIALLY WRITTEN SEQUENTIAL WRITE PREFERRED ZONES field.....	122
6.2.2.6 MAXIMUM NUMBER OF OPEN SEQUENTIAL WRITE REQUIRED ZONES field .....	122
6.2.2.7 Version information.....	123
6.2.2.7.1 ZAC MINOR VERSION field .....	123
6.2.2.8 Zone Activation Capabilities .....	123
6.2.2.8.1 ZONE DOMAINS FEATURE SUPPORTED bit.....	123
6.2.2.8.2 ZONE REALMS FEATURE SUPPORTED bit .....	123
6.2.2.8.3 UPDATE URSWRZ SUPPORTED bit .....	123
6.2.2.8.4 ZONE ACTIVATION CONTROL SUPPORTED bit .....	123
6.2.2.8.5 NOZSRC SUPPORTED bit .....	124
6.2.2.8.6 REPORT REALMS COMMAND SUPPORTED bit.....	124
6.2.2.8.7 MAXIMUM ACTIVATION field .....	124
6.2.2.9 Subsequent Number Of Zones .....	124
6.2.2.9.1 SUBSEQUENT NUMBER OF ZONES field .....	124
6.2.2.10 Supported Zone Types .....	124
6.2.2.10.1 CONVENTIONAL SUPPORTED bit.....	124
6.2.2.10.2 SEQUENTIAL WRITE PREFERRED SUPPORTED bit .....	124
6.2.2.10.3 SEQUENTIAL WRITE REQUIRED SUPPORTED bit.....	124
6.2.2.10.4 SEQUENTIAL OR BEFORE SUPPORTED bit .....	124
6.2.2.10.5 GAP ZONE TYPE SUPPORTED bit.....	124
6.3 Device Statistics log (Log Address 04h).....	125
6.3.1 Overview .....	125

6.3.2 Zoned Device Statistics (page 08h) .....	125
6.3.2.1 Overview .....	125
6.3.2.2 Device Statistics Information Header .....	127
6.3.2.3 MAX OPEN ZONES field .....	127
6.3.2.3.1 Description .....	127
6.3.2.3.2 Update Interval .....	127
6.3.2.3.3 Measurement Units .....	127
6.3.2.3.4 Initialization .....	127
6.3.2.4 MAX EXPLICITLY OPEN ZONES field .....	127
6.3.2.4.1 Description .....	127
6.3.2.4.2 Update Interval .....	127
6.3.2.4.3 Measurement Units .....	128
6.3.2.4.4 Initialization .....	128
6.3.2.5 MAX IMPLICITLY OPEN ZONES field .....	128
6.3.2.5.1 Description .....	128
6.3.2.5.2 Update Interval .....	128
6.3.2.5.3 Measurement Units .....	128
6.3.2.5.4 Initialization .....	128
6.3.2.6 MIN EMPTY ZONES field .....	128
6.3.2.6.1 Description .....	128
6.3.2.6.2 Update Interval .....	128
6.3.2.6.3 Measurement Units .....	128
6.3.2.6.4 Initialization .....	128
6.3.2.7 MAX NON SEQUENTIAL ZONES field .....	129
6.3.2.7.1 Description .....	129
6.3.2.7.2 Update Interval .....	129
6.3.2.7.3 Measurement Units .....	129
6.3.2.7.4 Initialization .....	129
6.3.2.8 ZONES EMPTIED field .....	129
6.3.2.8.1 Description .....	129
6.3.2.8.2 Update Interval .....	129
6.3.2.8.3 Measurement Units .....	129
6.3.2.8.4 Initialization .....	129
6.3.2.9 SUBOPTIMAL WRITE CMDS field .....	129
6.3.2.9.1 Description .....	129
6.3.2.9.2 Update Interval .....	129
6.3.2.9.3 Measurement Units .....	130
6.3.2.9.4 Initialization .....	130
6.3.2.10 CMDS EXCEEDING OPTIMAL LIMIT field .....	130
6.3.2.10.1 Description .....	130
6.3.2.10.2 Update Interval .....	130
6.3.2.10.3 Measurement Units .....	130
6.3.2.10.4 Initialization .....	130
6.3.2.11 FAILED EXPLICIT OPENS field .....	130
6.3.2.11.1 Description .....	130
6.3.2.11.2 Update Interval .....	130
6.3.2.11.3 Measurement Units .....	130
6.3.2.11.4 Initialization .....	130
6.3.2.12 READ RULE VIOLATIONS field .....	130
6.3.2.12.1 Description .....	130
6.3.2.12.2 Update Interval .....	131
6.3.2.12.3 Measurement Units .....	131
6.3.2.12.4 Initialization .....	131
6.3.2.13 WRITE RULE VIOLATIONS field .....	131
6.3.2.13.1 Description .....	131
6.3.2.13.2 Update Interval .....	131
6.3.2.13.3 Measurement Units .....	131

6.3.2.13.4 Initialization .....	131
6.3.2.14 MAX IMPLICITLY OPEN SEQUENTIAL OR BEFORE REQUIRED ZONES field .....	131
6.3.2.14.1 Description .....	131
6.3.2.14.2 Update Interval .....	132
6.3.2.14.3 Measurement Units .....	132
6.3.2.14.4 Initialization .....	132
7 Normal and Error Outputs .....	133
7.1 Overview .....	133
7.2 Normal Outputs .....	133
7.3 Error Outputs .....	134
7.4 Sense code definitions .....	134
7.4.1 Overview .....	134
7.4.2 ATTEMPT TO ACCESS GAP ZONE .....	135
7.4.3 ATTEMPT TO READ INVALID DATA .....	135
7.4.4 DEPOPULATION INTERRUPTED .....	135
7.4.5 INSUFFICIENT ZONE RESOURCES .....	135
7.4.6 READ BOUNDARY VIOLATION .....	135
7.4.7 RESET WRITE POINTER NOT ALLOWED .....	135
7.4.8 UNALIGNED WRITE COMMAND .....	135
7.4.9 UNWRITTEN DATA IN ZONE .....	136
7.4.10 WRITE BOUNDARY VIOLATION .....	136
7.4.11 WRITE ERROR - INSUFFICIENT ZONE RESOURCES .....	136
7.4.12 WRITE ERROR - RECOVERY NEEDED .....	136
7.4.13 WRITE ERROR - RECOVERY SCAN NEEDED .....	136
7.4.14 ZONE IS INACTIVE .....	136
7.4.15 ZONE IS OFFLINE .....	136
7.4.16 ZONE IS READ ONLY .....	136
7.4.17 ZONE RESET WRITE POINTER RECOMMENDED .....	136
7.4.18 ZONE TRANSITION TO FULL .....	136
Annex A (informative) Host Considerations for Zoned Devices .....	137
A.1 Introduction .....	137
A.2 Writing to write pointer zones .....	137
A.3 Open zone considerations .....	137
A.3.1 Overview .....	137
A.3.2 Explicitly opened zones and implicitly opened zones .....	138
A.3.3 Opening and closing zones .....	139
A.3.4 Finish Zone function considerations .....	139
A.4 Open zone resources considerations based on zone type .....	139
A.4.1 Sequential Write Preferred zones .....	139
A.4.2 Sequential Write Required zones .....	140
A.5 Partial failures .....	140
A.5.1 Overview .....	140
A.5.2 Sanitize considerations .....	140
Annex B (informative) Zone Activation .....	142
B.1 Introduction .....	142
B.2 Differences between Zone Domains and Zone Realms .....	142
B.3 ZONE ACTIVATION EXT / ZONE QUERY EXT iteration example .....	142
B.4 Typical ZONE QUERY EXT process .....	143
B.5 ZONE QUERY EXT resulting in a failed security prerequisite .....	143
B.6 Typical ZONE ACTIVATION EXT process .....	143
B.7 ZONE ACTIVATION EXT resulting in no zones activated .....	145
B.8 ZONE ACTIVATE resulting in Realm boundaries moving .....	146
Bibliography .....	147

## Tables

	Page
Table 1 - Numbering conventions .....	12
Table 2 - Zone domain ID values .....	19
Table 3 - Summary of realm attributes .....	25
Table 4 - Summary of zone attributes .....	27
Table 5 - Zone Type zone attribute .....	27
Table 6 - Relationships between zone attributes .....	28
Table 7 - Zone Condition zone attribute .....	29
Table 8 - Characteristics associated with zone state .....	32
Table 9 - Zone Condition state machine functions .....	43
Table 10 - Characteristics and attributes associated with zone state .....	44
Table 11 - ZAC OPTIONS field .....	60
Table 12 - ZONE POST PROCESSING field .....	61
Table 13 - Example Command Structure .....	66
Table 14 - Example Normal Output .....	67
Table 15 - Example Error Output .....	68
Table 16 - Zone management commands .....	69
Table 17 - ZAC Management In command template inputs .....	70
Table 18 - RECEIVE FPDMA QUEUED command encapsulation for the subcommand specific inputs used by the ZAC Management In command .....	71
Table 19 - ZAC Management Out, DMA command template inputs .....	72
Table 20 - SEND FPDMA QUEUED command encapsulation for the subcommand specific inputs used by the ZAC Management Out command .....	73
Table 21 - ZAC Management Out, Non-Data command template inputs .....	74
Table 22 - NCQ NON-DATA command encapsulation for the subcommand specific inputs used by the ZAC Management Out command .....	76
Table 23 - CLOSE ZONE EXT command inputs .....	77
Table 24 - CLOSE ZONE EXT command processing .....	78
Table 25 - FINISH ZONE EXT command inputs .....	79
Table 26 - FINISH ZONE EXT command processing .....	80
Table 27 - OPEN ZONE EXT command inputs .....	81
Table 28 - OPEN ZONE EXT command processing .....	82
Table 29 - REPORT REALMS EXT command inputs .....	83
Table 30 - REPORTING OPTIONS field .....	84
Table 31 - REPORT REALMS EXT input from device to host .....	84
Table 32 - Report realms header .....	85
Table 33 - Realm descriptor .....	86
Table 34 - REALM RESTRICTIONS field .....	86
Table 35 - Realm start/end descriptor .....	87
Table 36 - REPORT ZONE DOMAINS EXT command inputs .....	88
Table 37 - REPORT ZONE DOMAINS REPORTING OPTIONS field .....	89
Table 38 - REPORT ZONE DOMAINS input from device to host .....	89
Table 39 - Report zone domains header .....	90
Table 40 - Zone domain descriptor .....	91
Table 41 - REPORT ZONES EXT command inputs .....	93
Table 42 - REPORTING OPTIONS field .....	94
Table 43 - REPORT ZONES EXT input from device to host .....	95
Table 44 - SAME field .....	96
Table 45 - Zone descriptor format .....	97
Table 46 - ZONE TYPE field .....	97
Table 47 - ZONE CONDITION field .....	98
Table 48 - RESET WRITE POINTER EXT command inputs .....	99
Table 49 - RESET WRITE POINTER EXT command processing .....	100
Table 50 - SEQUENTIALIZE ZONE EXT command inputs .....	101
Table 51 - SEQUENTIALIZE ZONE EXT command processing .....	102
Table 52 - Selecting candidate zones to activate and deactivate with ALL bit cleared to zero .....	105

Table 53 - ZONE ACTIVATE EXT command and ZONE QUERY EXT command inputs .....	109
Table 54 - Zone Activation Results .....	110
Table 55 - Zone Activation Results Header .....	111
Table 56 - Zone Activation Descriptor .....	115
Table 57 - REMOVE ELEMENT AND MODIFY ZONES command inputs .....	117
Table 58 - Update urswrz subcommand inputs.....	119
Table 59 - Zone Activation Control subcommand inputs .....	119
Table 60 - Zoned Device Information .....	120
Table 61 - ZAC MINOR VERSION field .....	123
Table 62 - Zoned Device Statistics .....	125
Table 63 - Generic ZAC Extended Normal Output.....	133
Table 64 - Generic ZAC Extended Error Output .....	134
Table 65 - Additional sense codes .....	135
Table B.1 - Comparison between Zone Domains and Zone Realms .....	142

## Figures

	Page
Figure 1 - ATA document relationships .....	1
Figure 2 - State diagram convention .....	13
Figure 3 - Zones in a zoned device .....	15
Figure 4 - Zone domain .....	19
Figure 5 - Example of two zone domains .....	20
Figure 6 - Example of zone activation in the Zone Domains feature set.....	21
Figure 7 - Zone Realms feature set model.....	22
Figure 8 - Example of conventional and shingled recording technologies using two zone domains .....	24
Figure 9 - Example of zone activation in the Zone Realms feature set.....	25
Figure 10 - Conventional zone state machine.....	33
Figure 11 - Write pointer zone and write pointer after Reset Write Pointer function with no subsequent writes .....	34
Figure 12 - Write pointer zone and write pointer example .....	34
Figure 13 - Example effects of host actions on a write pointer zone.....	35
Figure 14 - Example write command that starts at the write pointer .....	37
Figure 15 - Examples of write commands that do not start at the write pointer .....	38
Figure 16 - Zone Condition state machine .....	45
Figure B.1 - Example of typical zone activation .....	144
Figure B.2 - Example of ZONE ACTIVATION that results in no zones activated .....	145
Figure B.3 - Example of zone deactivation that results in realm boundaries moving.....	146