ISO/IEC 14776-321:2002-08 (E)

Information technology_- Small Computer System Interface-3 (SCSI-3)_- Part_321: SCSI-3 Block Commands_(SBC)

CONTENTS

FOREWORD 8
INTRODUCTION 9
1 Scope 10
2 Normative references 12
2.1 Normative reference overview 12
2.2 Approved references 12
2.3 References under development 12
3 Definitions, symbols and abbreviations 13
3.1 Definitions 13
3.1.1 Definitions specific to direct access devices 13
3.1.2 Definitions specific to optical memory block devices and to write-once block devices 15
3.2 Symbols and abbreviations 15
3.3 Keywords 16
3.4 Conventions 17
4 General 17
5 SCSI block device models 18
5.1 Direct-access device type model 18
5.1.0 General 18
5.1.1 Removable medium 18
5.1.2 Logical blocks 19
5.1.3 Ready state 19
5.1.4 Power conditions 19
5.1.5 Initialization 21
5.1.6 Medium defects 22
5.1.7 Cache memory 22
5.1.8 Reservations 23
5.1.9 Seek(10) 25
5.1.10 Notched devices 25
5.1.11 Rotational position locking 25
5.1.12 Relative addressing 25
5.1.13 Error reporting 25
5.1.14 Examples 26
5.1.15 Model for XOR commands 27
5.2 Model for optical memory block devices 36
5.2.0 General 36
5.2.1 Defect management 37
5.2.2 Error reporting 37
5.3 Model for write-once block devices 38
5.3.0 General 38
5.3.1 Logical blocks 38
5.3.2 Initialization 39
5.3.3 Physical medium defects 39
5.3.4 Error reporting 39
6 Commands for block devices 40

6.1 Commands for direct-access block devices overview 40
6.1.1 Commands for direct-access block devices 40
6.1.2 FORMAT UNIT command 42
6.1.3 LOCK UNLOCK CACHE command 50
6.1.4 PRE-FETCH command 51
6.1.5 READ(6) command 52
6.1.6 READ(10) command 53
6.1.7 READ CAPACITY command 54
6.1.8 READ DEFECT DATA(10) command 55
6.1.9 READ LONG command 57
6.1.10 REASSIGN BLOCKS command 58
6.1.11 REBUILD command 60
6.1.12 REGENERATE command 62
6.1.13 SEEK(10) command 63
6.1.14 SET LIMITS(10) command 64
6.1.15 START STOP UNIT command 65
6.1.16 SYNCHRONIZE CACHE command 67
6.1.17 VERIFY command 68
6.1.18 WRITE(6) command 69
6.1.19 WRITE(10) command 70
6.1.20 WRITE AND VERIFY command 70
6.1.21 WRITE LONG command 71
6.1.22 WRITE SAME command 72
6.1.23 XDREAD command 73
6.1.24 XDWRITE command 74
6.1.25 XDWRITE EXTENDED command 75
6.1.26 XPWRITE command 76
6.2 Commands for optical memory block devices 77
6.2.0 General 77
6.2.1 ERASE(10) command 79
6.2.2 ERASE(12) command 80
6.2.3 MEDIUM SCAN command 81
6.2.4 READ(12) command 83
6.2.5 READ DEFECT DATA(12) command 84
6.2.6 READ GENERATION command 85
6.2.7 READ UPDATED BLOCK(10) command 86
6.2.8 SET LIMITS(12) command 87
6.2.9 UPDATE BLOCK command 88
6.2.10 VERIFY(10) command 89
6.2.11 VERIFY(12) command 90
6.2.12 WRITE(10) command 91
6.2.13 WRITE(12) command 91
6.2.14 WRITE AND VERIFY(10) command 92
6.2.15 WRITE AND VERIFY(12) command 93
6.3 Commands for write-once block devices 94
7 Parameters for block devices 96
7.1 Parameters for direct-access block devices 96
7.1.1 Diagnostic parameters 96
7.1.2 Log parameters 101

7.1.3 Mode parameters 103
7.1.4 Parameters for optical memory block devices 129
7.1.5 Parameters for write-once block devices 132
Annex A (informative) XOR command examples 133
A.1 XOR annex overview 133
A.2 Storage array controller supervised XOR operations 133
A.2.1 Update write operation 133
A.2.2 Regenerate operation 134
A.2.3 Rebuild operation 135
A.3 Third-party XOR operations 136
A.3.1 Update write operation 136
A.3.2 Regenerate operation 137
A.3.3 Rebuild operation 138
A.4 Hybrid subsystem XOR operations 139
A.4.1 Regenerate operation 139
A.4.2 Rebuild operation 140

Bibliography 142

Figure 1 – SCSI standards – General structure 11
Figure 2 – SCSI power conditions flow control (automatic switching) 20
Figure 3 – SCSI power conditions flow control (controlled switching) 21
Figure 4 – Power conditions flowchart 119
Figure A.1 – Rebuild operation 134
Figure A.2 – Regenerate operation 135
Figure A.3 – Rebuild operation 136
Figure A.4 – Update write operation 137
Figure A.5 – Regenerate operation 138
Figure A.6 – Rebuild operation 139
Figure A.7 – Regenerate operation 140
Figure A.8 – Rebuild operation 141

Table 1 – Sample error conditions 26
Table 2 – Sample error conditions 38
Table 3 – Sample error conditions 39
Table 4 – Commands for direct-access block devices 40
Table 5 – FORMAT UNIT command 42
Table 6 – FORMAT UNIT parameter list 43
Table 7 – DEFECT LIST HEADER 44
Table 8 – FORMAT UNIT defect descriptor format and requirements 45
Table 9 – DEFECT DESCRIPTOR – Block format 47
Table 10 – DEFECT DESCRIPTOR – Bytes from index format 47
Table 11 – DEFECT DESCRIPTOR – Physical sector format 48
Table 12 – Initialization pattern descriptor 48
Table 13 – Initialization pattern modifier 49
Table 14 – Initialization pattern type 49
Table 15 – LOCK UNLOCK CACHE command 50
Table 16 – PRE-FETCH command 51
Table 17 – READ(6) command 52
Table 18 – READ(10) command 53
Table 19 – READ CAPACITY command 54
Table 20 – READ CAPACITY data 55
Table 21 – READ DEFECT DATA(10) command 55
Table 22 – READ DEFECT DATA(10) defect list 56
Table 23 – READ LONG command 57
Table 24 – REASSIGN BLOCKS command 58
Table 25 – REASSIGN BLOCKS defect list 59
Table 26 – REBUILD command 60
Table 27 – PORT CONTROL field 61
Table 28 – REBUILD and REGENERATE parameter data 61
Table 29 – SOURCE DESCRIPTOR format 62
Table 30 – REGENERATE command 63
Table 31 – SEEK(10) command 64
Table 32 – SET LIMITS(10) command 64
Table 33 – START STOP UNIT command 65
Table 34 – POWER CONDITIONS 66
Table 35 – SYNCHRONIZE CACHE command 67
Table 36 – VERIFY command 68
Table 37 – WRITE(6) command 69
Table 38 – WRITE(10) command 70
Table 39 – WRITE AND VERIFY command 71
Table 40 – WRITE LONG command 72
Table 41 – WRITE SAME command 73
Table 42 – XDREAD command 74
Table 43 – XDWRITE command 74

Table 44 – XDWRITE EXTENDED command 75
Table 45 – XPWRITE command 77
Table 46 – Commands for optical memory block devices 78
Table 47 – ERASE(10) command 80
Table 48 – ERASE(12) command 81
Table 49 – MEDIUM SCAN command 81
Table 50 – MEDIUM SCAN parameter list 82
Table 51 – READ(12) command 84
Table 52 – READ DEFECT DATA(12) command 84
Table 53 – READ DEFECT DATA(12) list header 85
Table 54 – READ GENERATION command 85
Table 55 – Maximum generation data block 86
Table 56 – READ UPDATED BLOCK(10) command 86
Table 57 – SET LIMITS(12) command 87
Table 58 – UPDATE BLOCK command 88
Table 59 – VERIFY command 89
Table 60 – VERIFY(12) command 90
Table 61 – WRITE(10) command 91
Table 62 – WRITE(12) command 92
Table 63 – WRITE AND VERIFY(10) command 92
Table 64 – WRITE AND VERIFY(12) command 94
Table 65 – Commands for write-once block devices 95
Table 66 – Diagnostic page codes 97
Table 67 – Translate address page – SEND DIAGNOSTIC 97
Table 68 – Translate address page – RECEIVE DIAGNOSTIC 98
Table 69 – Device status page – SEND DIAGNOSTIC 99
Table 70 – Device status page – RECEIVE DIAGNOSTIC 100
Table 71 – SYNCHRONIZATION field 100
Table 72 – Log page codes 101
Table 73 – Format status log page 102
Table 74 – Direct-access medium-type codes 103
Table 75 – Device specific parameter 103
Table 76 – Mode page codes 104
Table 77 – Caching page 105
Table 78 – Demand read retention priority and write retention priority 106
Table 79 – Flexible disk page 109
Table 80 – Examples of transfer rates 110
Table 81 – PIN 34 field 111
Table 82 – PIN 4 field 112
Table 83 – PIN 1 field 112
Table 84 – Format device page 113
Table 85 – Reporting of default sector formatting support 115
Table 86 – Reporting of changeable sector formatting support 115

Table 87 – Medium types supported page 115
Table 88 – Notch page 116
Table 89 – Power condition page 118
Table 90 – Read-write error recovery page 119
Table 91 – Error recovery bit definitions 121
Table 92 – Combined error recovery parameter descriptions 122
Table 93 – Rigid disk device geometry page 125
Table 94 – Rotational position locking 126
Table 95 – Verify error recovery page 127
Table 96 – XOR control mode page 128
Table 97 – Diagnostic page codes 129
Table 98 – Log page codes 129
Table 99 – Optical memory medium-type codes 130
Table 100 – Optical memory block device specific parameter 130
Table 101 – Optical memory density codes 131
Table 102 – Mode page codes 131
Table 103 – Optical memory page 132