

# ISO/IEC 15018:2004-06 (E)

## Information technology – Generic cabling for homes

---

### CONTENTS

	Page
FOREWORD .....	7
Introduction .....	8
1 Scope .....	11
2 Normative references .....	11
3 Definitions and abbreviations .....	14
3.1 Definitions .....	14
3.2 Abbreviations .....	18
4 Conformance .....	19
5 Structure of the generic cabling system to support ICT and/or BCT applications .....	20
5.1 General .....	20
5.2 Functional elements .....	20
5.3 Cabling subsystems for ICT and BCT .....	20
5.3.1 General .....	20
5.3.2 Primary home cabling subsystem .....	22
5.3.3 Secondary home cabling subsystem .....	23
5.4 Cabling structure for ICT and BCT applications .....	23
5.5 Interfaces .....	24
5.5.1 Equipment interfaces and test interfaces .....	24
5.5.2 Channel and permanent link .....	25
5.5.3 Network access cabling .....	26
5.5.4 External network interface .....	27
5.6 Accommodation of functional elements .....	27
5.6.1 Distributors .....	27
5.6.2 Application outlets .....	28
5.6.3 Cable pathways .....	29
5.7 Dimensioning and configuring .....	29
5.7.1 Distributors .....	29
5.7.2 Application outlets .....	30
5.7.3 Equipment cords .....	31
5.7.4 Building entrance facilities .....	31
6 Cabling to support CCCB applications .....	31
6.1 General .....	31
6.2 Functional elements .....	31
6.3 Cabling subsystems for CCCB .....	32
6.3.1 General .....	32
6.3.2 Area feeder cabling subsystem .....	32
6.3.3 Coverage area cabling subsystem .....	33
6.4 Cabling structure for CCCB applications .....	34
6.5 Interfaces .....	34
6.5.1 Equipment interfaces and test interfaces .....	34
6.5.2 Channel and permanent link .....	35
6.5.3 Network access cabling .....	36
6.5.4 External network interface .....	36

6.6	Accommodation of functional elements .....	37
6.6.1	Area connection points (ACPs).....	37
6.6.2	Control outlets (COs) .....	37
6.6.3	Cable pathways .....	37
6.7	Dimensioning and configuring .....	37
6.7.1	Distributors .....	37
6.7.2	Control outlet (CO).....	37
6.7.3	Cable sharing .....	38
6.7.4	Equipment cords .....	38
6.7.5	Building entrance facilities.....	38
7	Performance.....	38
7.1	General .....	38
7.2	ICT channel performance.....	40
7.3	BCT channel performance .....	40
7.4	CCCB channel performance.....	43
8	Reference implementation .....	45
8.1	General .....	45
8.2	Cabling assumptions .....	45
8.2.1	Introduction .....	45
8.2.2	General .....	45
8.2.3	Dimensions for ICT and BCT channels .....	47
8.2.4	Dimensions for CCCB channels.....	48
9	Cable requirements .....	49
9.1	General .....	49
9.2	Cable performance for ICT.....	49
9.3	Cable performance for BCT .....	51
9.3.1	Requirements for balanced pairs for BCT .....	51
9.3.2	Requirements for coaxial cables for BCT .....	52
9.4	Cable performance for CCCB coverage area .....	54
10	Connecting hardware.....	56
10.1	General requirements .....	56
10.1.1	Applicability .....	56
10.1.2	Location.....	56
10.1.3	Design .....	56
10.1.4	Operating environment.....	57
10.1.5	Mounting .....	57
10.1.6	Installation practices .....	57
10.1.7	Marking and colour coding .....	57
10.2	Mating interfaces at TO, BO and CO .....	58
10.2.1	General .....	58
10.2.2	Mating interface for TO .....	58
10.2.3	Mating interface for BO .....	58
10.2.4	Mating interface for CO .....	59
10.2.5	Minimum performance requirements.....	59
11	Safety requirements and screening practices .....	65
11.1	General .....	65

11.2 Coexistence with mains .....	65
11.3 Operational safety .....	65
11.4 Screening practices .....	66
11.4.1 General .....	66
11.4.2 Earthing.....	66
Annex A (normative) BCT channel levels.....	67
Annex B (normative) Link performance .....	68
B.1 General.....	68
B.2 Performance requirements for ICT permanent links .....	68
B.3 Performance requirements for BCT permanent links .....	69
B.4 Performance requirements for CCCB permanent links .....	71
Annex C (informative ) BCT levels: channel and link performance and implementation .....	72
C.1 General.....	72
C.2 BCT-H, BCT-M and BCT-L channels .....	72
C.3 BCT-H, BCT-M and BCT-L links.....	74
C.4 BCT levels' implementation.....	76
C.4.1 General .....	76
C.4.2 Cable specifications.....	76
C.4.3 Connecting hardware specifications.....	76
C.4.4 Maximum channel lengths for reference implementations.....	76
C.4.5 Channel lengths using other coaxial cable specifications .....	77
C.4.6 Channel lengths using other balanced cable specifications .....	77
Annex D (informative) Applications and associated cabling .....	78
Bibliography .....	81
Figure 1 – Overview of a generic cabling for home .....	9
Figure 2 – Structure of the generic cabling system.....	21
Figure 3 – Interconnect and cross-connect models .....	22
Figure 4 – Hierarchical structure of a generic cabling system in support of ICT and BCT applications .....	23
Figure 5 – Equipment and test interfaces in support of ICT and BCT applications.....	24
Figure 6 – Channels and permanent links within the home .....	26
Figure 7 – Examples of interconnection of home and network access cabling.....	27
Figure 8 – Interconnection of home cabling subsystems .....	29
Figure 9 – Structure of the generic cabling system in support of CCCB applications .....	32
Figure 10 – Hierarchical structure of a generic cabling system in support of CCCB applications .....	34
Figure 11 – Equipment and test interfaces in support of CCCB applications .....	35
Figure 12 – Channels and permanent links for CCCB cabling.....	36
Figure 13 – Reference implementations for ICT and BCT channels (PHD/SHD - TO/BO).....	47
Figure 14 – Reference implementations for CCCB channels with PHD or SHD .....	48
Figure 15 – Reference implementations for CCCB channels with PHD and SHD.....	49
Figure 16 – Pin grouping assignments for IEC 60603-7 series outlet (front view).....	58

11.2	Coexistence with mains .....	65
11.3	Operational safety .....	65
11.4	Screening practices .....	66
11.4.1	General .....	66
11.4.2	Earthing .....	66
Annex A (normative)	BCT channel levels .....	67
Annex B (normative)	Link performance .....	68
B.1	General .....	68
B.2	Performance requirements for ICT permanent links .....	68
B.3	Performance requirements for BCT permanent links .....	69
B.4	Performance requirements for CCCB permanent links .....	71
Annex C (informative )	BCT levels: channel and link performance and implementation .....	72
C.1	General .....	72
C.2	BCT-H, BCT-M and BCT-L channels .....	72
C.3	BCT-H, BCT-M and BCT-L links .....	74
C.4	BCT levels' implementation .....	76
C.4.1	General .....	76
C.4.2	Cable specifications .....	76
C.4.3	Connecting hardware specifications .....	76
C.4.4	Maximum channel lengths for reference implementations .....	76
C.4.5	Channel lengths using other coaxial cable specifications .....	77
C.4.6	Channel lengths using other balanced cable specifications .....	77
Annex D (informative)	Applications and associated cabling .....	78
Bibliography	.....	81
Figure 1	– Overview of a generic cabling for home .....	9
Figure 2	– Structure of the generic cabling system .....	21
Figure 3	– Interconnect and cross-connect models .....	22
Figure 4	– Hierarchical structure of a generic cabling system in support of ICT and BCT applications .....	23
Figure 5	– Equipment and test interfaces in support of ICT and BCT applications .....	24
Figure 6	– Channels and permanent links within the home .....	26
Figure 7	– Examples of interconnection of home and network access cabling .....	27
Figure 8	– Interconnection of home cabling subsystems .....	29
Figure 9	– Structure of the generic cabling system in support of CCCB applications .....	32
Figure 10	– Hierarchical structure of a generic cabling system in support of CCCB applications .....	34
Figure 11	– Equipment and test interfaces in support of CCCB applications .....	35
Figure 12	– Channels and permanent links for CCCB cabling .....	36
Figure 13	– Reference implementations for ICT and BCT channels (PHD/SHD - TO/BO) .....	47
Figure 14	– Reference implementations for CCCB channels with PHD or SHD .....	48
Figure 15	– Reference implementations for CCCB channels with PHD and SHD .....	49
Figure 16	– Pin grouping assignments for IEC 60603-7 series outlet (front view) .....	58
Table D.1	– Grouping of applications and cabling .....	78
Table D.2	– Characteristics of ICT, BCT & CCCB cabling .....	80