ISO/IEC 14776-222 :2005-02 (E)

Information technology_- Small Computer System Interface (SCSI)_- Part_222: Fibre Channel Protocol for SCSI, Second Version (FCP-2)

CONTENTS

Foreword 11
Introduction 12
1 Scope 14
2 Normative references 14
2.1 International standards 14
2.2 International standards under development 14
2.3 Other references 14
3 Definitions, abbreviations and conventions 15
3.1 Definitions 15
3.2 Abbreviations 20
3.3 Keywords 21
3.4 Editorial conventions 22
4 General 24
4.1 Structure and concepts 24
4.2 Device management 25
4.3 Precise delivery of SCSI commands 27
4.4 Confirmed completion of FCP I/O Operations 28
4.5 Retransmission of unsuccessfully transmitted data 29
4.6 Task retry identification 29
4.7 Discovery of FCP capabilities 30
4.8 Task management 30
4.9 Clearing effects of task management, FCP, FC-FS, and FC-AL-2 actions 31
4.10 I_T nexus loss notification events 33
4.11 Transport Reset notification events 34
4.12 Port login/logout 34
4.13 Process login/logout 34
4.14 Link management 34
5 Fibre Channel protocol overview 35
5.1 FCP addressing and Exchange identification 35
5.2 SCSI third-party device identifier for the Fibre Channel protocol 35
5.3 Use of World Wide Names 35
5.4 FCP Information Units (IUs) 36
5.5 Fibre Channel protocol standard formats 37
5.6 FC-FS mappings to SCSI-3 functionality 38
5.6.1 FC-FS frame header 38
5.6.2 Frame header fields 38
5.6.2.1 R_CTL 38
5.6.2.2 D_ID 38
5.6.2.3 CS_CTL 38
5.6.2.4 S_ID 38
5.6.2.5 TYPE 38
5.6.2.6 F_CTL 39
5.6.2.7 SEQ_ID 39
5.6.2.8 DF_CTL 39
5.6.2.9 SEQ_CNT 39
5.6.2.10 OX_ID 39
5.6.2.11 RX_ID 39
5.6.2.12 PARAMETER 40

6 FCP basic and extended link service definitions 40
6.1 Overview of link service requirements 40
6.2 Overview of Process Login/Logout 40
6.3 Process Login (PRLI) 41
6.3.1 Use of Process Login by the Fibre Channel protocol 41
6.3.2 Process_Associator requirements 41
6.3.3 New or repeated PRLI 41
6.3.4 Process Login request FCP Service Parameter page format 42
6.3.5 Process Login accept FCP Service Parameter page format 45
6.4 Process Logout (PRLO) 46
6.5 Read Exchange Concise (REC) 46
7 FC-4 specific name server objects 47
7.1 Overview of FC-4 specific objects for the Fibre Channel protocol 47
7.2 FC-4 Features object 47
7.3 FC-4 Descriptor object 47
8 FC-4 Link Service definitions 48
8.1 FC-4 Link Services for the Fibre Channel protocol 48
8.2 Sequence Retransmission Request (SRR) 48
8.3 FCP FC-4 Link Service Reject 50
9 FCP Information Unit (IU) formats 52
9.1 FCP_CMND IU 52
9.1.1 FCP_CMND IU format 52
9.1.2 FCP_CMND IU Field descriptions 52
9.1.2.1 FCP_LUN 52
9.1.2.2 COMMAND REFERENCE NUMBER 53
9.1.2.3 TASK ATTRIBUTE 53
9.1.2.4 TASK MANAGEMENT FLAGS 53
9.1.2.5 ADDITIONAL FCP_CDB LENGTH 56
9.1.2.6 RDDATA 56
9.1.2.7 WRDATA 56
9.1.2.8 FCP_CDB 56
9.1.2.9 ADDITIONAL_FCP_CDB 56
9.1.2.10 FCP_DL 56
9.1.3 Additional mechanisms for performing task management functions - ABORT TASK 57
9.2 FCP_XFER_RDY IU 57
9.2.1 Overview and format of FCP_XFER_RDY IU 57
9.2.2 FCP_DATA_RO 57
9.2.3 FCP_BURST_LEN 58
9.3 FCP_DATA IU 58
9.4 FCP_RSP IU 59
9.4.1 Overview and format of FCP_RSP IU 59
9.4.2 FCP_CONF_REQ 60
9.4.3 FCP_RESID_UNDER 60
9.4.4 FCP_RESID_OVER 60
9.4.5 FCP_SNS_LEN_VALID 61
9.4.6 FCP_RSP_LEN_VALID 61
9.4.7 SCSI STATUS CODE 61
9.4.8 FCP_RESID 61
9.4.9 FCP_SNS_LEN 62
9.4.10 FCP_RSP_LEN 62
9.4.11 FCP_RSP_INFO 62
9.4.12 FCP_SNS_INFO 63
9.5 FCP_CONF IU 63

10 SCSI mode parameters for the Fibre Channel protocol 64
10.1 Overview of mode page codes for the Fibre Channel protocol 64
10.2 Disconnect-Reconnect mode page 64
10.2.1 Overview and format of Disconnect-Reconnect mode page for FCP 64
10.2.2 BUFFER FULL RATIO 65
10.2.3 BUFFER EMPTY RATIO 66
10.2.4 BUS INACTIVITY LIMIT 66
10.2.5 DISCONNECT TIME LIMIT 66
10.2.6 CONNECT TIME LIMIT 66
10.2.7 MAXIMUM BURST SIZE FIELD 66
10.2.8 ENABLE MODIFY DATA POINTERS (EMDP) 67
10.2.9 FAA, FAB, FAC 67
10.2.10 FIRST BURST SIZE 67
10.3 Fibre Channel Logical Unit Control mode page 68
10.4 Fibre Channel Port Control mode page 68
10.4.1 Overview and format of Fibre Channel Port Control mode page 68
10.4.2 DISABLE TARGET ORIGINATED LOOP INITIALIZATION (DTOLI) 69
10.4.3 DISABLE TARGET INITIATED PORT ENABLE (DTIPE) 69
10.4.4 ALLOW LOGIN WITHOUT LOOP INITIALIZATION (ALWLI) 69
10.4.5 REQUIRE HARD ADDRESS (RHA) 69
10.4.6 DISABLE LOOP MASTER (DLM) 69
10.4.7 DISABLE DISCOVERY (DDIS) 70
10.4.8 PREVENT LOOP PORT BYPASS (PLPB) 70
10.4.9 DISABLE TARGET FABRIC DISCOVERY (DTFD) 70
10.4.10 RESOURCE RECOVERY TIME-OUT VALUE (RR_TOV) 70
11 Timers for FCP operation and recovery 72
11.1 Summary of timers for the Fibre Channel protocol 72
11.2 Error_Detect Time-out (E_D_TOV) 72
11.3 Resource Allocation Time-out (R_A_TOV) 73
11.4 Resource Recovery Timer (RR_TOV) 73
11.5 Read Exchange Concise Time-out Value (REC_TOV) 74
11.6 Upper Level Protocol Time-out (ULP_TOV) 74
12 Link error recovery procedure 75
12.1 Overview 75
12.1.1 Exchange level error recovery 75
12.1.2 Sequence level error recovery 75
12.2 FCP Error Detection 75
12.2.1 Overview of FCP-2 Error Detection 75
12.2.2 FCP-2 Error Detection using protocol errors for all classes of service 75
12.2.3 Error Detection mechanisms for acknowledged classes of Service 76
12.3 Exchange level recovery using recovery abort 77
12.3.1 Recovery abort requirements 77
12.3.2 Initiator invocation of recovery abort 77
12.3.3 Target response to recovery abort 77
12.3.4 Additional error recovery by initiator 78
12.3.5 Additional error recovery by target 78

12.4 Sequence level error detection and recovery 78
12.4.1 Using information from REC to perform Sequence level recovery 78
12.4.1.1 Polling Exchange state with REC 78
12.4.1.2 Detection of errors while polling with REC 79
12.4.1.3 FCP_CMND IU Recovery using information from REC 79
12.4.1.4 FCP_XFER_RDY IU Recovery 79
12.4.1.5 FCP_RSP IU Recovery 79
12.4.1.6 FCP_DATA IU Recovery – Write 81
12.4.1.7 FCP_DATA IU Recovery – Read 81
12.4.1.8 FCP_CONF IU Recovery 81
12.4.2 Additional error recovery requirements 82
12.4.2.1 Error indicated in ACK 82
12.4.2.2 Missing ACK 82
12.4.2.3 Distinguishing exchange to be aborted 82
12.5 Second-level error recovery 83
12.5.1 ABTS 83
12.5.2 REC 83
12.5.3 SRR 83
12.6 Responses to FCP type frames before PLOGI or PRLI 83

Annex A (normative) FCP mapping to SAM-2 (Fibre Channel Protocol Service mapping to SCSI Architectural Model (SAM-2)) 84
A.1 Definition of procedure terms 84
A.2 Notation for procedures and functions 85
A.3 Application client SCSI command services 86
A.4 Send SCSI command service 86
A.5 Data Transfer Protocol Services 87
A.5.1 Overview of data buffer movement services 87
A.5.2 Data-in delivery service 87
A.5.3 Data-out delivery service 87
A.6 Task management services 87
Annex B (informative) FCP examples 88
B.1 Examples of the use of FCP Information Units (IUs) 88
B.1.1 Overview of examples 88
B.1.2 SCSI FCP read operation 88
B.1.3 SCSI FCP write operation 89
B.1.4 SCSI FCP operation with no data transfer or with check condition 89
B.1.5 SCSI FCP read operation with multiple FCP_DATA IUs 90
B.1.6 SCSI FCP write operation with FCP_XFR_RDY disabled 90
B.1.7 SCSI linked commands 91
B.1.8 SCSI WRITE command with confirmed completion 91
B.1.9 SCSI FCP task management function 92
B.2 FCP write example, frame level 93
B.3 FCP read example, frame level 95
Annex C (informative) Error detection and recovery action examples 97
Annex D (informative) FCP-2 examples of link service usage 131
D.1 Formats for recovery link services 131
D.2 Abort Sequence (ABTS) Request 131
D.2.1 Abort Sequence (ABTS) Request fields 131
D.2.2 Basic Accept (BA_ACC) Frame to ABTS 132
D.2.3 Basic Reject (BA_RJT) Frame to ABTS 132
D.3 Reinstate Recovery Qualifier (RRQ) 133
Annex E (informative) Bidirectional operation support 134
E.1 Introduction 134
E.2 Changes in the FCP device management model 134
E.2.1 Support of bidirectional operation 134
E.2.2 Relationship between bidirectional and unidirectional operation 134
E.3 FCP_CMND IU changes 135
E.3.1 FCP_CMND IU payload 135
E.3.2 TASK MANAGEMENT FLAGS 135
E.3.3 RDDATA and WRDATA 136
E.3.4 FCP_DL 136
E.3.5 FCP_BIDIRECTIONAL_READ_DL 136
E.4 FCP_DATA IU changes 136
E.5 FCP_RSP IU changes 137
E.5.1 FCP_RSP IU payload 137
E.5.2 FCP_BIDI_RSP 137
E.5.3 FCP_BIDI_ READ_RESID_UNDER 137
E.5.4 FCP_BIDI_ READ_RESID_OVER 138
E.5.5 FCP_RESID 138
E.5.6 FCP_BIDIRECTIONAL_READ_ RESID 138

E.6 Error recovery changes 139
E.6.1 Overview 139
E.6.2 Sequence level error recovery 139
E.6.3 FCP-2 Error Detection using protocol errors for all classes of service 139
E.7 FCP Example 139
E.7.1 Overview 139
E.7.2 SCSI FCP bidirectional command with write before read 141
E.7.3 SCSI FCP bidirectional command with read before write 141
E.7.4 SCSI FCP bidirectional command, write first, write FCP_XFER_RDY disabled 142
E.7.5 SCSI FCP bidirectional command with intermixed writes and reads 143
Annex F (informative) FCP Device Discovery Procedure 144
F.1 FCP Device Discovery Procedure 144
F.1.1 Initiator discovery of Fabric-attached targets 144
F.1.2 Initiator discovery of loop-attached targets 144
F.2 Fabric and Device Authentication 145
F.3 Logical unit authentication 145
Bibliography 146

Table 1 – SCSI and Fibre Channel protocol functions 25
Table 2 – Discovery of FCP–2 capabilities 30
Table 3 – Task management functions, SAM–2 to FCP 31
Table 4 – Clearing effects of link related functions 32
Table 5 – Clearing effects of initiator actions 33
Table 6 – FCP third–party device id format 35
Table 7 – FCP Information Units (IUs) sent to targets 36
Table 8 – FCP Information Units (IUs) sent to initiators 37
Table 9 – FCP frame header 38
Table 10 – FCP Service Parameter page, PRLI request 42
Table 11 – FCP Service Parameter page, PRLI accept 45
Table 12 – FCP definition of FC–4 Feature bits 47
Table 13 – FCP FC–4 Link Service Requests and Responses for FCP–2 48
Table 14 – SRR Payload 49
Table 15 – SRR Accept Payload 49
Table 16 – FCP FC–4 Link Service Reject (FCP_RJT) Payload 50
Table 17 – FCP FC–4 Link Service Reject reason codes 50
Table 18 – FCP FC–4 Link Service Reject reason code explanation 51
Table 19 – FCP_CMND IU Payload 52
Table 20 – TASK ATTRIBUTE field values 53
Table 21 – task management Flags 54
Table 22 – FCP_XFER_RDY IU payload 57
Table 23 – FCP_RSP IU Payload 60
Table 24 – FCP_RSP_INFO field format 62
Table 25 – RSP_CODE definitions 63
Table 26 – Mode page codes for FCP 64
Table 27 – Disconnect–reconnect page (02h) 65
Table 28 – Fibre Channel Logical Unit Control page (18h) 68
Table 29 – Fibre Channel Port Control page (19h) 69
Table 30 – Values for RR_TOV UNITS 71
Table 31 – Timer summary 72
Table 32 – Initiator REC_TOV Usage 74
Table 33 – Target REC_TOV usage 74
Table A.1 – FCP procedure terms mapped to terms from SAM–2 standard 84
Table A.2 – Procedure Terms 85
Table A.3 – Processing of send SCSI command service procedure 86
Table A.4 – Processing of data–in delivery service procedure 87
Table A.5 – Processing of data–out delivery service procedure 87
Table B.1 – FCP read operation, example 88
Table B.2 – FCP write operation, example 89
Table B.3 – FCP operation without data transfer, example 89
Table B.4 – FCP read operation, example 90
Table B.5 – FCP write operation with FCP_XFER_RDY disabled, example 90
Table B.6 – FCP linked commands, example 91
Table B.7 – FCP write command with confirmed completion 91
Table B.8 – FCP task management function, example 93
Table C.1 – Diagram Drawing conventions 97
Table D.1 – ABTS Frame 131
Table D.2 – BA_ACC Frame to ABTS 132
Table D.3 – BA_RJT Frame to ABTS 132
Table D.4 – Reinstate Recovery Qualifier 133
Table E.1 – FCP_CMND payload for a bidirectional command 135
Table E.2 – FCP_RSP IU Payload 137
Table E.3 – FCP bidirectional command with write before read, example 140
Table E.4 – FCP bidirectional command with read before write, example 141
Table E.5 – FCP bidirectional command, write FCP_XFER_RDY disabled, example 142
Table E.6 – FCP bidirectional command with intermixed writes and reads, example 143

Figure B.1 – Example of class 2 FCP write I/O operation 93
Figure B.2 – Example of class 2 FCP_DATA write 94
Figure B.3 – Example of class 2 FCP read I/O operation 95
Figure B.4 – Example of class 2 FCP_DATA read 96
Figure C.1 – Lengthy FCP_CMND or Lost ACK 98
Figure C.2 – FCP_CMND Lost, Unacknowledged Classes 99
Figure C.3 – FCP_CMND Lost, Acknowledged Classes 100
Figure C.4 – FCP_CMND Acknowledgement Lost, Acknowledged Classes 101
Figure C.5 – FCP_XFER_RDY Lost, Unacknowledged Classes 102
Figure C.6 – FCP_XFER_RDY Lost, Acknowledged Classes 103
Figure C.7 – FCP_XFER_RDY Received, ACK Lost, Acknowledged Classes 104
Figure C.8 – FCP_RSP Lost, FCP_CONF not requested, Unacknowledged Classes 105
Figure C.9 – FCP_RSP Lost, FCP_CONF not requested, Acknowledged Classes 106
Figure C.10 – FCP_RSP Lost Read Command, no FCP_CONF, Acknowledged Classes 107
Figure C.11 – FCP_RSP Received, ACK Lost, Acknowledged Classes, Example 1 108
Figure C.12 – FCP_RSP Received, ACK Lost, Acknowledged Classes, Example 2 109
Figure C.13 – Lost Write Data, Last Frame of Sequence, Unacknowledged Classes 110
Figure C.14 – Lost Write Data, Last Frame of Sequence, Acknowledged Classes 111
Figure C.15 – Lost Write Data, Not Last Frame of Sequence, Unacknowledged Classes 112
Figure C.16 – Lost Write Data, Not Last Frame of Sequence, Acknowledged Classes 113
Figure C.17 – Lost Read Data, Last Frame of Sequence, Unacknowledged Classes 114
Figure C.18 – Lost Read Data, Last Frame of Sequence, Acknowledged Classes 115
Figure C.19 – Lost Read Data, Not Last Frame of Sequence, Unacknowledged Classes 116
Figure C.20 – Lost Read Data, Not Last Frame of Sequence, Acknowledged Classes 117
Figure C.21 – ACK Lost on Read (Acknowledged Classes) 118
Figure C.22 – ACK Lost on Write (Acknowledged Classes) 119
Figure C.23 – FCP_CONF Lost, Unacknowledged Classes 120
Figure C.24 – FCP_CONF Lost, Acknowledged Classes 121
Figure C.25 – ACK lost on FCP_CONF, Acknowledged Classes 122
Figure C.26 – REC or REC Response Lost, Unacknowledged Classes 123
Figure C.27 – REC Lost, Acknowledged Classes 124
Figure C.28 – REC Response Lost, Acknowledged Classes 125
Figure C.29 – Two RECs Lost, Unacknowledged Classes, Abort the original Exchange 126
Figure C.30 – SRR Lost, Unacknowledged Classes, Abort original Exchange 127
Figure C.31 – SRR Response Lost, Unacknowledged Classes 128
Figure C.32 – SRR Lost, Acknowledged Classes 129
Figure C.33 – SRR Response Lost, Acknowledged Classes 130