

ISO/IEC 14543-3-1 :2006-09 (E)

Information technology_ - Home Electronic Systems (HES) Architecture_ - Part_3-1: Communication layers_ - Application layer for network based control of HES Class 1

CONTENTS

| | |
|--|----|
| FOREWORD..... | 5 |
| INTRODUCTION..... | 6 |
| 1 Scope..... | 7 |
| 2 Normative references..... | 7 |
| 3 Terms, definitions and abbreviations..... | 7 |
| 3.1 Terms and definitions..... | 7 |
| 3.2 Abbreviations..... | 8 |
| 4 Conformance..... | 8 |
| 5 Services of the application layer..... | 8 |
| 5.1 Communication modes..... | 8 |
| 5.2 Service primitives of the application layer..... | 9 |
| 6 Application layer protocol data unit (APDU)..... | 10 |
| 7 Application layer services..... | 12 |
| 7.1 Application layer services on multicast communication mode..... | 12 |
| 7.1.1 General..... | 12 |
| 7.1.2 A_GroupValue_Read Service..... | 13 |
| 7.1.3 A_GroupValue_Write Service..... | 17 |
| 7.2 Application layer services on broadcast communication mode..... | 19 |
| 7.2.1 A_IndividualAddress_Write Service..... | 19 |
| 7.2.2 A_IndividualAddress_Read-Service..... | 20 |
| 7.2.3 A_IndividualAddressSerialNumber_Read-Service..... | 23 |
| 7.2.4 A_IndividualAddressSerialNumber_Write Service..... | 26 |
| 7.2.5 A_ServiceInformation_Indication_Write Service..... | 27 |
| 7.2.6 A_DomainAddress_Write Service..... | 28 |
| 7.2.7 A_DomainAddress_Read Service..... | 30 |
| 7.2.8 A_DomainAddressSelective_Read Service..... | 32 |
| 7.2.9 A_NetworkParameter_Read Service..... | 33 |
| 7.2.10 A_NetworkParameter_Write Service..... | 36 |
| 7.3 Application layer services on point-to-point connectionless communication mode..... | 37 |
| 7.3.1 General..... | 37 |
| 7.3.2 A_PropertyValue_Read Service..... | 38 |
| 7.3.3 A_PropertyValue_Write Service..... | 41 |
| 7.3.4 A_PropertyDescription_Read Service..... | 43 |
| 7.3.5 A_DeviceDescriptor_Read Service..... | 46 |
| 7.3.6 A_Link_Read Service..... | 49 |
| 7.3.7 A_Link_Write Service..... | 50 |
| 7.4 Application layer services on point-to-point connection-oriented communication mode..... | 51 |
| 7.4.1 General..... | 51 |
| 7.4.2 A_ADC_Read Service..... | 52 |
| 7.4.3 A_Memory_Read Service..... | 54 |
| 7.4.4 A_Memory_Write Service..... | 57 |
| 7.4.5 A_MemoryBit_Write Service..... | 59 |
| 7.4.6 A_UserData..... | 62 |

| | | |
|-------|---|----|
| 7.4.7 | A_Restart Service | 73 |
| 7.4.8 | A_Authorize_Request Service | 74 |
| 7.4.9 | A_Key_Write Service | 76 |
| 7.5 | Router-specific application layer services on point-to-point connection-oriented communication mode | 78 |
| 8 | Parameters of application layer | 79 |
| 8.1 | Association table | 79 |
| 8.2 | Verify flag | 79 |
| | Bibliography | 80 |
| | Figure 1 – Interaction of the application layer for services that are not remote confirmed | 9 |
| | Figure 2 – Interaction of the application layer for services that are remote confirmed | 10 |
| | Figure 3 – APDU (Example) | 10 |
| | Figure 4 – Mapping the ASAP to the TSAP (Example) | 13 |
| | Figure 5 – Mapping a TSAP to an ASAP | 13 |
| | Figure 6 – Handling requests and responses | 13 |
| | Figure 7 – Message flow for the A_Group_Value_Read service | 13 |
| | Figure 8 – A_GroupValue_Read-PDU (Example) | 14 |
| | Figure 9 – A_GroupValue_Response-PDU (Example), length of ASAP data is more than 6 bit | 14 |
| | Figure 10 – A_GroupValue_Response-PDU (Example) length of ASAP data is 6 bit or less | 15 |
| | Figure 11 – Message flow for the A_Group_Value_Write service | 17 |
| | Figure 12 – A_GroupValue_Write-PDU (Example), length of ASAP data is more than 6 bit | 17 |
| | Figure 13 – A_GroupValue_Write-PDU (Example), length of ASAP data is 6 bit or less | 18 |
| | Figure 14 – A_IndividualAddress_Write-PDU (Example) | 19 |
| | Figure 15 – A_IndividualAddress_Read-PDU (Example) | 21 |
| | Figure 16 – A_IndividualAddress_Response-PDU (Example) | 21 |
| | Figure 17 – Message flow for the A_IndividualAddressSerialNumber_Read service | 23 |
| | Figure 18 – A_IndividualAddressSerialNumber_Read-PDU (Example) | 23 |
| | Figure 19 – A_IndividualAddressSerialNumber_Response-PDU (Example) | 24 |
| | Figure 20 – A_IndividualAddressSerialNumber_Write-PDU (Example) | 26 |
| | Figure 21 – A_ServiceInformation_Indication_Write-PDU (Example) | 27 |
| | Figure 22 – A_DomainAddress_Write-PDU | 29 |
| | Figure 23 – A_DomainAddress_Read-PDU (Example) | 30 |
| | Figure 24 – A_DomainAddress_Response-PDU (Example) | 30 |
| | Figure 25 – A_DomainAddressSelective_Read-PDU (Example) | 32 |
| | Figure 26 – A_NetworkParameter_Read-PDU (Example) | 34 |
| | Figure 27 – A_NetworkParameter_Response-PDU (Example) | 34 |
| | Figure 28 – A_NetworkParameter_Write-PDU (Example) | 36 |
| | Figure 29 – A_PropertyValue_Read-PDU (Example) | 38 |
| | Figure 30 – A_PropertyValue_Response-PDU (Example) | 39 |
| | Figure 31 – A_PropertyValue_Write-PDU (Example) | 41 |
| | Figure 32 – A_PropertyDescription_Read-PDU (Example) | 44 |

| | |
|--|----|
| Figure 33 – A_PropertyDescription_Response-PDU (Example) | 44 |
| Figure 34 – A_DeviceDescriptor_Read-PDU (Example) | 47 |
| Figure 35 – A_DeviceDescriptor_Response-PDU (Example) | 47 |
| Figure 36 – Message flow for A_Link_Read Service..... | 49 |
| Figure 37 – A_Link_Read-PDU (Example) | 49 |
| Figure 38 – A_Link_Response-PDU | 49 |
| Figure 39 – Message flow for A_Link_Write Service | 50 |
| Figure 40 – A_Link_Write-PDU..... | 51 |
| Figure 41 – A_ADC_Read-PDU (Example) | 52 |
| Figure 42 – A_ADC_Response-PDU (Example) | 52 |
| Figure 43 – A_Memory_Read-PDU (Example) | 55 |
| Figure 44 – A_Memory_Response-PDU (Example)..... | 55 |
| Figure 45 – A_Memory_Write-PDU (Example) | 57 |
| Figure 46 – A_MemoryBit_Write-PDU..... | 61 |
| Figure 47 – A_UserMemory_Read-PDU (Example)..... | 63 |
| Figure 48 – A_UserMemory_Response-PDU | 63 |
| Figure 49 – A_UserMemory_Write-PDU..... | 66 |
| Figure 50 – A_UserMemoryBit_Write-PDU (Example)..... | 69 |
| Figure 51 – A_UserManufacturerInfo_Read-PDU (Example) | 71 |
| Figure 52 – A_UserManufacturerInfo_Response-PDU..... | 72 |
| Figure 53 – A_Restart-PDU (Example) | 74 |
| Figure 54 – A_Authorize_Request-PDU (Example) | 75 |
| Figure 55 – A_Authorize_Response-PDU (Example)..... | 75 |
| Figure 56 – A_Key_Write-PDU (Example)..... | 77 |
| Figure 57 – A_Key_Response-PDU (Example) | 77 |
| | |
| Table 1 – APCI overview | 11 |
| Table 2 – Function table for A_MemoryBit_Write-Services | 60 |
| Table 3 – Function table for A_UserMemoryBit_Write-Services..... | 68 |
| Table 4 – Association table of keys to access levels | 76 |