

# DIN EN ISO 4829-2:2016-08 (E)

Steels - Determination of total silicon contents - Reduced molybdosilicate spectrophotometric method - Part 2: Silicon contents between 0,01 % and 0,05 % (ISO 4829-2:2016)

---

<b>Contents</b>	<b>Page</b>
<b>European foreword</b> .....	<b>3</b>
<b>Foreword</b> .....	<b>4</b>
<b>1 Scope</b> .....	<b>5</b>
<b>2 Normative references</b> .....	<b>5</b>
<b>3 Principle</b> .....	<b>5</b>
<b>4 Reagents</b> .....	<b>5</b>
<b>5 Apparatus</b> .....	<b>7</b>
<b>6 Sampling</b> .....	<b>8</b>
<b>7 Procedure</b> .....	<b>8</b>
7.1 Test portion .....	8
7.2 Blank test .....	8
7.3 Determination .....	8
7.3.1 Dissolution of the test portion .....	8
7.3.2 Treatment of insoluble residue .....	8
7.3.3 Preparation of the test solution .....	8
7.3.4 Development of the colour .....	9
7.3.5 Spectrophotometric measurements .....	9
7.4 Establishment of the calibration curve .....	10
7.4.1 Preparation of the calibration solutions .....	10
7.4.2 Spectrophotometric measurements .....	10
7.4.3 Plotting of the calibration curve .....	10
<b>8 Expression of results</b> .....	<b>10</b>
8.1 Method of calculation .....	10
8.2 Precision .....	11
<b>9 Test report</b> .....	<b>11</b>
<b>Annex A (informative) Additional information on the interlaboratory test</b> .....	<b>13</b>
<b>Bibliography</b> .....	<b>14</b>