

# ISO 4829-2:2016-02 (E)

## Steels - Determination of total silicon contents - Reduced molybdsilicate spectrophotometric method - Part 2: Silicon contents between 0,01 % and 0,05 %

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Principle .....</b>	<b>1</b>
<b>4</b>	<b>Reagents .....</b>	<b>1</b>
<b>5</b>	<b>Apparatus .....</b>	<b>3</b>
<b>6</b>	<b>Sampling .....</b>	<b>4</b>
<b>7</b>	<b>Procedure .....</b>	<b>4</b>
7.1	Test portion .....	4
7.2	Blank test .....	4
7.3	Determination .....	4
7.3.1	Dissolution of the test portion .....	4
7.3.2	Treatment of insoluble residue .....	4
7.3.3	Preparation of the test solution .....	4
7.3.4	Development of the colour .....	5
7.3.5	Spectrophotometric measurements .....	5
7.4	Establishment of the calibration curve .....	6
7.4.1	Preparation of the calibration solutions .....	6
7.4.2	Spectrophotometric measurements .....	6
7.4.3	Plotting of the calibration curve .....	6
<b>8</b>	<b>Expression of results .....</b>	<b>6</b>
8.1	Method of calculation .....	6
8.2	Precision .....	7
<b>9</b>	<b>Test report .....</b>	<b>7</b>
<b>Annex A (informative)</b>	<b>Additional information on the interlaboratory test .....</b>	<b>9</b>
<b>Bibliography .....</b>		<b>10</b>