ISO/TR 18231:2016-05 (E)

Iron ores - Wavelength dispersive X-ray fluorescence spectrometers - Determination of precision

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Frequency of testing 1

3 Counter tests 2
3.1 Counter resolution 2
3.1.1 General 2
3.1.2 Procedure 4
3.1.3 Assessment of results 6
3.2 Conductivity of the gas flow proportional counter window 6
3.2.1 General 6
3.2.2 Procedure 7
3.2.3 Assessment of results 7
3.3 Pulse shift corrector 7
3.3.1 General 7
3.3.2 Procedure 8

4 Spectrometer tests 8
4.1 General 8
4.2 Precision 9
4.2.1 General 9
4.2.2 Calculation of counting statistical error 10
4.3 Test specimen 11
4.3.1 General 11
4.3.2 Sequential spectrometers 11
4.3.3 Simultaneous spectrometers 11
4.4 Instrumental conditions 11
4.4.1 General 11
4.4.2 Sequential spectrometers 12
4.4.3 Simultaneous spectrometers 12
4.5 Stability test 12
4.6 Specimen rotation test 13
4.7 Carousel reproducibility test 13
4.8 Mounting and loading reproducibility test 13
4.9 Comparison of sample holders 13
4.10 Comparison of carousel positions 14
4.11 Angular reproducibility 14
4.12 Collimator reproducibility (for sequential spectrometers fitted with an interchangeable collimator) 14
4.13 Detector changing reproducibility (for sequential spectrometers fitted with more than one detector) 14
4.14 Crystal changing reproducibility 14
4.15 Other tests 15
4.16 Note on glass bead curvature 15

5 Determination of the dead time and the maximum usable count rate of the equipment 15
5.1 General 15

5.2 Methods of determination of dead time 16
5.2.1 General 16
5.2.2 Recommended method for determining dead time 17

Annex A (informative) Calculation of the coefficient of variation of duplicates 24

Bibliography 26