DIN EN 10202:2022-07 (E)

Cold reduced tinmill products - Electrolytic tinplate and electrolytic chromium/chromium oxide coated steel

Contents

Page

European foreword 6

1 Scope 8

2 Normative references 8

3 Terms and definitions 8

4 Classification and designation 12
4.1 Classification 12
4.2 Designation 12

5 Information to be supplied by the purchaser 12
5.1 Mandatory information 12
5.2 Options 13
5.3 Ordering examples 13

6 Manufacturing features 13
6.1 Steelmaking process 13
6.2 Annealing 14
6.3 Finish 14
6.4 Passivation 15
6.4.1 General 15
6.4.2 Titanium / Zirconium passivation 15
6.4.3 Chromium passivation 15
6.5 Oiling 16
6.6 Imperfections 16
6.6.1 Coils 16
6.6.2 Sheets 16

7 Coatings 17
7.1 Electrolytic tinplate 17
7.1.1 Properties 17
7.1.2 Test method 18
7.2 Electrolytic chromium coated steel 18
7.2.1 General 18
7.2.2 Test method 19

8 Mechanical properties 19
8.1 General 19
8.2 Tensile test measurement 20
8.2.1 General 20
8.2.2 Location of test pieces 20
8.2.3 Aging 20
8.2.4 Thickness 20
8.2.5 Testing conditions 20
8.2.6 Strength characteristics 20
8.3 Mechanical properties of tinmill products 24

9 Tolerances on dimensions and shape 26
9.1 General 26

9.2 Thickness and feather edge 26
9.2.1 Thickness 26
9.2.2 Test method for thickness 26
9.2.3 Feather edge 26
9.2.4 Test method for feather edge 26
9.3 Linear dimensions 27
9.3.1 Width and length 27
9.3.2 Out-of-squareness of sheets 27
9.3.3 Short pitch camber (lateral weave) of coils 28
9.3.4 Test method for short pitch camber 28
9.4 Shape 29
9.4.1 Edge wave 29
9.4.2 Test method for edge wave 29
9.4.3 Bow 29
9.4.4 Test method for bow 30
9.4.5 Centre fullness 30
9.4.6 Test method for centre fullness 31
9.4.7 Burr 32

10 Welds within a coil 32
10.1 General 32
10.2 Number of welds 32
10.3 Location of welds 32
10.4 Dimensions of welds 32
10.4.1 Thickness 32
10.4.2 Overlap 33

11 Marking of differentially coated cold reduced tinplate 33

12 Selection of samples 33
12.1 For quality control 33
12.2 In case of dispute 34

13 Retests 34

14 Dispatch and packaging 35
14.1 Coils 35
14.1.1 Coil dispatch 35
14.1.2 Coil winding 35
14.2 Sheets 35

Annex A (informative) De-tinning 36

A.1 Principle 36
A.2 Clarke's solution 36
A.3 Procedure 36

Annex B (normative) Determination of chromium using the diphenylcarbazide method 37

B.1 General 37
B.2 Principle 37
B.3 Reagent 37
B.4 Apparatus 37
B.5 Procedure 37
B.6 Calibration 38

Annex C (normative) Determination of titanium content using the Inductively Coupled Plasma (ICP) method 39

C.1 General 39
C.2 Principle 39
C.3 Reagent 39

C.4 Apparatus 40
C.5 Procedure 40

Annex D (normative) Determination of tin oxides by galvanostatic potentiometry 41

D.1 General 41
D.2 Principle 41
D.3 Reagents 41
D.4 Apparatus 41
D.5 Procedure 41

Annex E (normative) Electromechanical method for determining tin coating mass 43

E.1 Principle 43
E.2 Reagents 43
E.3 Apparatus 43
E.3.1 Cell and electrodes 43
E.3.2 Power supply 43
E.3.3 Voltmeter 43
E.4 Procedure 43
E.5 Calibration of the measuring system 43
E.6 Calculation 44

Annex F (normative) Methods for determination of metallic chromium and chromium in the oxide on the surface of electrolytic chromium coated steel (ECCS or ECCS-RC) 47

F.1 Determination of chromium in the oxide 47
F.1.1 Principle 47
F.1.2 Reagents 47
F.1.3 Apparatus 47
F.1.4 Preparation of the chromium calibration curve 48
F.1.5 Procedure 48
F.1.6 Calculation 48
F.2 Determination of metallic chromium 48
F.2.1 Principle 48
F.2.2 Reagents 49
F.2.3 Apparatus 49
F.2.4 Preparation of the chromium calibration curve 49
F.2.5 Procedure 50
F.2.5.1 General 50
F.2.5.2 Removal of chromium oxide layer 50
F.2.5.3 Removal and determination of metallic chromium 50
F.2.6 Calculation 50

Annex G (informative) The Rockwell Hardness test for routine determination of proof strength for double reduced materials 54

G.1 General 54
G.2 Test pieces 54
G.3 Test method 54
G.4 Hardness for tinmill products 56

Annex H (informative) The springback test for routine determination of proof strength for double reduced material 57

H.1 General 57
H.2 Principle 57
H.3 Test pieces 57
H.4 Test method 57

Annex I (normative) Tensile testing conditions in case of dispute 58

I.1 General 58
I.2 Tensile test piece dimensions 58
I.3 Elongation measurement 58
I.4 Testing velocity 58
I.4.1 General 58
I.4.2 Material displaying no discontinuous yielding 58
I.4.3 Discontinuous yielding material 59

Annex J (informative) Indicative tensile strength of tinmill products 60

Annex K (informative) Alternative marking system for electrolytic tinplate -- differentiallycoated 61

Bibliography 63