

# ISO 7240-16:2007-07 (E)

## Fire detection and alarm systems - Part 16: Sound system control and indicating equipment

---

<b>Contents</b>		<b>Page</b>
Foreword .....		vi
Introduction .....		viii
1	Scope .....	1
2	Normative references .....	1
3	Terms, definitions and abbreviated terms .....	3
3.1	Terms and definitions .....	3
3.2	Abbreviations .....	4
4	General requirements .....	4
4.1	General .....	4
4.2	Combined s.s.c.i.e. and c.i.e .....	4
4.3	Power supply .....	4
5	General requirements for indications .....	4
5.1	Display of functional conditions .....	4
5.2	Display of indications .....	5
5.3	Indications on alphanumeric displays .....	5
5.4	Indication of the supply of power .....	5
5.5	Additional indications .....	5
6	Quiescent condition .....	5
7	Voice-alarm condition .....	6
7.1	Reception and processing of alarm signal .....	6
7.2	Alert signal - Optional function .....	6
7.3	Evacuate signal .....	6
7.4	Indication of the voice-alarm condition .....	6
7.5	Audible warning - Optional function .....	7
7.6	Delay before entering the voice-alarm condition - Optional function .....	7
7.7	Phased evacuation - Optional function .....	7
7.8	Silencing the voice-alarm condition .....	8
7.9	Reset of the voice-alarm condition .....	8
7.10	Output to alarm devices - Optional function .....	8
7.11	Voice-alarm condition output signal - Optional function .....	8
8	Fault-warning condition .....	9
8.1	Reception and processing of fault signals .....	9
8.2	Indication of faults in specified functions .....	9
8.3	System fault .....	10
8.4	Audible indication .....	10
8.5	Reset of fault indications .....	11
8.6	Fault-warning condition output signal .....	11
9	Disabled condition - Optional function .....	11
9.1	General .....	11
9.2	Indication of the disabled condition .....	11
9.3	Indication of specific disablements .....	11

9.4	Disablement condition output - Optional function .....	12
10	Test condition - Optional function .....	12
10.1	General .....	12
10.2	Indication of the test condition .....	12
10.3	Indication of specific emergency loudspeaker zones in the test state .....	12
11	Manual mode control - Optional function .....	12
11.1	General .....	12
11.2	Indications of emergency loudspeaker zones in the voice-alarm condition .....	13
11.3	Indication of emergency loudspeaker zones in the fault-warning condition - Optional function .....	13
11.4	Indication of emergency loudspeaker zones in the disabled condition - Optional function .....	13
12	Interface to external control device(s) - Optional function .....	13
13	Emergency microphone - Optional function .....	14
13.1	General .....	14
13.2	Microphone priority - Optional function .....	14
13.3	Microphone emergency loudspeaker zone control - Optional function .....	14
14	Design requirements .....	14
14.1	General requirements and manufacturer's declarations .....	14
14.2	Documentation .....	15
14.3	Mechanical design requirements .....	15
14.4	Electrical and other design requirements .....	16
14.5	Integrity of transmission paths .....	16
14.6	Accessibility of indications and controls .....	16
14.7	Indications by means of light-emitting indicators .....	17
14.8	Indications on alphanumeric displays .....	17
14.9	Colours of indications .....	18
14.10	Audible indications .....	18
14.11	Testing of indicators .....	18
14.12	Audio performance .....	18
14.13	Message store .....	20
14.14	Redundant power amplifiers - Optional function .....	20
15	Additional design requirements for software-controlled s.s.c.i.e .....	21
15.1	General requirements and manufacturer's declarations .....	21
15.2	Software documentation .....	21
15.3	Software design .....	22
15.4	Program monitoring .....	22
15.5	The storage of programs and data .....	22
15.6	Monitoring of memory contents .....	23
16	Marking .....	23
17	Tests .....	23
17.1	General .....	23
17.2	Functional test .....	24
17.3	Test schedule .....	27
17.4	Output power .....	28
17.5	Signal-to-noise ratio .....	29
17.6	Frequency response of s.s.c.i.e. without microphone(s) .....	30
17.7	Frequency response of s.s.c.i.e. with microphone(s) .....	31
17.8	Cold (operational) .....	32
17.9	Damp heat, steady state (operational) .....	33
17.10	Damp heat, steady state (endurance) .....	34
17.11	Impact (operational) .....	35
17.12	Vibration, sinusoidal (operational) .....	36
17.13	Vibration, sinusoidal (endurance) .....	37

<b>17.14</b>	<b>Supply voltage variation (operational)</b> .....	<b>38</b>
<b>17.15</b>	<b>Electromagnetic compatibility (EMC), immunity tests (operational)</b> .....	<b>39</b>
<b>18</b>	<b>Test report</b> .....	<b>40</b>
<b>Annex A (informative) Use of optional functions</b> .....		<b>41</b>
<b>Annex B (informative) Common indications, controls and outputs when the s.s.c.i.e. and the c.i.e. are combined</b> .....		<b>43</b>
<b>Annex C (informative) Interface between the s.s.c.i.e. and the emergency-detection system</b> .....		<b>44</b>
<b>Annex D (informative) Explanation of access levels</b> .....		<b>45</b>
<b>Annex E (informative) Design requirements for software-controlled s.s.c.i.e</b> .....		<b>47</b>