

# DIN EN 54-23:2010-06 (E)

## Fire detection and fire alarm systems - Part 23: Fire alarm devices - Visual alarm devices

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
Introduction .....		7
1	Scope .....	8
2	Normative references .....	8
3	Terms, definitions and abbreviations .....	9
3.1	Definitions .....	9
3.2	Abbreviations .....	10
4	Requirements .....	10
4.1	General .....	10
4.2	Operational reliability .....	10
4.2.1	Duration of operation .....	10
4.2.2	Provision for external conductors .....	10
4.2.3	Flammability of materials .....	11
4.2.4	Enclosure protection .....	11
4.2.5	Access .....	11
4.2.6	Manufacturer's adjustments .....	11
4.2.7	On site adjustments of behaviour .....	11
4.2.8	Requirements for software controlled devices .....	11
4.3	Performance parameters under fire conditions .....	13
4.3.1	Coverage volume .....	13
4.3.2	Variation of light output .....	13
4.3.3	Minimum and maximum effective luminous intensity .....	13
4.3.4	Light colour .....	13
4.3.5	Light temporal pattern and frequency of flashing .....	14
4.3.6	Marking and data .....	14
4.3.7	Synchronization (option with requirements) .....	15
4.4	Durability .....	16
4.4.1	Temperature resistance .....	16
4.4.2	Humidity resistance .....	16
4.4.3	Shock and vibration resistance .....	16
4.4.4	Corrosion resistance - Sulphur dioxide (SO <sub>2</sub> ) corrosion (endurance) .....	16
4.4.5	Electrical stability - EMC, immunity (operational) .....	17
5	Tests and evaluation methods .....	17
5.1	General .....	17
5.1.1	Atmospheric conditions for tests .....	17
5.1.2	Operating conditions for tests .....	17
5.1.3	Mounting arrangements .....	17
5.1.4	Tolerances .....	18
5.1.5	Provision for tests .....	18
5.1.6	Test schedule .....	18
5.1.7	Reproducibility .....	20
5.2	Operational reliability .....	20
5.2.1	Duration of operation .....	20
5.2.2	Provision for external conductors .....	21
5.2.3	Flammability of materials .....	21

5.2.4	Enclosure protection .....	21
5.2.5	Access .....	22
5.2.6	Manufacturer's adjustments .....	23
5.2.7	On site adjustments of behaviour .....	23
5.2.8	Requirements for software controlled devices .....	23
5.3	Performance parameters under fire conditions .....	23
5.3.1	Coverage volume .....	23
5.3.2	Variation of luminous intensity .....	23
5.3.3	Minimum and maximum light intensity .....	24
5.3.4	Light colour .....	24
5.3.5	Light pattern and frequency of flashing .....	24
5.3.6	Marking and data .....	24
5.3.7	Synchronization (option with requirements) .....	24
5.4	Durability .....	26
5.4.1	Temperature resistance .....	26
5.4.2	Humidity resistance .....	29
5.4.3	Shock and vibration resistance .....	33
5.4.4	Corrosion resistance - Sulphur dioxide (SO <sub>2</sub> ) corrosion (endurance) .....	37
5.4.5	Electrical stability - Electromagnetic compatibility (EMC), immunity .....	38
6	Evaluation of conformity .....	39
6.1	General .....	39
6.2	Initial type testing .....	40
6.2.1	General .....	40
6.2.2	Test samples .....	40
6.2.3	Test reports .....	40
6.3	Factory production control .....	41
6.3.1	General .....	41
6.3.2	General requirements .....	41
6.3.3	Product specific requirements .....	42
6.3.4	Initial inspection of factory and FPC .....	43
6.3.5	Surveillance of FPC .....	43
6.4	Procedure for modifications .....	44
6.5	One-off products, pre-production products (e.g. prototypes) and products produced in very low quantities .....	44
<b>Annex A (normative) Method for measuring the light distribution from a VAD .....</b>		<b>46</b>
A.1	General .....	46
A.2	Test apparatus .....	46
A.3	Instrumentation .....	46
A.4	Test room .....	46
A.5	Arrangement for measuring the effective luminous intensity .....	48
A.6	Calculation of $l_{eff} (av)$ .....	52
A.7	Calculation of coverage distance .....	52
<b>Annex B (normative) Comparative light output level measurement for VADs .....</b>		<b>53</b>
B.1	General .....	53
B.2	Light test chamber .....	53
B.3	Calibration of the light test chamber .....	53
B.4	Mounting arrangements .....	54
B.5	Measurement of effective average illumination .....	54
<b>Annex C (informative) Construction of the light test chamber and associated equipment for comparative measurements .....</b>		<b>55</b>
C.1	Light test chamber .....	55
C.2	Surface finishes .....	55
<b>Annex D (informative) Comparison of flammability test requirements in various standards .....</b>		<b>57</b>

<b>D.1</b>	<b>Introduction .....</b>	<b>57</b>
<b>D.2</b>	<b>Relevant standards .....</b>	<b>57</b>
<b>D.3</b>	<b>Vertical burning tests .....</b>	<b>57</b>
<b>D.4</b>	<b>Horizontal burning tests .....</b>	<b>58</b>
<b>D.4.1</b>	<b>IEC 60695-11-10 and UL 94 .....</b>	<b>58</b>
<b>D.4.2</b>	<b>IEC 60695-11-20 and UL 94 .....</b>	<b>59</b>
	<b>Annex ZA (informative) Clauses of this European Standard addressing the provisions of the EU Construction Products Directive (89/106/EEC) .....</b>	<b>60</b>
	<b>ZA.1 Scope and relevant characteristics .....</b>	<b>60</b>
	<b>ZA.2 Procedures for the attestation of conformity of VADs .....</b>	<b>62</b>
	<b>ZA.2.1 System of attestation of conformity .....</b>	<b>62</b>
	<b>ZA.2.2 EC Certificate of conformity .....</b>	<b>63</b>
	<b>ZA.3 CE marking and labelling .....</b>	<b>63</b>
	<b>Bibliography .....</b>	<b>66</b>