

ISO 7240-12:2014-04 (E)

Fire detection and alarm systems - Part 12: Line type smoke detectors using a transmitted optical beam

| Contents | | Page |
|---|---|-------------|
| Foreword | | v |
| Introduction | | vii |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Requirements | 3 |
| 4.1 | Compliance | 3 |
| 4.2 | Individual alarm indication | 3 |
| 4.3 | Connection of ancillary devices | 4 |
| 4.4 | Monitoring of detachable detectors and connections | 4 |
| 4.5 | Manufacturer's adjustments | 4 |
| 4.6 | On-site adjustment of response threshold value | 4 |
| 4.7 | Protection of optical components | 4 |
| 4.8 | Limit of compensation | 5 |
| 4.9 | Fault signalling | 5 |
| 4.10 | Software-controlled detectors | 5 |
| 5 | Test methods | 6 |
| 5.1 | General | 6 |
| 5.2 | Reproducibility | 9 |
| 5.3 | Repeatability | 10 |
| 5.4 | Alignment dependence | 10 |
| 5.5 | Variation of supply parameters | 11 |
| 5.6 | Rapid changes in attenuation | 12 |
| 5.7 | Slow changes in attenuation | 12 |
| 5.8 | Optical path length dependence | 13 |
| 5.9 | Fire sensitivity | 13 |
| 5.10 | Stray light | 15 |
| 5.11 | Dry heat (operational) | 16 |
| 5.12 | Cold (operational) | 17 |
| 5.13 | Damp heat, steady-state (operational) | 19 |
| 5.14 | Damp heat, steady-state (endurance) | 20 |
| 5.15 | Vibration, sinusoidal (endurance) | 20 |
| 5.16 | Electromagnetic compatibility (EMC), immunity tests (operational) | 21 |
| 5.17 | Sulfur dioxide, SO ₂ , corrosion (endurance) | 22 |
| 5.18 | Impact (operational) | 23 |
| 6 | Test report | 24 |
| 7 | Marking | 24 |
| 8 | Data | 25 |
| Annex A (informative) Compensation for detector drift | | 26 |
| Annex B (normative) Bench for response threshold value measurements | | 31 |

| | |
|--|-----------|
| Annex C (normative) Fire test room | 33 |
| Annex D (normative)Smoulderingpyrolysiswoodfire(TF2) | 35 |
| Annex E (normative)Glowingsmoulderingcottonfire(TF3) | 38 |
| Annex F (normative)Flamingplastics(polyurethane)fire(TF4) | 40 |
| Annex G (normative) Flaming liquid (n-heptane)fire(TF5) | 42 |
| Annex H (normative) Smoke-measuring instruments | 43 |
| Annex I (normative) Apparatus for stray light | 46 |
| Annex J (informative) Information concerning the construction of the measuring ionization chamber | 48 |